
	7) DE	UNITED STATES PARTMENT OF THE D		OCD Artesia	OMB N	APPROVED) O. 1004-0135 July 31, 2010
-	BU	JREAU OF LAND MANA	GEMENT	UCD AILESIA	5. Lease Serial No.	July 31, 2010
	Do not use this	NOTICES AND REPO s form for proposals to	drill or to re-enter an	1	NMNM0503 6. If Indian, Allottee	- Trite Nome
	abandoned wel	I. Use form 3160-3 (AP	D) for such proposals	s.		
-	SUBMIT IN TRIF	PLICATE - Other instruc	ctions on reverse side	e	7. If Unit or CA/Agre	ement, Name and/or No
1. Type of Well Gas Well Other					8. Well Name and No. COTTON DRAW 14 FED COM 1H	
2. Name of DEVO	f Operator N ENERGY PROD. CO.	Contact: . LP E-Mail: 'gregg.larso	GREGG LARSON on@dvn.com	. <i>1</i>	9. API Well No. 30-015-42091	
OKLA	EST SHERIDAN AVEN HOMA CITY, OK 73102	2-5015	3b. Phone No. (include a Ph: 940-393-2190	irea code)		IE SPRING 96641
4. Location	n of Well (Footage, Sec., T.	, R., M., or Survey Description	1)		11. County or Parish,	
Sec 14	4 T25S R31E Mer NMP				EDDY COUNT	Y COUNTY, NM
		<u></u>	·			
	12. CHECK APPR	ROPRIATE BOX(ES) TO	O INDICATE NATUR	RE OF NOTICE, R	EPORT, OR OTHE	ER DATA
ТҮРЕ	E OF SUBMISSION		т	TYPE OF ACTION		
🛛 Noti	ice of Intent	Acidize	Deepen	Produc	tion (Start/Resume)	□ Water Shut-Of
_	sequent Report	Alter Casing	Fracture Treat	_		U Well Integrity
		Casing Repair	New Construc		-	□ Other
🔲 Fina	Il Abandonment Notice	 Change Plans Convert to Injection 	Plug and Aba Plug Back	ndon 🔲 l empo 🗖 Water	orarily Abandon	
Respe	ned that the site is ready for fi ectfully request approval existing electric line loca	to install a three phase 2	22.8/13.2kV overhead (electric line starting]	, and the operator has
Respe at an e feet (1 14 Feo	ectfully request approval existing electric line loca 0.21 rods) to the combir	- · .	22.8/13.2kV overhead Section 14, T25S-R31 J 14 Fed Com 1H (API	electric line starting IE,extending 168.4 30-015-42091) and	5 5 d the CDU E, Eddy	
Respe at an e feet (1 14 Feo County	ectfully request approval existing electric line loca 0.21 rods) to the combir d Com 2H (API 30-015-4 y, New Mexico.	to install a three phase 2 ted in the NW/4 NW/4 of ned well pad for the CDU	22.8/13.2kV overhead Section 14, T25S-R31 J 14 Fed Com 1H (API he NW/4 NW/4 of Sect	electric line starting IE,extending 168.4 30-015-42091) and	5 d the CDU E, Eddy NM OIL	CONSERVATIO
Respe at an e feet (1 14 Feo County Wire s	ectfully request approval existing electric line loca 0.21 rods) to the combir d Com 2H (API 30-015-4 y, New Mexico. ize will be 1/0 with 45'C4	to install a three phase 2 ted in the NW/4 NW/4 of ned well pad for the CDU 42092) wells, located in th	22.8/13.2kV overhead of Section 14, T25S-R31 J 14 Fed Com 1H (API he NW/4 NW/4 of Sect 2 pole.	electric line starting IE,extending 168.4 30-015-42091) and tion 14, T25S-R31E	5 5 d the CDU E, Eddy NM OIL ART	CONSERVATIO
Respe at an e feet (1 14 Feo County Wire s 168.45	ectfully request approval existing electric line loca 0.21 rods) to the combir d Com 2H (API 30-015-4 y, New Mexico. ize will be 1/0 with 45'C4 5 feet (10.21 rods) by 30	to install a three phase 2 ted in the NW/4 NW/4 of ned well pad for the CDU 42092) wells, located in th 4 poles. Approximately 2	22.8/13.2kV overhead of Section 14, T25S-R31 J 14 Fed Com 1H (API he NW/4 NW/4 of Sect 2 pole. 0.116 acres. Please s	electric line starting IE,extending 168.4 30-015-42091) and tion 14, T25S-R31E see attached plats.	5 5 d the CDU E, Eddy NM OIL ART SE	CONSERVATIO
Respe at an e feet (1 14 Feo County Wire s 168.45	ectfully request approval existing electric line loca 0.21 rods) to the combir d Com 2H (API 30-015-4 y, New Mexico. ize will be 1/0 with 45'C4 5 feet (10.21 rods) by 30	to install a three phase 2 ted in the NW/4 NW/4 of ned well pad for the CDU 42092) wells, located in th 4 poles. Approximately 2 I feet in width containing	22.8/13.2kV overhead of Section 14, T25S-R31 J 14 Fed Com 1H (API he NW/4 NW/4 of Sect 2 pole. 0.116 acres. Please s	electric line starting IE,extending 168.4 30-015-42091) and tion 14, T25S-R31E see attached plats.	g 5 d the CDU E, Eddy NM OIL ART SE	CONSERVATIO
Respe at an e feet (1 14 Feo County Wire s 168.45 Constr	ectfully request approval existing electric line loca 0.21 rods) to the combir d Com 2H (API 30-015-4 y, New Mexico. ize will be 1/0 with 45'C4 5 feet (10.21 rods) by 30	to install a three phase 2 ted in the NW/4 NW/4 of hed well pad for the CDU 42092) wells, located in the 4 poles. Approximately 2 I feet in width containing as approval is received.	22.8/13.2kV overhead of Section 14, T25S-R31 J 14 Fed Com 1H (API he NW/4 NW/4 of Sect 2 pole. 0.116 acres. Please s Estimated Construction	electric line starting 1E,extending 168.4 30-015-42091) and tion 14, T25S-R31E see attached plats. n duration 15 days.	o d the CDU E, Eddy NM OIL ART SE	CONSERVATION TESIA DISTRICT EP 1 3 2016
Respe at an e feet (1 14 Feo County Wire s 168.45 Constr	ectfully request approval existing electric line loca 0.21 rods) to the combir d Com 2H (API 30-015-4 y, New Mexico. ize will be 1/0 with 45'C4 5 feet (10.21 rods) by 30 ruction to start as soon a	to install a three phase 2 ted in the NW/4 NW/4 of hed well pad for the CDU (2092) wells, located in the 4 poles. Approximately 2 I feet in width containing as approval is received. True and correct. Electronic Submission # For DEVON EN	22.8/13.2kV overhead of Section 14, T25S-R31 J 14 Fed Com 1H (API he NW/4 NW/4 of Sect 2 pole. 0.116 acres. Please s Estimated Construction 4339668 verified by the E IERGY PROD. CO. LP, s	electric line starting 1E,extending 168.4 30-015-42091) and tion 14, T25S-R31E see attached plats. n duration 15 days.	o d the CDU E, Eddy NM OIL ART SE	CONSERVATION TESIA DISTRICT EP 132016
Respe at an e feet (1 14 Feo County Wire s 168.45 Constr	ectfully request approval existing electric line loca 0.21 rods) to the combin d Com 2H (API 30-015-4 y, New Mexico. ize will be 1/0 with 45'C4 5 feet (10.21 rods) by 30 ruction to start as soon a py certify that the foregoing is	to install a three phase 2 ted in the NW/4 NW/4 of hed well pad for the CDU 42092) wells, located in the 4 poles. Approximately 2 I feet in width containing as approval is received. true and correct. Electronic Submission # For DEVON EN ARSON	22.8/13.2kV overhead of Section 14, T25S-R31 J 14 Fed Com 1H (API he NW/4 NW/4 of Sect 2 pole. 0.116 acres. Please s Estimated Construction 4339668 verified by the E IERGY PROD. CO. LP, s Title	electric line starting 1E,extending 168.4 30-015-42091) and tion 14, T25S-R31E see attached plats. In duration 15 days.	o d the CDU E, Eddy NM OIL ART SE	CONSERVATION TESIA DISTRICT EP 132016
Respe at an e feet (1 14 Fec County Wire s 168.45 Constr 14. I hereb Name (F	ectfully request approval existing electric line loca 0.21 rods) to the combin d Com 2H (API 30-015-4 y, New Mexico. ize will be 1/0 with 45'C4 5 feet (10.21 rods) by 30 ruction to start as soon a py certify that the foregoing is	to install a three phase 2 ted in the NW/4 NW/4 of hed well pad for the CDU 42092) wells, located in the 4 poles. Approximately 2 feet in width containing as approval is received. true and correct. Electronic Submission # For DEVON EN ARSON	22.8/13.2kV overhead of Section 14, T25S-R31 J 14 Fed Com 1H (API he NW/4 NW/4 of Sect 2 pole. 0.116 acres. Please s Estimated Construction 4339668 verified by the E IERGY PROD. CO. LP, s Title	electric line starting 1E,extending 168.4 30-015-42091) and tion 14, T25S-R31E see attached plats. In duration 15 days. BLM Well Informatio sent to the Carlsbad FIELD LANDMAN 05/19/2016	of the CDU E, Eddy NM OIL ART SE	CONSERVATION TESIA DISTRICT EP 132016
Respe at an e feet (1 14 Fec County Wire s 168.45 Constr 14. I hereb Name (F Signatur	Printed/Typed) GREGG L.	to install a three phase 2 ted in the NW/4 NW/4 of hed well pad for the CDU 42092) wells, located in the 4 poles. Approximately 2 1 feet in width containing as approval is received. True and correct. Electronic Submission # For DEVON EN ARSON Ubmission) THIS SPACE FO	22.8/13.2kV overhead of Section 14, T25S-R31 J 14 Fed Com 1H (API he NW/4 NW/4 of Sect 2 pole. 0.116 acres. Please s Estimated Construction 4339668 verified by the E IERGY PROD. CO. LP, s Title Date DR FEDERAL OR S	electric line starting 1E,extending 168.4 30-015-42091) and tion 14, T25S-R31E see attached plats. In duration 15 days. BLM Well Informatio sent to the Carlsbad FIELD LANDMAN 05/19/2016	5 d the CDU E, Eddy NM OIL ART SE	CONSERVATION TESIA DISTRICT EP 132016
Respe at an e feet (1 14 Feo County Wire s 168.45 Constr 14. I hereb Name (F Signatur 	Printed/Typed) GREGG L.	to install a three phase 2 ted in the NW/4 NW/4 of hed well pad for the CDU 42092) wells, located in the 4 poles. Approximately 2 feet in width containing as approval is received. true and correct. Electronic Submission # For DEVON EN ARSON ubmission) THIS SPACE FO	22.8/13.2kV overhead of Section 14, T25S-R31 J 14 Fed Com 1H (API he NW/4 NW/4 of Sect 2 pole. 0.116 acres. Please s Estimated Construction #339668 verified by the E ERGY PROD. CO. LP, s Title Date Date DR FEDERAL OR S	electric line starting IE, extending 168.4 30-015-42091) and tion 14, T25S-R31E see attached plats. In duration 15 days BLM Well Information sent to the Carlsbad FIELD LANDMAN 05/19/2016	AGER	CONSERVATION TESIA DISTRICT EP 1 3 2016
Respe at an e feet (1 14 Feo County Wire s 168.45 Constr 14. I hereb Name (F Signatur Approved F Conditions of certify that th which would	Printed/Typed) GREGG L.	to install a three phase 2 ted in the NW/4 NW/4 of hed well pad for the CDU 42092) wells, located in the 4 poles. Approximately 2 feet in width containing as approval is received. true and correct. Electronic Submission # For DEVON EN ARSON ubmission) THIS SPACE FO	22.8/13.2kV overhead of Section 14, T25S-R31 J 14 Fed Com 1H (API he NW/4 NW/4 of Sect 2 pole. 0.116 acres. Please s Estimated Construction (339668 verified by the E ERGY PROD. CO. LP, s Title Date DR FEDERAL OR S S not warrant or e subject lease Offlice	electric line starting 1E, extending 168.4 30-015-42091) and tion 14, T25S-R31E tee attached plats. In duration 15 days. BLM Well Information Sent to the Carlsbad FIELD LANDMAN 05/19/2016 TATE OFFICE U CARLSBAD FIEL ingly and willfully to m	d the CDU E, Eddy NM OIL ART SE ISE AGER DOFFICE	CONSERVATION TESIA DISTRICT EP 1 3 2016 CRECEIVED
Respe at an e feet (1 14 Feo County Wire s 168.45 Constr 14. I hereb Name (F Signatur Approved F Conditions of certify that th which would	Printed/Typed) GREGG L. re (Electronic S By (Electronic S By (Electronic S C. Section 1001 and Title 43 t false, fictitious or fraudulent si	to install a three phase 2 ted in the NW/4 NW/4 of hed well pad for the CDU 42092) wells, located in the 4 poles. Approximately 2 feet in width containing as approval is received. true and correct. Electronic Submission # For DEVON EN ARSON ubmission) THIS SPACE FO	22.8/13.2kV overhead of Section 14, T25S-R31 J 14 Fed Com 1H (API he NW/4 NW/4 of Sect 2 pole. 0.116 acres. Please s Estimated Construction 4339668 verified by the E ERGY PROD. Co. LP, s Title Date Date OR FEDERAL OR S s not warrant or e subject lease Office	electric line starting IE, extending 168.4 30-015-42091) and tion 14, T25S-R31E see attached plats. In duration 15 days. BLM Well Informatio sent to the Carlsbad FIELD LANDMAN 05/19/2016 TATE OFFICE U CARLSBAD FIEL ingly and willfully to m isdiction.	A the CDU E, Eddy NM OIL ART SE F on System SSE AGER DOFFICE	CONSERVATION TESIA DISTRICT EP 1 3 2016 CRECEIVED
Respe at an e feet (1 14 Feo County Wire s 168.45 Constr 14. I hereb Name (F Signatur Approved F Conditions of certify that th which would	Printed/Typed) GREGG L. re (Electronic S By (Electronic S By (Electronic S C. Section 1001 and Title 43 t false, fictitious or fraudulent si	to install a three phase 2 ted in the NW/4 NW/4 of hed well pad for the CDU 42092) wells, located in the 4 poles. Approximately 2 feet in width containing as approval is received. true and correct. Electronic Submission # For DEVON EN ARSON Ubmission) THIS SPACE FO	22.8/13.2kV overhead of Section 14, T25S-R31 J 14 Fed Com 1H (API he NW/4 NW/4 of Sect 2 pole. 0.116 acres. Please s Estimated Construction 4339668 verified by the E ERGY PROD. Co. LP, s Title Date Date OR FEDERAL OR S s not warrant or e subject lease Office	electric line starting IE, extending 168.4 30-015-42091) and tion 14, T25S-R31E see attached plats. In duration 15 days. BLM Well Informatio sent to the Carlsbad FIELD LANDMAN 05/19/2016 TATE OFFICE U CARLSBAD FIEL ingly and willfully to m isdiction.	A the CDU E, Eddy NM OIL ART SE F on System SSE AGER DOFFICE	CONSERVATION TESIA DISTRICT EP 1 3 2016 CRECEIVED



SECTION 14, T25S-R31E, N.M.P.M., EDDY COUNTY, NEW MEXICO

ELECTRIC LINE PLAT

LEGAL DESCRIPTION

FOR

DEVON ENERGY PRODUCTION COMPANY, L.P.

BUREAU OF LAND MANAGEMENT

30' EASEMENT DESCRIPTION:

BEING an easement thirty (30) feet in width lying fifteen (15) feet on the right side and fifteen (15) feet on the left side of the survey centerline described below, being out of the northwest quarter (NW 1/4) of Section 14, Township 25 South, Range 31 East, N.M.P.M., Eddy County, New Mexico, and being out of a parcel of land owned by the Bureau of Land Management. Said centerline of easement being more particularly described as follows:

Commencing from a 2" iron pipe w/ BC 1939 for the northwest corner of Section 14, T25S-R31E, N.M.P.M., Eddy County, New Mexico;

Thence S 86°13'39" E a distance of 1075.60' to the **Point of Beginning** of this easement having coordinates of Northing=414234.51 feet, Easting=720738.03 feet and continuing the following course;

Thence S 21°38'37" E a distance of 168.45' to the **Point of Ending** having coordinates of Northing=414077.93 feet, Easting=720800.16 feet, from said point a 1" iron pipe w/ BC 1939 for the west quarter corner of Section 14, T25S-R31E bears S 25°12'15" W a distance of 2680.56', covering 168.45' or 10.21 rods and having an area of 0.116 acres.

NOTES:


Bearings, distances and coordinates shown herein are based on New Mexico State Plane Coordinate System, NAD 83, East Zone 3001, US Survey Feet, all distances are grid.


I, B.L. Laman, New Mexico PLS No. 22404, hereby certify this survey to reflect an actual survey made on the ground under my supervision. This survey meets the minimum standards for surveying in New Mexico.

B.L. Laman PLS 22404 Date Signed: 05/13/2016 Horizon Row, LLC 571 State Street, Jasper, TX (402) 202-5111 75951 Employee of Horizon Row, LLC



Sheet 2 of 4





AUGONISTEED 2H WEILS RAD WEILS RAD Lobul, 14 Le GOTTON DRAW 14 TEED COM 1H & J2H WEIL IPAD

> SEC 14. T 25-5 R2313E BUREAU OF LANDIGWAINAGEMEINT CLANDIGWAINAGEMEINT CLATERAL

SEC:> 23, +T-25÷6 R ÷5ile:E 5h⊢E

AERIAL MAP

SECTION 14, T25S-R31E, N.M.P.M. EDDY COUNTY, NEW MEXICO

 HORIZON ROW LLC
 Drawn for:
 LINE NUMBER:

 DEVON ENERGY PRODUCTION CO., L.P.
 PROPOSED 30' EASEMENT
 SCALE:

 Drawn by:
 Date: 04/04/2015
 Of WORK COLL

Devon Energy Production Company, L.P. Lease No. NMNM0503 Cotton Draw Unit 14 Fed Com 1H & 2H Battery Connect Electric Line

STANDARD STIPULATIONS FOR OVERHEAD ELECTRIC DISTRIBUTION LINES

A copy of the grant and attachments, including stipulations, survey plat and/or map, will be on location during construction. BLM personnel may request to you a copy of your permit during construction to ensure compliance with all stipulations.

Holder agrees to comply with the following stipulations to the satisfaction of the Authorized Officer:

1. The holder shall indemnify the United States against any liability for damage to life or property arising from the occupancy or use of public lands under this grant.

2. The holder shall comply with all applicable Federal laws and regulations existing or hereafter enacted or promulgated. In any event, the holder shall comply with the Toxic Substances Control Act of 1976 as amended, 15 USC 2601 <u>et seq</u>. (1982) with regards to any toxic substances that are used, generated by or stored on the right-of-way or on facilities authorized under this right-of-way grant. (See 40 CFR, Part 702-799 and especially, provisions on polychlorinated biphenyls, 40 CFR 761.1-761.193.) Additionally, any release of toxic substances (leaks, spills, etc.) in excess of the reportable quantity established by 40 CFR, Part 117 shall be reported as required by the Comprehensive Environmental Response, Compensation, and Liability Act, section 102b. A copy of any report required or requested by any Federal agency or State government as a result of a reportable release or spill of any toxic substances shall be furnished to the authorized officer concurrent with the filing of the reports to the involved Federal agency or State government.

3. The holder agrees to indemnify the United States against any liability arising from the release of any hazardous substance or hazardous waste (as these terms are defined in the Comprehensive Environmental Response, Compensation and Liability Act of 1980, 42 U.S.C. 9601, <u>et seq</u>. or the Resource Conservation and Recovery Act, 42 U.S.C. 6901, <u>et seq</u>.) on the Right-of-Way (unless the release or threatened release is wholly unrelated to the Right-of-Way holder's activity on the Right-of-Way), or resulting from the activity of the Right-of-Way holder on the Right-of-Way. This agreement applies without regard to whether a release is caused by the holder, its agent, or unrelated third parties.

4. There will be no clearing or blading of the right-of-way unless otherwise agreed to in writing by the Authorized Officer.

5. Power lines shall be constructed and designed in accordance to standards outlined in "Suggested Practices for Avian Protection on Power lines: The State of the Art in 2006" Edison Electric Institute, APLIC, and the California Energy Commission 2006. The holder shall assume the burden and expense of proving that pole designs not shown in the above publication deter raptor perching, roosting, and nesting. Such proof shall be provided by a raptor expert approved by the Authorized Officer. The BLM reserves the right to require modification or additions to all powerline structures placed on this right-of-way, should they be necessary to ensure the safety of large perching birds. Such modifications and/or additions shall be made by the holder without liability or expense to the United States.

Raptor deterrence will consist of but not limited to the following: triangle perch discouragers shall be placed on each side of the cross arms and a nonconductive perching deterrence shall be placed on all vertical poles that extend past the cross arms.

6. The holder shall minimize disturbance to existing fences and other improvements on public lands. The holder is required to promptly repair improvements to at least their former state. Functional use of these improvements will be maintained at all times. The holder will contact the owner of any improvements prior to disturbing them. When necessary to pass through a fence line, the fence shall be braced on both sides of the passageway prior to cutting the fence. No permanent gates will be allowed unless approved by the Authorized Officer.

7. The BLM serial number assigned to this authorization shall be posted in a permanent, conspicuous manner where the power line crosses roads and at all serviced facilities. Numbers will be at least two inches high and will be affixed to the pole nearest the road crossing and at the facilities served.

8. Upon cancellation, relinquishment, or expiration of this grant, the holder shall comply with those abandonment procedures as prescribed by the Authorized Officer.

9. All surface structures (poles, lines, transformers, etc.) shall be removed within 180 days of abandonment, relinquishment, or termination of use of the serviced facility or facilities or within 180 days of abandonment, relinquishment, cancellation, or expiration of this grant, whichever comes first. This will not apply where the power line extends service to an active, adjoining facility or facilities.

10. Any cultural and/or paleontological resource (historic or prehistoric site or object) discovered by the holder, or any person working on his behalf, on public or Federal land shall be immediately reported to the Authorized Officer. Holder shall suspend all operations in the immediate area of such discovery until written authorization to proceed is issued by the Authorized Officer. An evaluation of the discovery will be made by the Authorized Officer to determine appropriate actions to prevent the loss of significant cultural or scientific values. The holder will be responsible for the cost of evaluation and any decision as to proper mitigation measures will be made by the Authorized Officer after consulting with the holder.

11. Special Stipulations:

- For reclamation remove poles, lines, transformer, etc. and dispose of properly.
- Fill in any holes from the poles removed.

Timing Limitation Stipulation/Condition of Approval for Lesser Prairie-Chicken:

In May 2008, the Pecos District Special Status Species Resource Management Plan Amendment (RMPA) was approved and is being implemented. In addition to the standard practices that minimize impacts, as listed above, the following COA will apply:

• Timing Limitation Stipulation / Condition of Approval for lesser prairie-chicken, to minimize noise associated impacts which could disrupt breeding and nesting activities.

Power lines shall be constructed and designed in accordance to standards outlined in "Suggested Practices for Avian Protection on Power lines: The State of the Art in 2006" Edison Electric Institute, APLIC, and the California Energy Commission 2006. The holder shall assume the burden and expense of proving that pole designs not shown in the above publication deter raptor perching, roosting, and nesting. Such proof shall be provided by a raptor expert approved by the Authorized Officer. The BLM reserves the right to require modification or additions to all power line structures placed on this right-of-way, should they be necessary to ensure the safety of large perching birds. The holder without liability or expense shall make such modifications and/or additions to the United States.

Any damage to structures that provide water to livestock throughout the life of the well, caused by operations from the well site, must be immediately corrected by the operator. The operator must notify the BLM office (575-234-5972) and the private surface landowner or the grazing allotment holder if any damage occurs to structures that provide water to livestock.

The operator must contact the allotment holder prior to construction to identify the location of the pipeline. The operator must take measures to protect the pipeline from compression or other damages. If the pipeline is damaged or compromised in any way near the proposed project as a result of oil and gas activity, the operator is responsible for repairing the pipeline immediately. The operator must notify the BLM office (575-234-5972) and the private surface landowner or the grazing allotment holder if any damage occurs to structures that provide water to livestock.

During construction, the proponent shall minimize disturbance to existing fences, water lines, troughs, windmills, and other improvements on public lands. The proponent is required to promptly repair improvements to at least their former state. Functional use of these improvements will be maintained at all times. The holder will contact the grazing permittee/allottee prior to disturbing any range improvement projects. When necessary to pass through a fence line, the fence shall be braced on both sides of the passageway prior to cutting of the fence. No permanent gates will be allowed unless approved by the Authorized Officer.