


State of New Mexico  
Energy, Minerals and Natural Resources Department

Susana Martinez  
Governor

David Martin  
Cabinet Secretary

Tony Delfin  
Deputy Cabinet Secretary

David Catanach, Director  
Oil Conservation Division



**\*Response Required - Deadline Enclosed\***

*Field Inspection Program*  
*"Preserving the Integrity of Our Environment"*

19-Sep-16

REMNANT OIL OPERATING, LLC  
PO BOX 5375  
MIDLAND TX 79704

**LETTER OF VIOLATION - Inspection**

Dear Operator:

The following inspection(s) indicate that the well, equipment, location or operational status of the well(s) failed to meet standards of the New Mexico Oil Conservation Division as described in the detail section below. To comply with standards imposed by Rules and Regulations of the Division, corrective action must be taken immediately and the situation brought into compliance. The detail section indicates preliminary findings and/or probable nature of the violation. This determination is based on an inspection of your well or facility by an inspector employed by the Oil Conservation Division on the date(s) indicated.

Please notify the proper district office of the Division, in writing, of the date corrective actions are scheduled to be made so that arrangements can be made to reinspect the well and/or facility.

***INSPECTION DETAIL SECTION***

<b>DANA FEDERAL</b>	<b>No.002</b>	<b>G-5-9S-25E</b>	<b>30-005-61138-00-00</b>			
<b>Inspection Date</b>	<b>Type Inspection</b>	<b>Inspector</b>	<b>Violation?</b>	<b>*Significant Non-Compliance?</b>	<b>Corrective Action Due By:</b>	<b>Inspection No.</b>
09/19/2016	Routine/Periodic	Gilbert Cordero	Yes	No	12/23/2016	iGC1626337790
<b>Comments on Inspection:</b> Well Sign (Rule 19.15.16.8). OPERATOR (LEGACY) IS WRONG						

<b>DANA FEDERAL</b>	<b>No.003</b>	<b>G-3-9S-25E</b>	<b>30-005-61435-00-00</b>			
<b>Inspection Date</b>	<b>Type Inspection</b>	<b>Inspector</b>	<b>Violation?</b>	<b>*Significant Non-Compliance?</b>	<b>Corrective Action Due By:</b>	<b>Inspection No.</b>
09/19/2016	Routine/Periodic	Gilbert Cordero	Yes	No	12/23/2016	iGC1626342086
<b>Comments on Inspection:</b> Well Sign (Rule 19.15.16.8). OPERATOR (LEGACY) IS WRONG						

<b>SANTA FE FEE</b>	<b>No.001</b>	<b>I-8-9S-25E</b>	<b>30-005-61753-00-00</b>			
<b>Inspection Date</b>	<b>Type Inspection</b>	<b>Inspector</b>	<b>Violation?</b>	<b>*Significant Non-Compliance?</b>	<b>Corrective Action Due By:</b>	<b>Inspection No.</b>
09/19/2016	Routine/Periodic	Gilbert Cordero	Yes	No	12/23/2016	iGC1626333934
<b>Comments on Inspection:</b> Well Sign (Rule 19.15.16.8). OPERATOR (LEGACY) IS WRONG.						

<b>DANA FEDERAL</b>		<b>No.004</b>	<b>K-3-9S-25E</b>		<b>30-005-61810-00-00</b>	
<b>Inspection Date</b>	<b>Type Inspection</b>	<b>Inspector</b>	<b>Violation?</b>	<b>*Significant Non-Compliance?</b>	<b>Corrective Action Due By:</b>	<b>Inspection No.</b>
09/19/2016	Routine/Periodic	Gilbert Cordero	Yes	No	12/23/2016	iGC1626342213
<b>Comments on Inspection:</b> Well Sign (Rule 19.15.16.8). OPERATOR (LEGACY) IS WRONG						

<b>BEAVERS FEE</b>		<b>No.001</b>	<b>I-3-9S-25E</b>		<b>30-005-61826-00-00</b>	
<b>Inspection Date</b>	<b>Type Inspection</b>	<b>Inspector</b>	<b>Violation?</b>	<b>*Significant Non-Compliance?</b>	<b>Corrective Action Due By:</b>	<b>Inspection No.</b>
09/19/2016	Routine/Periodic	Gilbert Cordero	Yes	No	12/23/2016	iGC1626344362
<b>Comments on Inspection:</b> Well Sign (Rule 19.15.16.8). OPERATOR (LEGACY) IS WRONG.						

<b>SU FEDERAL</b>		<b>No.001</b>	<b>E-9-9S-25E</b>		<b>30-005-62180-00-00</b>	
<b>Inspection Date</b>	<b>Type Inspection</b>	<b>Inspector</b>	<b>Violation?</b>	<b>*Significant Non-Compliance?</b>	<b>Corrective Action Due By:</b>	<b>Inspection No.</b>
09/19/2016	Routine/Periodic	Gilbert Cordero	Yes	No	12/23/2016	iGC1626332228
<b>Comments on Inspection:</b> Well Sign (Rule 19.15.16.8). OPERATOR NOT LEGIBLE ON WELL SIGN						

<b>DANA FEDERAL</b>		<b>No.005</b>	<b>N-4-9S-25E</b>		<b>30-005-62466-00-00</b>	
<b>Inspection Date</b>	<b>Type Inspection</b>	<b>Inspector</b>	<b>Violation?</b>	<b>*Significant Non-Compliance?</b>	<b>Corrective Action Due By:</b>	<b>Inspection No.</b>
09/19/2016	Routine/Periodic	Gilbert Cordero	Yes	No	12/23/2016	iGC1626331913
<b>Comments on Inspection:</b> No Well Sign (Rule 19.15.16.8).						

In the event that a satisfactory response is not received to this letter of direction by the "Corrective Action Due By:" date shown above, further enforcement will occur. Such enforcement may include this office applying to the Division for an order summoning you to a hearing before a Division Examiner in Santa Fe to show cause why you should not be ordered to permanently plug and abandon this well.

Sincerely,

*Gilbert Cordero*  
Compliance Officer

Artesia OCD District Office

**Note:** Information in Detail Section comes directly from field inspector data entries - not all blanks will contain data.  
\*Significant Non-Compliance events are reported directly to the EPA, Region VI, Dallas, Texas.