		UNITED STATE	NTERIOR	OCD Artesi	OMB NO	APPROVED 0. 1004-0135 July 31, 2010
<u>.</u> '	BUREAU OF LAND MANAGEMENT SUNDRY NOTICES AND REPORTS ON W				5. Lease Serial No. NMLC029435B	
Do not use this form for proposals to drill or to re abandoned well. Use form 3160-3 (APD) for such p				) S.	6. If Indian, Allottee o	r Tribe Name
SUBMIT IN TRIPLICATE - Other instructions on reverse side.					7. If Unit or CA/Agreement, Name and/or No. NMNM134086	
1. Type of Well Gas Well Other				8. Well Name and No. MultipleSee Attached		ched
2. Name of Operator Contact: EMILY FOLLI APACHE CORPORATION E-Mail: Emily.Follis@apachecorp.c					9. API Well No. MultipleSee Attached	
3a. Address3b. Phone No303 VETERANS AIRPARK LANE SUITE 3000Ph: 432-81MIDLAND, TX 79705Ph: 432-81				irea code)	10. Field and Pool, or CEDAR LAKE-0	Exploratory SLORIETA-YESO
4. Location of We	ell (Footage, Sec., T	., R., M.; or Survey Description	n)		11. County or Parish,	and State
MultipleSee	e Attached	<u></u>			EDDY COUNTY	<b>′, NM</b> * <sub>/</sub>
12	2. CHECK APPI	ROPRIATE BOX(ES) T	O INDICATE NATUR	RE OF NOTICE, H	L REPORT, OR OTHE	R DATA
TYPE OF SI	UBMISSION	TYPE OF ACTION				
Notice of Ir	ntent	Acidize	Deepen	🖸 Produ	ction (Start/Resume)	□ Water Shut-Off
		Alter Casing	Fracture Treat	t 🗖 Reclai	mation	U Well Integrity
Subsequent	-	Casing Repair	New Construct	—		🛛 Other Venting and/or Flari
Final Aban	ndonment Notice	<ul> <li>Change Plans</li> <li>Convert to Injection</li> </ul>	Plug and Abar Plug Back	-	orarily Abandon Disposal	ng
If the proposal i Attach the Bond	is to deepen direction d under which the wo	eration (clearly state all pertine ally or recomplete horizontally rk will be performed or provid	, give subsurface locations a e the Bond No. on file with I	and measured and true BLM/BIA. Required s	vertical depths of all pertinuus subsequent reports shall be	nent markers and zones. filed within 30 days
If the proposal i Attach the Bond following comp testing has been determined that Apache is re 09/24/2016 T	is to deepen direction: d under which the wo pletion of the involved n completed. Final Al t the site is ready for f equesting a Temp TO 12/24/2016 D	ally or recomplete horizontally rk will be performed or provid l operations. If the operation r bandonment Notices shall be fi inal inspection.) orary Flare with an estim UE TO FRONTIER HIGH	v, give subsurface locations a e the Bond No. on file with I esults in a multiple completi- iled only after all requirement ated 3072 MMCF PER	und measured and true BLM/BIA. Required s on or recompletion in its, including reclamat	vertical depths of all pertin subsequent reports shall be a new interval, a Form 316 ion, have been completed,	nent markers and zones. filed within 30 days 50-4 shall be filed once and the operator has
If the proposal i Attach the Bond following comp testing has been determined that Apache is re 09/24/2016 T MEASURED	is to deepen direction: d under which the wo pletion of the involved n completed. Final Al t the site is ready for f equesting a Tempe TO 12/24/2016 DI D PRIOR TO FLAS	ally or recomplete horizontally rk will be performed or provid l operations. If the operation r bandonment Notices shall be fi inal inspection.) orary Flare with an estim UE TO FRONTIER HIGH RING.	v, give subsurface locations a e the Bond No. on file with I esults in a multiple completi- iled only after all requirement ated 3072 MMCF PER	und measured and true BLM/BIA. Required s on or recompletion in its, including reclamat	vertical depths of all pertin subsequent reports shall be a new interval, a Form 316 ion, have been completed,	nent markers and zones. filed within 30 days 50-4 shall be filed once and the operator has A OIL CONSERV ARTESIA DISTRIC
If the proposal i Attach the Bond following comp testing has been determined that Apache is re 09/24/2016 T MEASURED	is to deepen direction: d under which the wo pletion of the involved n completed. Final Al t the site is ready for f equesting a Tempe TO 12/24/2016 DI D PRIOR TO FLAS	ally or recomplete horizontally rk will be performed or provid l operations. If the operation r bandonment Notices shall be fi inal inspection.) orary Flare with an estim UE TO FRONTIER HIGH	v, give subsurface locations a e the Bond No. on file with I esults in a multiple completi- iled only after all requirement ated 3072 MMCF PER	Ind measured and true BLM/BIA. Required as on or recompletion in its, including reclamat DAY FOR 30 DA LL BE	vertical depths of all pertin subsequent reports shall be a new interval, a Form 316 ion, have been completed, YS FOR	nent markers and zones. filed within 30 days 50-4 shall be filed once and the operator has A OIL CONSERV ARTESIA DISTRIC
If the proposal i Attach the Bond following comp testing has been determined that Apache is re 09/24/2016 T MEASURED CEDAR LAK CEDAR LAK CEDAR LAK CEDAR LAK	is to deepen direction id under which the wo pletion of the involved n completed. Final Al t the site is ready for f equesting a Tempe TO 12/24/2016 DI D PRIOR TO FLAI CE FEDERAL CA KE FEDERAL CA KE FEDERAL CA	ally or recomplete horizontally rk will be performed or provid l operations. If the operation r bandonment Notices shall be fi inal inspection.) orary Flare with an estim UE TO FRONTIER HIGH RING.	r, give subsurface locations a e the Bond No. on file with I esults in a multiple completion led only after all requiremen ated 3072 MMCF PER I NITROGEN. GAS WII E FEDERAL #40H) E FEDERAL #41H) E FEDERAL #42H)	IND MEASURED AND THE BLM/BIA. Required so on or recompletion in its, including reclamat DAY FOR 30 DA LL BE	vertical depths of all pertin subsequent reports shall be a new interval, a Form 316 ion, have been completed, YS FOR	nent markers and zones. filed within 30 days 50-4 shall be filed once and the operator has A OIL CONSERV ARTESIA DISTRIC OCT 19 2016
If the proposal i Attach the Bond following comp testing has been determined that Apache is re 09/24/2016 T MEASURED CEDAR LAK CEDAR LAK CEDAR LAK CEDAR LAK	is to deepen direction d under which the wo pletion of the involved n completed. Final Al t the site is ready for f equesting a Tempe TO 12/24/2016 DI D PRIOR TO FLAF CE FEDERAL CA KE FEDERAL CA KE FEDERAL CA KE FEDERAL CA	ally or recomplete horizontally rk will be performed or provid operations. If the operation r bandonment Notices shall be fi inal inspection.) orary Flare with an estim UE TO FRONTIER HIGH RING. PAD 12 FLARE(3) 640H 30-015-42900 (NF 641H 30-015-42901 (NF 642H 30-015-42902 (NF	r, give subsurface locations a e the Bond No. on file with I esults in a multiple completion led only after all requiremen ated 3072 MMCF PER I NITROGEN. GAS WII E FEDERAL #40H) E FEDERAL #41H) E FEDERAL #42H)	IND MEASURED AND THE BLM/BIA. Required s on or recompletion in its, including reclamat DAY FOR 30 DA LL BE	vertical depths of all pertin subsequent reports shall be a new interval, a Form 316 ion, have been completed, YS FOR	nent markers and zones. filed within 30 days 50-4 shall be filed once and the operator has A OIL CONSERV ARTESIA DISTRIC OCT 19201
If the proposal i Attach the Bond following comp testing has been determined that Apache is re 09/24/2016 T MEASURED CEDAR LAK CEDAR LAK CEDAR LAK CEDAR LAK CEDAR LAK CEDAR LAK	is to deepen direction id under which the wo pletion of the involved n completed. Final Al t the site is ready for f equesting a Temp TO 12/24/2016 DU D PRIOR TO FLAN KE FEDERAL CA KE FEDERAL CA	ally or recomplete horizontally rk will be performed or provid loperations. If the operation r bandonment Notices shall be fi inal inspection.) orary Flare with an estim UE TO FRONTIER HIGH RING. PAD 12 FLARE(3) 640H 30-015-42900 (NF 641H 30-015-42900 (NF 642H 30-015-42902 (NF 643H 30-015-42903 (NF	<sup>4</sup> , give subsurface locations a e the Bond No. on file with I esults in a multiple completion iled only after all requirement ated 3072 MMCF PER ated 3072 MMCF PER NITROGEN. GAS WIL E FEDERAL #40H) E FEDERAL #40H) E FEDERAL #42H) E FEDERAL #42H) E FEDERAL #43H)	Ind measured and true BLM/BIA. Required s on or recompletion in its, including reclamat DAY FOR 30 DA LL BE SEE ATT CONDIT	vertical depths of all pertin subsequent reports shall be a new interval, a Form 316 ion, have been completed, YS FOR NR CACHED FOR IONS OF APP	nent markers and zones. filed within 30 days 50-4 shall be filed once and the operator has A OIL CONSERV. ARTESIA DISTRIC OCT 19 2010
If the proposal i Attach the Bond following comp testing has been determined that Apache is re 09/24/2016 T MEASURED CEDAR LAK CEDAR LAK CEDAR LAK CEDAR LAK CEDAR LAK CEDAR LAK	is to deepen direction id under which the wo pletion of the involved n completed. Final Al t the site is ready for f equesting a Tempe TO 12/24/2016 DI D PRIOR TO FLAF KE FEDERAL CA KE FEDERAL CA	ally or recomplete horizontally rk will be performed or provid loperations. If the operation r bandonment Notices shall be fi inal inspection.) orary Flare with an estim UE TO FRONTIER HIGH RING. PAD 12 FLARE(3) 640H 30-015-42900 (NF 641H 30-015-42901 (NF 642H 30-015-42902 (NF 643H 30-015-42903 (NF etrue and correct. Electronic Submission a For APACH itted to AFMSS for proces	*, give subsurface locations a e the Bond No. on file with I esults in a multiple completion led only after all requirement ated 3072 MMCF PER 1 NITROGEN. GAS WII E FEDERAL #40H) E FEDERAL #41H) E FEDERAL #41H) E FEDERAL #42H) E FEDERAL #43H) #351518 verified by the E IE CORPORATION, sent ssing by DEBORAH MCK	Ind measured and true BLM/BIA. Required s on or recompletion in its, including reclamat DAY FOR 30 DA LL BE SEE ATT CONDIT	vertical depths of all pertinubsequent reports shall be a new interval, a Form 316 ion, have been completed, YS FOR NINCACHED FOR IONS OF APP	nent markers and zones. filed within 30 days 50-4 shall be filed once and the operator has A OIL CONSERV ARTESIA DISTRIC OCT 19 2016
If the proposal i Attach the Bond following comp testing has been determined that Apache is re 09/24/2016 T MEASURED CEDAR LAK CEDAR LAK CEDAR LAK CEDAR LAK CEDAR LAK CEDAR LAK CEDAR LAK 1. METER #	is to deepen direction id under which the wo pletion of the involved n completed. Final Al t the site is ready for f equesting a Tempe TO 12/24/2016 DI D PRIOR TO FLAF CE FEDERAL CA CE FEDERAL CA	ally or recomplete horizontally rk will be performed or provid loperations. If the operation r bandonment Notices shall be fi inal inspection.) orary Flare with an estim UE TO FRONTIER HIGH RING. PAD 12 FLARE(3) 640H 30-015-42900 (NF 641H 30-015-42901 (NF 642H 30-015-42902 (NF 643H 30-015-42903 (NF 643H 30-015-42903 (NF For APACH itted to AFMSS for process DLLIS	7, give subsurface locations a e the Bond No. on file with I esults in a multiple completion iled only after all requirement ated 3072 MMCF PER ated 3072 MMCF PER NITROGEN. GAS WIL E FEDERAL #40H) E FEDERAL #41H) E FEDERAL #41H) E FEDERAL #42H) E FEDERAL #43H) #351518 verified by the E IE CORPORATION, sent resing by DEBORAH MCK Title	Ind measured and true BLM/BIA. Required s on or recompletion in its, including reclamat DAY FOR 30 DA LL BE SEE ATT CONDIT BLM Well Informatic t to the Carlsbad (INNEY on 09/19/20	vertical depths of all pertinubsequent reports shall be a new interval, a Form 316 ion, have been completed, YS FOR NINCACHED FOR IONS OF APP	nent markers and zones. filed within 30 days 50-4 shall be filed once and the operator has A OIL CONSERV ARTESIA DISTRIC OCT 19 2016
If the proposal i Attach the Bond following comp testing has been determined that Apache is re 09/24/2016 T MEASURED CEDAR LAK CEDAR LAK CEDAR LAK CEDAR LAK CEDAR LAK CEDAR LAK 1. METER #	is to deepen direction id under which the wo pletion of the involved n completed. Final Al t the site is ready for f equesting a Temp TO 12/24/2016 DI D PRIOR TO FLAF (E FEDERAL CA (E	ally or recomplete horizontally rk will be performed or provid loperations. If the operation r bandonment Notices shall be fi inal inspection.) orary Flare with an estim UE TO FRONTIER HIGH RING. PAD 12 FLARE(3) 640H 30-015-42900 (NF 641H 30-015-42900 (NF 642H 30-015-42903 (NF 643H 30-015-42903 (NF 643H 30-015-42903 (NF strue and correct. Electronic Submission a For APACH itted to AFMSS for process DLLIS	7, give subsurface locations a e the Bond No. on file with I esults in a multiple completion led only after all requirement ated 3072 MMCF PER ated 3072 MMCF PER NITROGEN. GAS WIL E FEDERAL #40H) E FEDERAL #40H) E FEDERAL #41H) E FEDERAL #42H) E FEDERAL #43H) E FEDERAL #43H) E FEDERAL #43H) E FEDERAL #43H	Ind measured and true BLM/BIA. Required s on or recompletion in its, including reclamat DAY FOR 30 DA LL BE SEE ATT CONDIT BLM Well Informatic t to the Carlsbad (INNEY on 09/19/20 REGULATORY A 09/16/2016	vertical depths of all pertinubsequent reports shall be a new interval, a Form 316 ion, have been completed, YS FOR NIN	nent markers and zones. filed within 30 days 50-4 shall be filed once
If the proposal i Attach the Bond following comp testing has been determined that Apache is re 09/24/2016 T MEASURED CEDAR LAK CEDAR LAK CEDAR LAK CEDAR LAK CEDAR LAK CEDAR LAK CEDAR LAK 1. METER #	is to deepen direction: id under which the wo pletion of the involved in completed. Final Al t the site is ready for f equesting a Tempe TO 12/24/2016 DI D PRIOR TO FLAN KE FEDERAL CA KE FEDERAL CA	ally or recomplete horizontally rk will be performed or provid loperations. If the operation r bandonment Notices shall be fi inal inspection.) orary Flare with an estim UE TO FRONTIER HIGH RING. PAD 12 FLARE(3) 640H 30-015-42900 (NF 641H 30-015-42901 (NF 642H 30-015-42902 (NF 643H 30-015-42903 (NF 643H 30-015-42903 (NF ittue and correct. Electronic Submission a For APACH itted to AFMSS for process DLLIS Submission) THIS SPACE F	7, give subsurface locations a e the Bond No. on file with I esults in a multiple completion is a multiple only after all requirement ated 3072 MMCF PER I NITROGEN. GAS WILL E FEDERAL #40H) E FEDERAL #41H) E FEDERAL #41H) E FEDERAL #42H) E FEDERAL #43H) #351518 verified by the E is ing by DEBO RAH MCK Title OR FEDERAL OR S	Ind measured and true BLM/BIA. Required s on or recompletion in its, including reclamat DAY FOR 30 DA LL BE SEE ATT CONDIT BLM Well Informatic to the Carlsbad (INNEY on 09/19/20 REGULATORY A 09/16/2016	vertical depths of all pertinubsequent reports shall be a new interval, a Form 316 ion, have been completed, YS FOR NIN	nent markers and zones. filed within 30 days 50-4 shall be filed once and the operator has A OIL CONSERV ARTESIA DISTRIC OCT 1 9 2016 ROVAL
If the proposal i Attach the Bond following comp testing has been determined that Apache is re 09/24/20161 MEASURED CEDAR LAK CEDAR LAK CEDAR LAK CEDAR LAK CEDAR LAK CEDAR LAK CEDAR LAK CEDAR LAK CEDAR LAK CEDAR LAK Signature	is to deepen direction: d under which the wo pletion of the involved n completed. Final Al t the site is ready for f Equesting a Temper TO 12/24/2016 DI D PRIOR TO FLAH (E FEDERAL CA (E FEDERA	ally or recomplete horizontally rk will be performed or provid loperations. If the operation r bandonment Notices shall be fi inal inspection.) orary Flare with an estim UE TO FRONTIER HIGH RING. PAD 12 FLARE(3) 640H 30-015-42900 (NF 641H 30-015-42901 (NF 642H 30-015-42902 (NF 643H 30-015-42903 (NF 643H 30-015-42903 (NF strue and correct. Electronic Submission a For APACH itted to AFMSS for process DLLIS Submission) THIS SPACE F	y give subsurface locations a e the Bond No. on file with I esults in a multiple completivited only after all requirement ated 3072 MMCF PER I NITROGEN. GAS WILL E FEDERAL #40H) E FEDERAL #41H) E FEDERAL #42H) E FEDERAL #42H) E FEDERAL #43H) #351518 verified by the E IE CORPORATION, sent issing by DEBORAH MCK Title OR FEDERAL OR S S not warrant or is subject lease	Ind measured and true BLM/BIA. Required s on or recompletion in its, including reclamat DAY FOR 30 DA LL BE SEE ATT CONDIT BLM Well Informatic t to the Carlsbad (INNEY on 09/19/20 REGULATORY A 09/16/2016	vertical depths of all pertinubsequent reports shall be a new interval, a Form 316 ion, have been completed, YS FOR NIN	nent markers and zones. filed within 30 days 50-4 shall be filed once and the operator has A OIL CONSERV ARTESIA DISTRIC OCT 19 2016

1

~

## BUREAU OF LAND MANAGEMENT Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

# Apache Corporation Cedar Lake Federal CA 640H NMLC029435B

### 10/12/2016

Pursuant to NTL-4A III, Lessees or operators are hereby authorized to vent or flare gas on a short-term basis <u>without</u> <u>incurring a royalty</u> obligation in the following circumstances:

- A. <u>Emergencies</u>. During temporary emergency situations, such as compressor or other equipment failures, relief of abnormal system pressures, or other conditions which result in the unavoidable short-term venting or flaring of gas. However, this authorization to vent or flare gas in such circumstances without incurring a royalty obligation is limited to 24 hours per incident and to 144 hours cumulative for the lease during any calendar month, except with the prior authorization, approval, ratification, or acceptance of the Supervisor.
- B. <u>Well Purging and Evaluation Tests.</u> During the unloading or cleaning up of a well during drill stem, producing, routine purging, or evaluation tests, not exceeding a period of 24 hours.
- C. <u>Initial Production Tests</u>. During initial well evaluation tests, not exceeding a period of 30 days or the production of 50 MMcf of gas, whichever occurs first, unless a longer test period has been authorized by the appropriate State regulatory agency and ratified or accepted by the Supervisor.
- D. <u>Routine or Special Well Tests.</u> During routine or special well tests, other than those cited in NTL-4A III.B and C above, only after approval by the Supervisor.

If a flaring event conforms with the requirements listed above as per NTL-4A III., the flared volumes are not royalty bearing and the operator does not need to submit a Sundry Notice. Report flared volumes as unavoidably lost on OGOR B.

### **Condition of Approval to Flare Gas**

- The first 24 hours of a <u>temporary emergency flare\*</u> is considered "unavoidably lost" and is therefore royalty free. Flared volumes that are considered unavoidably lost are not to be included in Sundry Notice (Form 3160-5). NTL-4A specifies no more than 24 hours per incident and no more 144 hours cumulative for the lease during any calendar month. These Volumes are not royalty bearing and shall be reported on OGOR "B" as disposition code"23".
- 2. Flared volumes considered to be "avoidably lost":
  - Exceeding the first 24 hours for each temporary emergency flare event (144 hours cumulative for the lease per month), well purging and evaluation test.
  - During initial well evaluation tests, exceeding a period of 30 days or the production of 50 MMcf of gas, whichever occurs first
  - Scheduled flaring operations

These flare events will require prior approval via Notice of Intent- Sundry Notice (Form 3160-5). Volumes flared beyond limits defined in NTL-4A are considered "avoidably lost" and will require payment of royalties, unless an exception is granted in accordance with NTL-4A.IV.B.. <u>Volumes for avoidably lost gas shall be</u> <u>reported on OGOR "B" reports as disposition code "08"</u>. If the operator believes that the flared volumes were "unavoidably lost" and the BLM determines them to be "avoidably lost", the operator can submit a more detailed request via Sundry Notice (Form 3160-5) for an exception in accordance with NTL-4A.IV.B.. As an

alternative to producing oil and flaring gas the operator may choose to shut the well in and avoid paying royalties on otherwise avoidably lost gas.

- 3. Approval not to exceed 90 days, (from <u>09/24/2016</u> to <u>12/24/2016</u>), if flaring is still required past 90 days submit new request for approval.
- 4. Submit Subsequent Report with actual volumes of gas flared for each month gas is flared on a Sundry Notice (Form 3160-5). <u>Include method for volume determination and duration</u>. <u>Report unavoidably lost (first 24 hrs</u> <u>of unexpected event) and avoidably lost (exceeding the first 24 hrs or flared gas that has been approved as</u> <u>avoidably lost by the Authorized Officer) volumes and durations on the Subsequent Report.</u>
- 5. In determining the volumes of gas to be reported in accordance with NTL-4A the BLM CFO requires Vent/flare gas metering to meet all requirements for a sales meter as per Federal Regulations, Onshore Order #5 and NTL 2008-01. Include meter serial number on Sundry Notice (Form 3160-5).
  - If installation of an approved gas meter is not economically feasible for continued operations. Submit Notice of Intent - Sundry Notice (Form 3160-5) to request an alternate method of determining gas volumes with a valid justification. Alternate methods are listed in NTL-4A. The Authorized Officer may require the installation of additional measurement equipment whenever it is determined that the present methods are inadequate to meet the purposes of this Notice.
- 6. An updated facility diagram is required within 60 days of modifications to existing facilities per Onshore Order #3.
- 7. This approval does not authorize any additional surface disturbance.
- 8. Subject to like approval from NMOCD

#### **Regulations and Definitions**

**Definition:** As per **NTL-4A II. A.** "Avoidably lost" production shall mean the venting or flaring of produced gas without the prior authorization, approval, ratification, or acceptance of the Supervisor and the loss of produced oil or gas when the Supervisor determines that such loss occurred as a result of (1) negligence on the part of the lessee or operator, or (2) the failure of the lessee or operator to take all reasonable measures to prevent and/or to control the loss, or (3) the failure of the lessee or operator to comply fully with the applicable lease terms and regulations, appropriate provisions of the approved operating plan, or the prior written orders of the Supervisor, or (4) and combination of the foregoing.

**NTL-4A.IV.B.** Oil Well Gas. Except as provided in II.C and III above, <u>oil well gas may not be vented or flared unless</u> <u>approved in writing by the Supervisor</u>. The Supervisor may approve an application for the venting or flaring of oil well gas if justified either by the submittal of **(1)** an evaluation report supported by engineering, geologic, and economic data which demonstrates to the satisfaction of the Supervisor that the expenditures necessary to market or beneficially use such gas are not economically justified and that conservation of the gas, if required, would lead to the premature abandonment of recoverable oil reserves and ultimately to a greater loss of equivalent energy than would be recovered if the venting or flaring were permitted to continue or **(2)** an action plan that will eliminate venting or flaring of the gas within 1 year from the date of application.

\*<u>Temporary Emergency Flaring</u> is defined as an unexpected situation requiring immediate action. A flaring event is considered an emergency if the occurrence is out of the operators control and the operator had less than 24 hrs notification of the event. Scheduled or routine flare events will not be considered an emergency.

į.