Form 3160-5 (August 2007)

UNITED STATES CONTROL DEPARTMENT OF THE INTERIOR BUREAU O

NM OIL CONSERVATION ARTESIA DISTRICT

FORM APPROVED OMB NO. 1004-0135 Expires: July 31, 2010

5. Lease Serial No. NMNM54184

F LAND MANAGEMENT	NOV 2 2 2016
F LAND MANAGEMENT S AND REPORTS ON W	ELCSD-ARTESTA

SUNDRY NOTICES AND REPORTS ON WELLS) - A
Do not use this form for proposals to drill or to re-enter an
abandoned well. Use form 3160-3 (APD) for such proposals

6. If Indian, Allottee or Tribe Name

abandoned wei	,					
SUBMIT IN TRII	7. If Unit or CA/Agreement, Name and/or No.					
Type of Well	8. Well Name and No. DUNN B FEDERAL 46					
Name of Operator BREITBURN OPERATING LP	9. API Well No. 30-015-28247-0	0-S1				
3a. Address 300 TRAVIS STREET SUITE HOUSTON, TX 77002	4800	3b. Phone No Ph: 713.63	(include area code) 4.4696		10. Field and Pool, or I ARTESIA	Exploratory
4. Location of Well (Footage, Sec., T.	, R., M., or Survey Description	j)			11. County or Parish, a	and State
Sec 10 T18S R28E SWNE 25	00FNL 1330FEL			EDDY COUNTY	, NM	
12. CHECK APPR	ROPRIATE BOX(ES) TO	D INDICATE	NATURE OF N	NOTICE, RI	EPORT, OR OTHER	R DATA
TYPE OF SUBMISSION			TYPE O	F ACTION		
☐ Notice of Intent Subsequent Report	☐ Acidize ☐ Alter Casing	☐ Dee	☐ Reclam	ction (Start/Resume) Water Shut-Off mation Well Integrity		
	Casing Repair	_	Construction	□ Recomp		Other
☐ Final Abandonment Notice	☐ Change Plans ☐ Convert to Injection	Plug	and Abandon	☐ Tempor ☑ Water D	arily Abandon	
If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.) Conditions of Approval Operator Change required that we submit some additional information for each lease. Breitburn Operating LP respectfully submits the following regarding these conditions of approval. Attached hereto is a facility Diagram as per Onshore Order #3 Attached is a water analysis along with Water Production and Disposal information. Accepted for Record Purposes. Approval Subject to Onsite Inspection. SEE ATTACHED FOR CONDITIONS OF APPROVAL JAMES A. AMOS SUPERVISOR-EDS 14. Thereby certify that the foregoing is true and correct.						
Con Name(Printed/Typed) JEANIE M	nmitted to AFMSS for prod	RN OPERATIN	G LP, sent to the SCILLA PEREZ o	e Carlsbad	(16PP1790SE)	
Signature (Electronic S		Date 07/08/2	016		,	
	THIS SPACE FO	OR FEDERA	L OR STATE	OFFICE U	SE	,
Approved By Conditions of approval, if any, are attache certify that the applicant holds legal or equivalent would entitle the applicant to conductive the applicant to c	uitable title to those rights in th		Title Office			Date
Title 18 U.S.C. Section 1001 and Title 43 States any false, fictitious or fraudulent					ake to any department or	agency of the United



Catalyst Oilfield Services 11999 E Hwy 158 Gardendale, TX 79758 (432) 563-0727 Fax: (432) 224-1038

Water Analysis Report

Customer:	Breitburn Operating		Sample #:	35847	
Area:	Permian Basin	Analysis ID #:	34103		
Lease:	Dunn B Federal		•		
Location:	Battery	0	·		
Sample Point:	Heater Treater		•		

Sampling Date:	6/23/2016	Anions	mg/l	meq/l	Cations	mg/l	meq/l
Analysis Date:	6/27/2016	Chloride:	83778.7	2363.09	Sodium:	46410.0	2018.72
Analyst:	Catalyst	Bicarbonate:	366.0	6.	Magnesium:	1637.0	134.67
TDS (mg/l or g/m3):	139488.8	Carbonate:			Calcium:	4626.0	230.84
Density (g/cm3):	1.096	Sulfate:	1600.0	33.31	Potassium:	741.2	18.96
Density (groins).	1.030	Borate*:	228.4	1.44	Strontium:	101.5	· 2.32
		Phosphate*:			Barium:	0.0	0.
Hydrogen Sulfide:	85				·Iron:	0.0	0.
Carbon Dioxide:	120		sed on measured on and phosphoru	s.	Manganese:	0.000	0.
,	1	pH at time of sampli	ng:	7.5		-	
Comments:	i	pH at time of analys	is:				
, ·		pH used in Calcula	tion:	7.5	.		
	÷	Temperature @ lab	conditions (F):	75	Conductivity (mid Resistivity (ohm	•	156200 0640

		Values Calculated at the Given Conditions - Amounts of Scale in lb/1000 bbl										
Temp				Gypsum CaSO ₄ *2H ₂ 0		Anhydrite CaSO ₄		Celestite SrSO ₄		Barite BaSO ₄		
°F	Index	Amount	Index	Amount	Index	Amount	Index	Amount	Index	Amount	-	_
80	1.36	39.15	-0.16	0.00	-0.16	0.00	-0.08	0.00	0.00	0.00		_
100	1.33	42.83	-0.22	0.00	-0.16	0.00	-0.10	0.00	0.00	0.00		
120	1.30	46.80	-0.27	0.00	-0.12	0.00	-0.11	0.00	0.00	0.00		
140	. 1.29	51.08	-0.30	0.00	-0.07	0.00	-0.11	0.00	0.00	0.00		
160	1.29	55.37	-0.33	0.00	0.00	3.06	-0.10	0.00	0.00	0.00		
180	1.31	59.65	-0.36	0.00	0.09	123.58	-0.09	0.00	0.00	O.00 :		
200	1.34	63.93	-0.38	0.00	0.19	239.21	-0.07	0.00	0.00	0.00		
220	1.38	68.22	-0.39	0.00	0.30	342.61	-0.05	0.00	0.00	0.00		

Donn B Federal Btry Eddy Cowdy No. 54184

WATER PRODUCTION & DISPOSAL INFORMATION

In order to process your disposal request, the following information must be completed.

1.	Name(s) of formation(s) producing water on the lease. Artesia, Queen - graybong - San Andres
2.	Amount of water produced from all formations in barrels per day. j ら しゃり
3.	Attach a current water analysis of produced water from all zones showing at least the total dissolved solids, ph, and the concentrations of chlorides and sulfates. (One sample will suffice if water is commingled).
4.	How water is stored on lease.
5.	How water is moved to the disposal facility. N/A water is Reinjacted
6.	Identify the Disposal Facility by: A. Facility Operators name.
. *	B. Name of facility or well name and number.
	C. Type of facility or well (WDW) (WIW) etc.
	D. Location by ¼ ¼ Section TownshipRange
7.	Attach a copy of the State issued permit for the Disposal Facility.

Submit to this office, **620 EAST GREENE ST, CARLSBAD NM, 88220**, the above required information on a Sundry Notice 3160-5. Submit 1 original and 3 copies, within abatement period. (This form may be used as an attachment to the Sundry Notice).

BUREAU OF LAND MANAGEMENT

Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

Disposal of Produced Water From Federal Wells Conditions of Approval

Approval of the produced water disposal methodology is subject to the following conditions of approval:

- 1. This agency shall be notified of any change in your method or location of disposal.
- 2. Compliance with all provisions of Onshore Order No. 7.
- 3. This agency shall be notified of any spill or discharge as required by NTL-3A.
- 4. This agency reserves the right to modify or rescind approval whenever it determines continued use of the approved method may adversely affect the surface or subsurface environments.
- 5. Any on-lease open top storage tanks shall be covered with a protective cover to prevent entry by birds and other wildlife.
- 6. This approval should not constitute the granting of any right-of-way or construction rights not granted by the lease instrument.
- 7. If water is transported via a pipeline that extends beyond the lease boundary, then you need to submit within 30 days an application for right-of-way approval to the Realty Section in this office if you have not already done so.
- 8. Disposal at any other site will require prior approval.
- 9. Subject to like approval by NMOCD.

7/10/14

Dunn "B" Battery

Field

Artesia

Current Status Active

Elevation: 3626'

Location: 18S 28E Sec. 11

State:

New Mexico

Lease Dunn B


Coordinates: N32.76597

W104.15469

County

Eddy

Diagram Revised: Jimika Reed-Terry (09-07-10)



History

5/2003: Haul caliche from Turkey Track Ranch pit build burm around oil tanks. 30 loads.

6/2003: On 5/31/03 cattle had tore down part of burm at the oil tanks repair burm install fence. # 9 sign hung up., # 21 replacement sign delivery date 6/10/03, # 30 installed, # 33 replacement sign delivey date 6/10/03.# 5 sign hung up.

Remarks

Legend Fence Transformer Electric Line Header >Underground Load Line Drainage ➤ Load Line Well Head Chemical Tank Pump Flow Line **Circulating Pump** Sump Pump Electric Box Flow Meter Injection Well Head Electric Pole Dike Drain Electric Panel

Tank Information

Diameter = 15.5 Height = 16 ft

Type = Welded Material = Steel Back

Capacity=538 bbls Total Diked Area=

Top= Closed

Capacity 788 bbls Direction of Flow= W Foundation = Gravel

Transportation = INJ Type of Failure = Rupture, Leak, Overflow

Secondary Containment = Earth & Gravel Min. Recommend Berm Height = 28 in. west point of berm at time of inspection = 24 is

Tank Information



2 Salt Water

Diameter = 10 ft Heiaht = 20 ft

Type = Molded Material = Fiber Glass

Capacity=280 bbls

Top= Closed Transportation = INJ

Total Diked Area= Capacity 788 bbls

Type of Failure = Rupture, Leak, Overflow

Direction of Flow= W Foundation = Gravel

Secondary Containment = Earth & Gravel Min. Recommend Berm Height = 28 in. Lowest point of berm at time of inspection = 24 in.

Tank Information



Oil Type = Bolded

Diameter = 15.5 ft Height = 16 ft

Material = Steel

Top=Closed

Capacity=538 bbls Total Diked Area=

Capacity 571 bbls

Transportation = TR Type of Failure =

Foundation = Gravel

Direction of Flow= W Rupture, Leak, Overflow

Secondary Containment = Earth & Gravel Min. Recommend Berm Height = 24 In. owest point of berm at time of inspection = 24 in

Tank Information



Not In Use

Diameter = 15.5 ft

Type = Bolted

Height = 16 ft

Material = Steel

Capacity=538 bbls

Top=Closed

Total Diked Area=

Transportation =

Capacity 571 bbls

Type of Failure =

Direction of Flow= W Foundation = Gravel

Secondary Containment = Earth & Gravel
Min. Recommend Berm Height = 24 in. owest point of berm at time of inspection

Heater Treater Information

Heater Treater Type = Welded

Diameter = 8 ft Height = 20 ft

Material = Steel

Capacity=179 bbls

Top=Closed Transportation =

Foundation = Cement

Type of Failure =

Total Diked Area= Capacity 463 bbls Rupture, Leak

Direction of Flow= W

Berm Construction = Earth & Gravel

Min. Recommend Berm Height = 28 in. owest point of berm at time of inspection = 26 in