Form 3160-5 (August 2007)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

ent . The fee and happy stricted the first statement

FORM APPROVED

OMB I	NO. 1004	1-0135
Expires	s: July 31	, 2010

IA.	ı	•			j	Expir	ŧ
	ſ	5.	Lea	ase S	Seria	ıl No.	
			NV	ΛNI	M54	1184	
	- 1						

SUNDKI NOTICES AND KEPO	KIS UN WELLS,
Do not use this form for proposals to	drill or to re-enter an
- t 1 1 - 11 t 0400 0 / 4 D	A C

Do not use thi abandoned we	s form for proposals to dri II. Use form 3160-3 (APD) f	or to re-enter an or such proposals.	righa sas s ra goral in in in	6. If Indian, Allottee o	r Tribe Name		
SUBMIT IN TRI	PLICATE - Other instruction	ns on reverse side.		7. If Unit or CA/Agree	ement, Name and/or No.		
l. Type of Well ☑ Oil Well ☐ Gas Well ☐ Oth	ner			8. Well Name and No. DUNN B FEDERA	AL 26		
Name of Operator BREITBURN OPERATING LF	Contact: JE/	ANIE MCMILLAN		9. API Well No. 30-015-01828-00-S1			
3a. Address 300 TRAVIS STREET SUITE HOUSTON, TX 77002	4800 3t	n: 713.634.4696	de)	10. Field and Pool, or ARTESIA	Exploratory		
4. Location of Well (Footage, Sec., T	., R., M., or Survey Description)			11. County or Parish,	and State		
Sec 11 T18S R28E NWSW 19	980FSL 660FWL		·	EDDY COUNTY	/, NM		
12. CHECK APPI	ROPRIATE BOX(ES) TO IN	DICATE NATURE O	F NOTICE, REI	PORT, OR OTHE	R DATA		
TYPE OF SUBMISSION		ТҮРЕ	OF ACTION				
□ Nation of Intent	☐ Acidize	☐ Deepen	☐ Productio	n (Start/Resume)	■ Water Shut-Off		
□ Notice of Intent	☐ Alter Casing	☐ Fracture Treat	☐ Reclamat	ion	■ Well Integrity		
Subsequent Report ■	Casing Repair	■ New Construction	☐ Recomple	ete	☐ Other		
☐ Final Abandonment Notice	☐ Change Plans	□ Plug and Abandon	☐ Temporar	Temporarily Abandon			
	□ Convert to Injection	☐ Plug Back	🛛 Water Di	Water Disposal			
Conditions of Approval Operatease. Breitburn Operating LF approval. Attached hereto is a facility Di Attached is a water analysis a content for Record Purposes. royal Subject to Onsite Insection of 2016.	Prespectfully submits the follogram as per Onshore Order long with Water Production a	owing regarding these c	onditions of		2016 for- AMOS DR-EPS		
14. I hereby certify that the foregoing is Con Name (Printed/Typed) JEANIE M	Electronic Submission #344 For BREITBURN nmitted to AFMSS for process	OPERATING LP, sent to ing by PRISCILLA PEREZ	the Carlsbad	6PP2029SE)			
Traine (17 mica) 13 posts - OLF (141L IV	IOMILLAN	TALL INCOME	OLATORT MAN	AOLIN	<u> </u>		
Signature (Electronic S	Submission)	Date 07/08	3/2016		·		
	THIS SPACE FOR	FEDERAL OR STAT	E OFFICE US	Ε			
Approved By	·	Title			Date		
Conditions of approval, if any, are attache certify that the applicant holds legal or equivalent would entitle the applicant to condu	uitable title to those rights in the sub						
Title 18 U.S.C. Section 1001 and Title 43 States any false, fictitious or fraudulent				e to any department or	agency of the United		

Dunn "B" Battery



<u>Artesia</u>

Current Status Active

Elevation: 3626'

Location: 18S 28E Sec. 11

State:

New Mexico

SR 360

Lease Dunn B

Coordinates: N32.76597

County

Eddy

Diagram Revised: Jimika Reed-Terry (09-07-10)

W104.15469



Type = Welded

Back

Height = 16 ft Capacity=538 bbls Material = Steel Top= Closed

Total Diked Area= Capacity 788 bbis Transportation = INJ

Foundation = Gravel

Type of Failure = Direction of Flow= W Rupture, Leak, Overflow

Secondary Containment = Earth & Gravel Min. Recommend Berm Height = 28 in. owest point of berm at time of inspection =

Tank Information



Diameter = 10 ft Height = 20 ft

Type = Molded Material = Fiber Glass

Capacity=280 bbls Total Diked Area=

Top= Closed

Capacity 788 bbls

Transportation = INJ Type of Failure = Direction of Flow= W Rupture, Leak, Overflow

Foundation = Gravel

Secondary Containment = Earth & Gravel Min. Recommend Berm Height = 28 in. Lowest point of berm at time of inspection = 24 in

Tank Information



Diameter = 15.5 ft

Type = Bolded

Height = 16 ft

Material = Steel

Top=Closed

Capacity=538 bbls Total Diked Area=

Transportation = TR

Capacity 571 bbls

Type of Failure =

Direction of Flow= W Rupture, Leak, Overflow

Foundation = Gravel

Secondary Containment = Earth & Gravel Min. Recommend Berm Height = 24 in. owest point of berm at time of inspection = 24 in

Tank Information Not In Use



Diameter = 15.5 ft

Type = Bolted

Height = 16 ft

Material = Steel

Capacity=538 bbls

Top=Closed

Total Diked Area= Capacity 571 bbls

Transportation = Type of Failure =

Direction of Flow= W

Foundation = Gravel

Secondary Containment = Earth & Gravel
Min. Recommend Berm Height = 24 in. est point of berm at time of inspection

Heater Treater Information

Diameter = 8 ft

Heater Treater Type = Welded

Height = 20 ft

Material = Steel

Capacity=179 bbis Foundation = Cement Top=Closed

Total Diked Area= Capacity 463 bbls

Transportation = Type of Failure = Rupture, Leak

Direction of Flow= W

Berm Construction = Earth & Gravel


Min. Recommend Berm Height = 28 in.
sest point of berm at time of inspection = 26 in.


. X 1/4 mi 15 YDS ABD **(2)** (#\5\f Avg Prod 23.9 bond 223 bwpd 718 bom 6691 bwm **⋖**◀ Tank # 200 YDS 34355 34354 History

5/2003: Haul caliche from Turkey Track Ranch pit build burm around oil tanks, 30 loads

6/2003: On 5/31/03 cattle had tore down part of burm at the oil tanks repair burm install fence. #9 sign hung up., #21 replacement sign delivery date 6/10/03, #30 installed, #33 replacement sign delivey date 6/10/03.# 5 sign hung up.

Remarks







Catalyst Oilfield Services 11999 E Hwy 158 Gardendale, TX 79758 (432) 563-0727 Fax: (432) 224-1038

Water Analysis Report

Sample #:

Analysis ID #:

35847

34103

Customer: Breitburn Operating

Area: Permian Basin

Lease: Dunn B Federal

Location: Battery

Sample Point: Heater Treater

Sampling Date:	6/23/2016	Anions	mg/l	meq/l	Cations	mg/l	meq/i
Analysis Date:	6/27/2016	Chloride:	83778.7	2363.09	Sodium:	46410.0	2018.72
Analyst:	Catalyst	Bicarbonate:	366.0	6.	Magnesium:	1637.0	134.67
TDS (mg/l or g/m3):	139488.8	Carbonate:			Calcium:	4626.0	230.84
Density (g/cm3):	1.096	Sulfate:	1600.0	33.31	Potassium:	741.2	18.96
Density (grams).	1.090	Borate*:	228.4	1.44	Strontium:	101.5	2.32
		Phosphate*:			Barium:	0.0	0.
Hydrogen Sulfide:	85				Iron:	0.0	0.
			sed on measure	-	Manganese:	0.000	0.
Çarbon Dioxide:	120	elemental bord	on and phosphor	us.			
_		pH at time of sampl	ing:	7.5			
Comments:		pH at time of analysis:					
		pH used in Calcula	ation:	7.5			4 = 0.00
		Temperature @ lab conditions (F): 75			Conductivity (mid	156200	

		Values C	alculated	at the Give	n Conditi	ons - Amoι	ints of Sc	ale in lb/10	ldd 00(
Гетр	Calcite CaCO ₃		Gypsum CaSO ₄ *2H ₂ 0		Anhydrite CaSO ₄		Celestite SrSO ₄		Barite BaSO ₄	
°F	Index	Amount	Index	Amount	Index	Amount	Index	Amount	* Index	Amount
80	1.36	39.15	-0.16	0.00	-0.16	0.00	-0.08	0.00	0.00	0.00
100	1.33	42.83	-0.22	0.00	-0.16	0.00	-0.10	0.00	0.00	0.00
120	1.30	46.80	-0.27	0.00	-0.12	0.00	-0.11	0.00	0.00	0.00
140	1.29	51.08	-0.30	0.00	-0.07	0.00	-0.11	0.00	0.00	0.00
160	1.29	55.37	-0.33	0.00	0.00	3.06	-0.10	0.00	0.00	0.00
180	1.31	59.65	-0.36	0.00	0.09	123.58	-0.09	0.00	0.00	0.00
200	1.34	63.93	-0.38	0.00	0.19	239.21	-0.07	0.00	0.00	0.00
220.	1.38	68.22	-0.39	0.00	0.30	342.61	-0.05	0.00	0.00	0.00

Donn B Federal Btry Eddy County No. 54184

WATER PRODUCTION & DISPOSAL INFORMATION

In order to process your disposal request, the following information must be completed.

1.	Name(s) of formation(s) producing water on the lease. Artiesia, Queen - graybung - San Andres
2.	Amount of water produced from all formations in barrels per day. $j \in \mathcal{D} \cup \mathcal{B} \cup \mathcal{D}$
3.	Attach a current water analysis of produced water from all zones showing at least the total dissolved solids, ph, and the concentrations of chlorides and sulfates. (One sample will suffice if water is commingled).
4.	How water is stored on lease.
5.	How water is moved to the disposal facility. N / A water is Reinsected
6.	Identify the Disposal Facility by: A: Facility Operators name.
	B. Name of facility or well name and number.
	C. Type of facility or well (WDW) (WIW) etc.
	D. Location by % 1/4 Section Township Range
7.	Attach a copy of the State issued permit for the Disposal Facility.

Submit to this office, **620 EAST GREENE ST, CARLSBAD NM, 88220**, the above required information on a Sundry Notice 3160-5. Submit 1 original and 3 copies, within abatement period. (This form may be used as an attachment to the Sundry Notice).

BUREAU OF LAND MANAGEMENT

Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

Disposal of Produced Water From Federal Wells Conditions of Approval

Approval of the produced water disposal methodology is subject to the following conditions of approval:

- 1. This agency shall be notified of any change in your method or location of disposal.
- 2. Compliance with all provisions of Onshore Order No. 7.
- 3. This agency shall be notified of any spill or discharge as required by NTL-3A.
- 4. This agency reserves the right to modify or rescind approval whenever it determines continued use of the approved method may adversely affect the surface or subsurface environments.
- 5. Any on-lease open top storage tanks shall be covered with a protective cover to prevent entry by birds and other wildlife.
- 6. This approval should not constitute the granting of any right-of-way or construction rights not granted by the lease instrument.
- 7. If water is transported via a pipeline that extends beyond the lease boundary, then you need to submit within 30 days an application for right-of-way approval to the Realty Section in this office if you have not already done so.
- 8. Disposal at any other site will require prior approval.
- 9. Subject to like approval by NMOCD.

7/10/14