

State of New Mexico
Energy, Minerals and Natural Resources Department

Susana Martinez
Governor

Tony Delfin
Acting Cabinet Secretary

David R. Catanach, Division Director
Oil Conservation Division



Response Required - Deadline Enclosed

Field Inspection Program
"Preserving the Integrity of Our Environment"

26-Jan-17

LARRY MARKER DBA MARKER OIL

PO BOX 3188

Roswell NM 88202-8202

LETTER OF VIOLATION - Inspection

Dear Operator:

The following inspection(s) indicate that the well, equipment, location or operational status of the well(s) failed to meet standards of the New Mexico Oil Conservation Division as described in the detail section below. To comply with standards imposed by Rules and Regulations of the Division, corrective action must be taken immediately and the situation brought into compliance. The detail section indicates preliminary findings and/or probable nature of the violation. This determination is based on an inspection of your well or facility by an inspector employed by the Oil Conservation Division on the date(s) indicated.

Please notify the proper district office of the Division, in writing, of the date corrective actions are scheduled to be made so that arrangements can be made to reinspect the well and/or facility.

INSPECTION DETAIL SECTION

NORTH SQUARE LAKE UNIT No.012				P-19-16S-31E	30-015-04856-00-00	
Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
01/26/2017	Routine/Periodic Violations	Tony Morales	Yes	No	5/1/2017	iTM1702647655
Absent Well Identification Signs (Rule 103)						
Comments on Inspection:		OK. All Equipment and Location in Good Shape. LOCTION SIGN NOT VISIBLE. FLOWLINE NOT CONNECTED				

NORTH SQUARE LAKE UNIT No.007				J-20-16S-31E	30-015-04863-00-00	
Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
01/26/2017	Routine/Periodic Violations	Tony Morales	Yes	No	5/1/2017	iTM1702649124
Surface Leaks/Spills						
Comments on Inspection:		OK. All Equipment and Location in Good Shape. PJ STAINING AROUND WELL HEAD STAINING APPROX. 10' X 30' FRESH OIL				

NORTH SQUARE LAKE UNIT No.097

D-31-16S-31E

30-015-04942-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
01/26/2017	Routine/Periodic	Tony Morales	Yes	No	5/1/2017	iTM1702640541
Violations						
Absent Well Identification Signs (Rule 103)						

Comments on Inspection: OK. All Equipment and Location in Good Shape. PJ POWER OFF LOCATION SIGN NOT VISIBLE.

NORTH SQUARE LAKE UNIT No.142

E-31-16S-31E

30-015-20184-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
01/26/2017	Routine/Periodic	Tony Morales	Yes	No	5/1/2017	iTM1702640168
Violations						
Absent Well Identification Signs (Rule 103)						

Comments on Inspection: OK. All Equipment and Location in Good Shape. LOCATION SIGN NOT VISIBLE.

NORTH SQUARE LAKE UNIT No.162

O-31-16S-31E

30-015-24457-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
01/26/2017	Routine/Periodic	Tony Morales	Yes	No	5/1/2017	iTM1702638436
Violations						
Absent Well Identification Signs (Rule 103)						

Comments on Inspection: OK. All Equipment and Location in Good Shape. PJ. POWER OFF NO ELECTRICAL MOTOR LOCATION SIGN NOT VISIBLE

NORTH SQUARE LAKE UNIT No.159

L-31-16S-31E

30-015-24706-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
01/26/2017	Routine/Periodic	Tony Morales	Yes	No	5/1/2017	iTM1702638052
Violations						
General Housekeeping (Rule 114)						

Comments on Inspection: OK. All Equipment and Location in Good Shape. PJ STAINING AROUND WELL HEAD. CONTAMINATED MATERIAL NEXT TO WELL HEAD

NORTH SQUARE LAKE UNIT No.198

O-19-16S-31E

30-015-33047-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
01/26/2017	Routine/Periodic	Tony Morales	Yes	No	5/1/2017	iTM1702647425
Violations						
General Housekeeping (Rule 114)						

Comments on Inspection: OK. All Equipment and Location in Good Shape. PJO. STAINING AROUND WELL HEAD. OLD CELLAR BOX ON LOCATION

NORTH SQUARE LAKE UNIT No.199

A-30-16S-31E


30-015-33068-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
01/26/2017	Routine/Periodic	Tony Morales	Yes	No	5/1/2017	iTM1702648115
Violations						
Absent Well Identification Signs (Rule 103)						
General Housekeeping (Rule 114)						

Comments on Inspection: OK. All Equipment and Location in Good Shape. PJ. OLD TUBING ON LOCATION. LOCATION SIGN NOT VISIBLE

In the event that a satisfactory response is not received to this letter of direction by the "Corrective Action Due By:" date shown above, further enforcement will occur. Such enforcement may include this office applying to the Division for an order summoning you to a hearing before a Division Examiner in Santa Fe to show cause why you should not be ordered to permanently plug and abandon this well.

Sincerely,



Artesia OCD District Office

Note: Information in Detail Section comes directly from field inspector data entries - not all blanks will contain data.

*Significant Non-Compliance events are reported directly to the EPA, Region VI, Dallas, Texas.