		UNITED STATE PARTMENT OF THE I JREAU OF LAND MANA	NTERIOR	NMC Arte		OMB N	APPROVED O. 1004-0137 anuary 31, 2018	
	SUNDRY I Do not use this	SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.					NMLC029426B           6. If Indian, Allottee or Tribe Name	
abandoned well. Use form 3160-3 (APD) for such proposals. SUBMIT IN TRIPLICATE - Other instructions on page 2						7. If Unit or CA/Agreement, Name and/or No.		
1 7			ductions on page 1	<b>.</b>		NMNM134086 8. Well Name and No.	-	
1. Type of Well  Gas Well Other					8. Well Name and No. MultipleSee Atta	ached		
2. Name of Operator Contact: EMILY FOLLIS APACHE CORPORATION E-Mail: Emily.Follis@apachecorp.com					9. API Well No. MultipleSee A	ttached		
3a. Address 303 VETERANS AIRPARK LANE SUITE 3000 MIDLAND, TX 79705			3b. Phone No. (include area code) Ph: 432-818-1801			10. Field and Pool or MultipleSee A	Exploratory Area ttached	
4. Location of W	ell (Footage, Sec., T.	, R., M., or Survey Description	)			11. County or Parish,	State	
MultipleSe	ee Attached					EDDY COUNT	Y, NM	
12.	CHECK THE AP	PROPRIATE BOX(ES)	TO INDICATE NA	TURE OF	NOTICE	E, REPORT, OR OTI	HER DATA	
TYPE OF S	SUBMISSION			TYPE OF	ACTION			
Notice of	Intent	□ Acidize	🗖 Deepen		Produ	ction (Start/Resume)	U Water Shut-Off	
_		□ Alter Casing	🗖 Hydraulic H	Fracturing	🗖 Reclar	nation	Well Integrity	
Subsequer	nt Report	Casing Repair	New Constr	ruction	🗖 Recon	nplete	☑ Other Venting and/or Flag	
Final Aba	ndonment Notice	Change Plans Convert to Injection	Plug and A Plug Back	bandon	□ Tempo □ Water	orarily Abandon ng	•	
3. Describe Prop	osed or Completed Ope	eration: Clearly state all pertine	nt details, including estir	nated starting	date of any	proposed work and appro	ximate duration thereof.	
		operations. If the operation re	sults in a multiple compl	ction of feed.	inpletion in c	their merial, a ronn 5re	Jo-4 must be med once	
testing has bee determined the Apache is re 05/09/2017	en completed. Final Ab at the site is ready for fi equesting to Temp	andonment Notices must be fil	ed only after all requiren	ients, includi	ng reclamati	on, have been completed a	and the operator has	
testing has bee determined tha Apache is rr 05/09/2017 measured p	en completed. Final Ab at the site is ready for fi equesting to Tempo on PAD 21 located	andonment Notices must be fil nal inspection. orary Flare an estimated	ed only after all requiren	ients, includi	ng reclamati	on, have been completed a	and the operator has	
testing has bee determined tha Apache is ro 05/09/2017 measured p CROW PAE	in completed. Final Ab at the site is ready for fi equesting to Tempe on PAD 21 located orior to flaring. D 21 FLARE (4)	andonment Notices must be fil nal inspection. orary Flare an estimated	ed only after all requiren	ients, includi	ng reclamati	on, have been completed a	and the operator has	
testing has bee determined that Apache is r 05/09/2017 measured p CROW PAE L-03-17S-3 CEDAR LAI CEDAR LAI	in completed. Final Ab at the site is ready for fi equesting to Tempo on PAD 21 located prior to flaring. D 21 FLARE (4) 1E KE FEDERAL CA 3 KE FEDERAL CA 3	andonment Notices must be fil nal inspection. orary Flare an estimated	ed only after all requiren 1.3 Mmcf per day fc digh Nitrogen levels w Federal #40H) w Federal #41H)	ients, includi	ng reclamati	on, have been completed a l be TACHED FO TACHED FO	and the operator has	
testing has bee determined that Apache is rr 05/09/2017 measured p CROW PAE L-03-17S-3 CEDAR LAI CEDAR LAI CEDAR LAI	in completed. Final Ab at the site is ready for fi equesting to Tempo on PAD 21 located prior to flaring. D 21 FLARE (4) 1E KE FEDERAL CA 3 KE FEDERAL CA 3	andonment Notices must be fil nal inspection. orary Flare an estimated J L-03-17S-31E, Due to H 340H 30-015-42762 (Cro 341H 30-015-42763 (Cro 342H 30-015-42744 (Cro	ed only after all requiren 1.3 Mmcf per day fo digh Nitrogen levels w Federal #40H) w Federal #41H) w Federal #42H)	nents, includii or 90 days ( per Frontie ST	ng reclamati 02/09/17 - rr. Gas wil EE AT	on, have been completed a I be TACHED FO TIONS OF A TIONS OF A MA	And the operator has	
testing has bee determined that Apache is rr 05/09/2017 measured p CROW PAE L-03-17S-3 CEDAR LAI CEDAR LAI CEDAR LAI	n completed. Final Ab at the site is ready for fi equesting to Temp on PAD 21 located orior to flaring. D 21 FLARE (4) 1E KE FEDERAL CA 3 KE FEDERAL CA 3 KE FEDERAL CA 3	andonment Notices must be fil nal inspection. orary Flare an estimated J L-03-17S-31E, Due to H 340H 30-015-42762 (Cro 341H 30-015-42763 (Cro 342H 30-015-42744 (Cro true and correct. Electronic Submission # For APACH	ed only after all requiren 1.3 Mmcf per day fo ligh Nitrogen levels w Federal #40H) w Federal #41H) w Federal #42H) 365521 verified by the E CORPORATION. se	e BLM Well	ng reclamati 02/09/17 - or. Gas wil EE AT OND OND	on, have been completed a I be TACHED FO TIONS OF A TIONS OF A MA	And the operator has	
testing has bee determined that Apache is rr 05/09/2017 measured p CROW PAE L-03-17S-3 CEDAR LAI CEDAR LAI CEDAR LAI	n completed. Final Ab at the site is ready for fi equesting to Temp on PAD 21 located orior to flaring. D 21 FLARE (4) 1E KE FEDERAL CA 3 KE FEDERAL CA 3 KE FEDERAL CA 3 ify that the foregoing is Com	andonment Notices must be fil nal inspection. orary Flare an estimated J L-03-17S-31E, Due to H 340H 30-015-42762 (Cro 341H 30-015-42763 (Cro 342H 30-015-42744 (Cro true and correct. Electronic Submission # For APACH mitted to AFMSS for proc	ed only after all requiren 1.3 Mmcf per day fo ligh Nitrogen levels w Federal #40H) w Federal #41H) w Federal #42H) 365521 verified by the E CORPORATION. se	e BLM Well PEREZ on	ng reclamati 02/09/17 - or. Gas wil EE AT OND OND	on, have been completed a I be TACHED FO TACHED FO TACHED FO MA MA MA On System 7 (17PP0142SE)	And the operator has	
testing has bee determined that Apache is no 05/09/2017 measured p CROW PAE L-03-17S-3 CEDAR LAI CEDAR LAI CEDAR LAI CEDAR LAI	n completed. Final Ab at the site is ready for fi equesting to Temp on PAD 21 located orior to flaring. D 21 FLARE (4) 1E KE FEDERAL CA 3 KE FEDERAL CA 3 KE FEDERAL CA 3 ify that the foregoing is Com	andonment Notices must be fil nal inspection. orary Flare an estimated 1 L-03-17S-31E, Due to H 340H 30-015-42762 (Cro 341H 30-015-42763 (Cro 342H 30-015-42744 (Cro true and correct. Electronic Submission # For APACH mitted to AFMSS for proc	ed only after all requiren 1.3 Mmcf per day fo ligh Nitrogen levels w Federal #40H) w Federal #41H) w Federal #42H) 365521 verified by the E CORPORATION, se essing by PRISCILLA	e BLM Well PEREZ on	Information Inform	on, have been completed a I be TACHED FO TACHED FO TACHED FO MA MA MA On System 7 (17PP0142SE)	And the operator has	
testing has bee determined that Apache is ro 05/09/2017 measured p CROW PAE L-03-17S-3 CEDAR LAI CEDAR LAI CEDAR LAI CEDAR LAI	in completed. Final Ab at the site is ready for fi equesting to Temp on PAD 21 located prior to flaring. D 21 FLARE (4) 1E KE FEDERAL CA 3 KE FEDERAL CA 3 KE FEDERAL CA 3 ify that the foregoing is Com	andonment Notices must be fil nal inspection. orary Flare an estimated 1 L-03-17S-31E, Due to H 340H 30-015-42762 (Cro 341H 30-015-42763 (Cro 342H 30-015-42764 (Cro true and correct. Electronic Submission # For APACH unitted to AFMSS for proc bLLIS	ed only after all requiren 1.3 Mmcf per day for ligh Nitrogen levels w Federal #40H) w Federal #41H) w Federal #42H) 365521 verified by the E CORPORATION, se essing by PRISCILLA Title	e BLM Well ent to the C PEREZ on REGULA	Informatic arlsbad 01/31/201 200101 200101 200101 200101 200101 200101 200101 200101 200101 200101 200101 200101 200101 200101 200101 200101 2009 2009	on, have been completed a I be TACHED FO TACHED FO TACHED FO MA MA on System 7 (17PP0142SE) VALYST	AND THE OPERATOR HAS	
testing has bee determined that Apache is rr 05/09/2017 measured p CROW PAE L-03-17S-3 CEDAR LAI CEDAR LAI CEDAR LAI CEDAR LAI 14. I hereby certi Name (Printed Signature	in completed. Final Ab at the site is ready for fi equesting to Temp on PAD 21 located prior to flaring. D 21 FLARE (4) 1E KE FEDERAL CA 3 KE FEDERAL CA 3 KE FEDERAL CA 3 ify that the foregoing is Com	andonment Notices must be fil nal inspection. orary Flare an estimated 1 L-03-17S-31E, Due to H 340H 30-015-42762 (Cro 341H 30-015-42763 (Cro 342H 30-015-42764 (Cro true and correct. Electronic Submission # For APACH unitted to AFMSS for proc bLLIS	ed only after all requiren 1.3 Mmcf per day fo figh Nitrogen levels w Federal #40H) w Federal #41H) w Federal #42H) 365521 verified by the E CORPORATION, so essing by PRISCILLA Title Date DR FEDERAL OR	e BLM Well ent to the C PEREZ on REGULA	Informatic arlsbad 01/31/201 200101 200101 200101 200101 200101 200101 200101 200101 200101 200101 200101 200101 200101 200101 200101 200101 2009 2009	on, have been completed a I be TACHED FO TACHED FO TIONS OF A MA MA on System 7 (17PP0142SE) NALYST PPROVED	And the operator has	
testing has bee determined that Apache is ro 05/09/2017 measured p CROW PAE L-03-17S-3 CEDAR LAI CEDAR CED	in completed. Final Ab at the site is ready for fi equesting to Tempo on PAD 21 located prior to flaring. D 21 FLARE (4) 1E KE FEDERAL CA 3 KE FEDERAL CA 3 ify that the foregoing is <b>Com</b> <i>(Typed)</i> EMILY FO (Electronic S	andonment Notices must be fil nal inspection. orary Flare an estimated 1 L-03-17S-31E, Due to H 340H 30-015-42762 (Cro 341H 30-015-42763 (Cro 342H 30-015-42744 (Cro true and correct. Electronic Submission # For APACH mitted to AFMSS for proc 0LLIS hubmission) THIS SPACE FC	ed only after all requiren 1.3 Mmcf per day for ligh Nitrogen levels w Federal #40H) w Federal #41H) w Federal #42H) 365521 verified by the E CORPORATION, se essing by PRISCILLA Title Date DR FEDERAL OR 	e BLM Well or 90 days ( per Frontie BLM Well ent to the C PEREZ on REGULA 01/31/20 STATE	Informatic arlsbad 01/34/201 70RY AI	on, have been completed a I be TACHED FO TACHED FO TACHED FO MA MA on System 7 (17PP0142SE) VALYST PPROVED SE FEB 2 7 2017 WOF LAND AMAGE	And the operator has	
testing has bee determined that Apache is no 05/09/2017 measured p CROW PAE L-03-17S-3 CEDAR LAI CEDAR CENT	n completed. Final Ab at the site is ready for fi equesting to Tempo on PAD 21 located orior to flaring. D 21 FLARE (4) 1E KE FEDERAL CA 3 KE FEDERAL CA 3 KE FEDERAL CA 3 ify that the foregoing is <b>Com</b> <i>(Typed)</i> EMILY FO (Electronic S	andonment Notices must be fil nal inspection. orary Flare an estimated 1 L-03-17S-31E, Due to H 340H 30-015-42762 (Cro 341H 30-015-42763 (Cro 342H 30-015-42744 (Cro true and correct. Electronic Submission # For APACH mitted to AFMSS for proc 1LLIS ubmission) THIS SPACE FC	ed only after all requiren 1.3 Mmcf per day for tigh Nitrogen levels w Federal #40H) w Federal #41H) w Federal #42H) 365521 verified by the E CORPORATION, se essing by PRISCILLA Title Date DR FEDERAL OR 	e BLM Well ent to the C: PEREZ on REGULA 01/31/20 STATE	Informatic arlsbad 01/34/201 70RY AI	on, have been completed a I be TACHED FO TACHED FO TACHED FO MA MA on System 7 (17PP0142SE) VALYST PPROVED SE FEB 2 7 2017 WOF LAND AMAGE	And the operator has	

s

## Additional data for EC transaction #365521 that would not fit on the form

Wells/Facilities, continued

~

Agreement NMNM134086	Lease NMLC029426B	Well/Fac Name, Number API Number CEDAR LAKE FEDERAL CA 340H 30-015-42762-00-S1	
NMNM134086	NMLC029426B	CEDAR LAKE FEDERAL CA 341H 30-015-42763-00-S1	
NMNM134086	NMLC029426B	CEDAR LAKE FEDERAL CA 342H 30-015-42744-00-S1	
NMNM134086	NMLC029426B	CEDAR LAKE FEDERAL CA 343H 30-015-42745-00-S1	
NMLC029426B	NMLC029426B	CEDAR LAKE FEDERAL CA 344H 30-015-42746-00-X1	
NMLC029426B	NMLC029426B	CEDAR LAKE FEDERAL CA 345H 30-015-42747-00-X1	

Location Sec 3 T17S R31E NWSW 2208FSL 10FWL 32.862310 N Lat, 103.865578 W Lon Sec 3 T17S R31E NWSW 2233FSL 10FWL 32.862379 N Lat, 103.865578 W Lon Sec 3 T17S R31E NWSW 2273FSL 10FWL 32.862489 N Lat, 103.865578 W Lon Sec 3 T17S R31E NWSW 2298FSL 10FWL 32.862557 N Lat, 103.865578 W Lon Sec 3 T17S R31E NWSW 238FSL 10FWL 32.862667 N Lat, 103.865578 W Lon Sec 3 T17S R31E NWSW 2363FSL 10FWL 32.8626736 N Lat, 103.865579 W Lon

### 10. Field and Pool, continued

FREN-GLORIETA-YESO

#### 32. Additional remarks, continued

CEDAR LAKE FEDERAL CA 343H 30-015-42745 (Crow Federal #43H) CEDAR LAKE FEDERAL CA 344H 30-015-42746 (Crow Federal #44H) CEDAR LAKE FEDERAL CA 345H 30-015-42747 (Crow Federal #45H)

1.Meter #T335

2.Flare Location was sent prior

3.Volumes are being reported to the BLM

## **Revisions to Operator-Submitted EC Data for Sundry Notice #365521**

**,** •

4

	Operator Submitted	BLM Revised (AFMSS)
Sundry Type:	FLARE NOI	FLARE NOI
Lease:	NMLC029426B	NMLC029426B
Agreement:	NMNM134086	NMNM134086 (NMNM134086)
Operator:	APACHE CORPORATION 303 VETERANS AIRPARK LANE SUITE 1000 MIDLAND, TX 79705 Ph: 432-818-1801	APACHE CORPORATION 303 VETERANS AIRPARK LANE SUITE 3000 MIDLAND, TX 79705 Ph: 432.818.1000
Admin Contact:	EMILY FOLLIS REGULATORY ANALYST E-Mail: Emily.Follis@apachecorp.com	EMILY FOLLIS REGULATORY ANALYST E-Mail: Emily.Follis@apachecorp.com
	Ph: 432-818-1801	Ph: 432-818-1801
Tech Contact:	EMILY FOLLIS REGULATORY ANALYST E-Mail: Emily.Follis@apachecorp.com	EMILY FOLLIS REGULATORY ANALYST E-Mail: Emily.Follis@apachecorp.com
	Ph: 432-818-1801	Ph: 432-818-1801
Location: State: County:	NM EDDY COUNTY	NM EDDY
Field/Pool:	CEDAR LAKE;GLORIETA-YESO	CEDAR LAKE-GLORIETA-YESO FREN FREN-GLORIETA-YESO
Well/Facility:	CEDAR LAKE FED CA 340H Sec 3 T17S R31E NWSW 2208FSL 10FWL	CEDAR LAKE FEDERAL CA 340H Sec 3 T17S R31E NWSW 2208FSL 10FWL 32.862310 N Lat, 103.865578 W Lon CEDAR LAKE FEDERAL CA 341H Sec 3 T17S R31E NWSW 2233FSL 10FWL 32.862379 N Lat, 103.865578 W Lon CEDAR LAKE FEDERAL CA 342H Sec 3 T17S R31E NWSW 2273ESL 10FWL

EMILY FOLLIS REGULATORY ANALYST E-Mail: Emily.Follis@apachecorp.com Ph: 432-818-1801 EMILY FOLLIS REGULATORY ANALYST E-Mail: Emily.Follis@apachecorp.com Ph: 432-818-1801 NM EDDY CEDAR LAKE-GLORIETA-YESO REN REN-GLORIETA-YESO CEDAR LAKE FEDERAL CA 340H Sec 3 T17S R31E NWSW 2208FSL 10FWL 32.862310 N Lat, 103.865578 W Lon CEDAR LAKE FEDERAL CA 341H Sec 3 T17S R31E NWSW 2233FSL 10FWL 32.862379 N Lat, 103.865578 W Lon CEDAR LAKE FEDERAL CA 342H Sec 3 T17S R31E NWSW 2273FSL 10FWL 32.862489 N Lat, 103.865578 W Lon CEDAR LAKE FEDERAL CA 343H Sec 3 T17S R31E NWSW 2298FSL 10FWL 32.862557 N Lat, 103.865578 W Lon CEDAR LAKE FEDERAL CA 344H Sec 3 T17S R31E NWSW 2238FSL 10FWL 32.862667 N Lat, 103.865578 W Lon CEDAR LAKE FEDERAL CA 344H Sec 3 T17S R31E NWSW 2338FSL 10FWL 32.862667 N Lat, 103.865578 W Lon CEDAR LAKE FEDERAL CA 345H Sec 3 T17S R31E NWSW 2363FSL 10FWL 32.862736 N Lat, 103.865579 W Lon

,

# BUREAU OF LAND MANAGEMENT Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

Pursuant to NTL-4A III, Lessees or operators are hereby authorized to vent or flare gas on a short-term basis without incurring a royalty obligation in the following circumstances:

- A. <u>Emergencies.</u> During temporary emergency situations, such as compressor or other equipment failures, relief of abnormal system pressures, or other conditions which result in the unavoidable short-term venting or flaring of gas. However, this authorization to vent or flare gas in such circumstances without incurring a royalty obligation is limited to 24 hours per incident and to 144 hours cumulative for the lease during any calendar month, except with the prior authorization, approval, ratification, or acceptance of the Supervisor.
- B. <u>Well Purging and Evaluation Tests.</u> During the unloading or cleaning up of a well during drillstem, producing, routine purging, or evaluation tests, not exceeding a period of 24 hours.
- C. <u>Initial Production Tests</u>. During initial well evaluation tests, not exceeding a period of 30 days or the production of 50 MMcf of gas, whichever occurs first, unless a longer test period has been authorized by the appropriate State regulatory agency and ratified or accepted by the Supervisor.
- D. <u>Routine or Special Well Tests.</u> During routine or special well tests, other than those cited in NTL-4A III.B and C above, only after approval by the Supervisor.

If a flaring event conforms with the requirements listed above as per NTL-4A III., the flared volumes are not royalty bearing and the operator does not need to submit a Sundry Notice. Report flared volumes as unavoidably lost on OGOR B.

# **Condition of Approval to Flare Gas**

- The first 24 hours of a <u>temporary emergency flare\*</u> is considered "unavoidably lost" and is therefore royalty free. Flared volumes that are considered unavoidably lost are not to be included in Sundry Notice (Form 3160-5). NTL-4A specifies no more than 24 hours per incident and no more 144 hours cumulative for the lease during any calendar month. These Volumes are not royalty bearing and shall be reported on OGOR "B" as either disposition code "21" or "22".".
- 2. Flared volumes considered to be "avoidably lost":
  - Exceeding the first 24 hours for each temporary emergency flare event (144 hours cumulative for the lease per month), well purging and evaluation test.
  - During initial well evaluation tests, exceeding a period of 30 days or the production of 50 MMcf of gas, whichever occurs first
  - Scheduled flaring operations

These flare events will require prior approval via Notice of Intent- Sundry Notice (Form 3160-5). Volumes flared beyond limits defined in NTL-4A are considered "avoidably lost" and will require payment of royalties, unless an exception is granted in accordance with NTL-4A.IV.B.. <u>Volumes for avoidably lost gas shall be</u> reported on OGOR "B" reports as disposition code "08". If the operator believes that the flared volumes were "unavoidably lost" and the BLM determines them to be "avoidably lost", the operator can submit a more detailed request via Sundry Notice (Form 3160-5) for an exception in accordance with NTL-4A.IV.B.. As an alternative to producing oil and flaring gas the operator may choose to shut the well in and avoid paying royalties on otherwise avoidably lost gas.

- 3. Approval not to exceed 90 days, if flaring is still required past 90 days submit new request for approval.
- 4. Submit Subsequent Report with actual volumes of gas flared for each month gas is flared on a Sundry Notice (Form 3160-5). Include method for volume determination and duration. Report unavoidably lost (first 24 hrs of unexpected event) and avoidably lost (exceeding the first 24 hrs or flared gas that has been approved as avoidably lost by the Authorized Officer) volumes and durations on the Subsequent Report.

- 5. In determining the volumes of gas to be reported in accordance with NTL-4A the BLM CFO requires Vent/flare gas metering to meet all requirements for a sales meter as per Federal Regulations, Onshore Order #5 and NTL 2008-01. Include meter serial number on Sundry Notice (Form 3160-5).
  - If installation of an approved gas meter is not economically feasible for continued operations. Submit Notice of Intent Sundry Notice (Form 3160-5) to request an alternate method of determining gas volumes with a valid justification. Alternate methods are listed in NTL-4A. The Authorized Officer may require the installation of additional measurement equipment whenever it is determined that the present methods are inadequate to meet the purposes of this Notice.
- 6. An updated facility diagram is required within 60 days of modifications to existing facilities per Onshore Order #3.
- 7. This approval does not authorize any additional surface disturbance.
- 8. Subject to like approval from NMOCD

## **Regulations and Definitions**

**Definition:** As per **NTL-4A II. A.** "Avoidably lost" production shall mean the venting or flaring of produced gas without the prior authorization, approval, ratification, or acceptance of the Supervisor and the loss of produced oil or gas when the Supervisor determines that such loss occurred as a result of (1) negligence on the part of the lessee or operator, or (2) the failure of the lessee or operator to take all reasonable measures to prevent and/or to control the loss, or (3) the failure of the lessee or operator to comply fully with the applicable lease terms and regulations, appropriate provisions of the approved operating plan, or the prior written orders of the Supervisor, or (4) and combination of the foregoing.

**NTL-4A.IV.B.** Oil Well Gas. Except as provided in II.C and III above, <u>oil well gas may not be vented or flared unless</u> <u>approved in writing by the Supervisor</u>. The Supervisor may approve an application for the venting or flaring of oil well gas if justified either by the submittal of **(1)** an evaluation report supported by engineering, geologic, and economic data which demonstrates to the satisfaction of the Supervisor that the expenditures necessary to market or beneficially use such gas are not economically justified and that conservation of the gas, if required, would lead to the premature abandonment of recoverable oil reserves and ultimately to a greater loss of equivalent energy than would be recovered if the venting or flaring were permitted to continue or **(2)** an action plan that will eliminate venting or flaring of the gas within **1** year from the date of application.

\*<u>Temporary Emergency Flaring</u> is defined as an unexpected situation requiring immediate action. A flaring event is considered an emergency if the occurrence is out of the operators control and the operator had less than 24 hrs notification of the event. Scheduled or routine flare events will not be considered an emergency.