

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

OCD Artesia

FORM APPROVED
OMB NO. 1004-0137
Expires: January 31, 2018**SUNDRY NOTICES AND REPORTS ON WELLS**
*Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.*5. Lease Serial No.
NMNM19199

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

SUBMIT IN TRIPLICATE - Other instructions on page 21. Type of Well
☒ Oil Well ☐ Gas Well ☐ Other8. Well Name and No.
CAL-MON 35 FEDERAL 41H2. Name of Operator
OXY USA INCORPORATEDContact: DAVID STEWART
E-Mail: david_stewart@oxy.com9. API Well No.
30-015-43140-00-X13a. Address
5 GREENWAY PLAZA SUITE 110
HOUSTON, TX 77046-05213b. Phone No. (include area code)
Ph: 432.685.571710. Field and Pool or Exploratory Area
INGLE WELLS
WILDCAT; WOLFCAMP

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Sec 35 T23S R31E NWNW 250FNL 710FWL
32.267378 N Lat, 103.754341 W Lon11. County or Parish, State
EDDY COUNTY, NM**12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA**

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	Drilling Operations
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

1/10/17 RIH & set whipstock @ ~11008', mill window from 10990', slide drill to 11054' w/ partial returns, RIH w/ gyro tools, POOH, & spot LCM. RIH & set CR @ 10960', EIR, M&P 230sx (80bbl) Thixotropic cmt 12.6ppg, 2.1 yield followed by 337sx (80bbl) PPC 14.8ppg, 1.33 yield @ 2800#, WOC 1/13/17. RIH & drill out CR, wash & ream to 10960-10995', drill hard cmt to 11000'. Flowrate increased, raise MW to condition hole, pump & sqz 16ppg mud, final CP @ 1563#, SI, pressure dropped to 610#. Bled off csg pressure, M&P 105sx (25bbl) PPC @ 14.8ppg, 1.33 yield, PUH, WOC. Attempt to break circulation, pressure up to 2700#, attempt to work pipe, stuck, pull 350K, continue to try and work up/down, rotate without success, WO on fishing tools. RIH w/ free point, 100% stuck @ drill collar @ 9672', 100% free @ 9627', back off @ 9608' top of drill collar. RIH w/ overshot grappler, work onto fish, attempt to pull, grappler broke, POOH. RIH and attempt to screw into fish and pull, no movement, release & POOH. RIH w/ jarring assembly, RIH & tag fish @ 9602', attempt to release fish, no movement, 1/18/17. Contact BLM-Chris Walls received approval to TA

BC 4-5-17
Accepted for record - NMOCDNM OIL CONSERVATION
ARTESIA DISTRICT

APR 04 2017

RECEIVED

14. I hereby certify that the foregoing is true and correct.

**Electronic Submission #368882 verified by the BLM Well Information System
For OXY USA INCORPORATED, sent to the Carlsbad
Committed to AFMSS for processing by PRISCILLA PEREZ on 03/07/2017 (17PP0333SE)**

Name (Printed/Typed) DAVID STEWART

Title REGULATORY ADVISOR

Signature (Electronic Submission)

Date 03/06/2017

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

ACCEPTED FOR RECORD

Approved By

Title

MAR 24 2017

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

BUREAU OF LAND MANAGEMENT

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

**** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ****

Additional data for EC transaction #368882 that would not fit on the form

32. Additional remarks, continued


well. SN filed 1/18/17, EC Transaction 364191, Serial No. 852-41619.

POOH & LD jarring assembly, RIH w/ gauge ring, tag up @ 6890', unable to get through, POOH. RIH w/ logging tools to 9560', run logs from 9560-4300', POOH. RIH w/ csg scraper, clean out to 9572', POOH. RIH w/ CIBP & set @ 9570', RIH w/ 2-7/8" tbg cmt stinger, tag CIBP @ 9570', M&P 17bbls spacer, followed by 120sx (23bbl) CL H cmt @ 16.4ppg, 1.07yield, displace w/ 11.2ppg mud, calc TOC @ 9130', PUH, WOC. Notify BLM of MIT. RIH & tag cmt @ 9070', circ hole w/ 10# MLF, RU chart, pressure test casing to 500# for 30min. good test. ND BOP, install well cap & needle valve w/ gauge. RD & release rig 1/22/17.

K21-17
OXY H.P. 617

07500 Calman FED #41H
Casing
N.M.

OXY USA Inc. - Current
Cal-Mon 35 Federal #41H
API No. 30-015-43140



18-1/2" hole @ 742'
16" 84# csg @ 742'
w/ 1111sx-TOC-Surf-Circ

13-1/2" hole @ 4402'
10-3/4" 45.5# csg @ 4402'
w/ 2420sx-TOC-Surf-Circ

CIBP @ 9570' w/ 120sx to 9070' Tagged

Fish @ 9602-10035' consisting of
6-3/4" bit, sub, 4-3/4" drill collars

Whipstock @ 10990-11004'

Sqz total 672sx cmt
Window @ 10990'

9-7/8" hole @ 12010'
7-5/8" 29.7# csg @ 11965'
w/ 3270sx-TOC-Surf-Circ
DVT @ 6062'

PB-11904'

TD-12010'