Form 3160-5 (June 2015)

## **UNITED STATES** DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

**NMOCD** Artesia

FORM APPROVED OMB NO. 1004-0137 Expires: January 31, 2018

# 5. Lease Serial No. NMNM0558679

#### **SUNDRY NOTICES AND REPORTS ON WELLS** Do not use this form for proposals to drill or to re-enter an

abandoned well. Use form 3160-3 (APD) for such proposals.			6. If Indian, Allottee	6. If Indian, Allottee or Tribe Name	
SUBMIT IN TRIPLICATE - Other instructions on page 2			7. If Unit or CA/Agr	7. If Unit or CA/Agreement, Name and/or No.	
1. Type of Well ☐ Gas Well ☐ Other				8. Well Name and No. MATTHEWS 25 FEDERAL 3	
Name of Operator Contact: MIKE PIPPIN     LIME ROCK RESOURCES II A LP E-Mail: MIKE@PIPPINLLC.COM			9. API Well No. 30-015-41698-	9. API Well No. 30-015-41698-00-X1	
1111 BAGBY STREET SUITE 4600 Ph: 505-32 HOUSTON, TX 77002		Phone No. (include area code): 505-327-4573	10. Field and Pool of RED LAKE	10. Field and Pool or Exploratory Area RED LAKE	
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)			11. County or Parish, State		
Sec 25 T17S R27E NWNW 985FNL 330FWL 32.809556 N Lat, 104.239244 W Lon			EDDY COUNT	EDDY COUNTY, NM	
12. CHECK THE AF	PPROPRIATE BOX(ES) TO	INDICATE NATURE O	NOTICE, REPORT, OR OT	THER DATA	
TYPE OF SUBMISSION	TYPE OF ACTION				
□ Notice of Intent	☐ Acidize	□ Deepen	☐ Production (Start/Resume)	■ Water Shut-Off	
	☐ Alter Casing	☐ Hydraulic Fracturing	☐ Reclamation	■ Well Integrity	
Subsequent Report	□ Casing Repair	■ New Construction	☐ Recomplete		
☐ Final Abandonment Notice  13. Describe Proposed or Completed Operation 1.	☐ Change Plans	☐ Plug and Abandon	☐ Temporarily Abandon	Hydraulic Fracture	
	☐ Convert to Injection	☐ Plug Back	☐ Water Disposal		
If the proposal is to deepen directions Attach the Bond under which the wor following completion of the involved	rk will be performed or provide the B operations. If the operation results i	Sond No. on file with BLM/BIA in a multiple completion or reco	Required subsequent reports must be impletion in a new interval, a Form 31	be filed within 30 days 160-4 must be filed once	
testing has been completed. Final At determined that the site is ready for final THIS IS THE INITIAL COMPL.  On 2/6/17, PT 5-1/2" csg to 50 4750'-4786' w/25-0.40" holes. w/31,249# 100 mesh & 206,18 Set 5-1/2" CBP @ 4570' & PT Treated new Yeso perfs w/150 in slick water.  Set 5-1/2" CBP @ 4150' & PT w/1500 gal 15% HCL & fraced Set 5-1/2" CBP @ 3550' & PT w/1500 gal 15% HCL & fraced Set 5-1/2" CBP @ 3550' & PT w/1500 gal 15% HCL & fraced	ETION OF A NEW YESO OIL 000 psi for 30 min-OK. On 2/2/ On 3/3/17, treated new perfs 87# 40/70 Arizona sand in slic 5-1/2" csg to 4000 psi-OK. Po 00 gal 15% HCL & fraced w/3' -OK. Perfed Yeso @ 3660'-40 1 w/29,403# 100 mesh & 363,6 -OK. Perfed Yeso @ 3200'-34	. WELL.  0/17, perfed Yeso/Tubb @ w/1500 gal 15% HCL acid k water. erfed Yeso @ 4250'-4542 1,600# 100 mesh & 310,0 0/41' w/34-0.40" holes. Tre 840# 40/70 Arizona sand 176' w/29-0.40" holes. Tre	Accepted for Accepted for Accepted for Accepted for Accepted for W/31-0.40" holes. 22# 40/70 Arizona sand atted new Yeso perfs n slick water. atted new Yeso perfs	record - NMOCD  CONSERVATIO  ARTESIA DISTRICT  APR 1 0 2017	
determined that the site is ready for fi THIS IS THE INITIAL COMPL On 2/6/17, PT 5-1/2" csg to 50 4750'-4786' w/25-0.40" holes. w/31,249# 100 mesh & 206,18 Set 5-1/2" CBP @ 4570' & PT Treated new Yeso perfs w/150 in slick water. Set 5-1/2" CBP @ 4150' & PT w/1500 gal 15% HCL & fraced Set 5-1/2" CBP @ 3550' & PT w/1500 gal 15% HCL & fraced	inal inspection. ETION OF A NEW YESO OIL 000 psi for 30 min-OK. On 2/2i On 3/3/17, treated new perfs 87# 40/70 Arizona sand in slic 5-1/2" csg to 4000 psi-OK. Po 00 gal 15% HCL & fraced w/3" -OK. Perfed Yeso @ 3660'-40 1 w/29,403# 100 mesh & 363,4 1 w/30,584# 100 mesh & 252,6	. WELL.  0/17, perfed Yeso/Tubb @ w/1500 gal 15% HCL acid k water. erfed Yeso @ 4250'-4542 1,600# 100 mesh & 310,0 0/41' w/34-0.40" holes. Tre 840# 40/70 Arizona sand 176' w/29-0.40" holes. Tre	Accepted for Accepted for Accepted for Accepted for Accepted for W/31-0.40" holes. 22# 40/70 Arizona sand atted new Yeso perfs n slick water. atted new Yeso perfs	record - NMOCD  L CONSERVATIO.  ARTESIA DISTRICT	
determined that the site is ready for fit THIS IS THE INITIAL COMPL On 2/6/17, PT 5-1/2" csg to 50 4750'-4786' w/25-0.40" holes. w/31,249# 100 mesh & 206,18 Set 5-1/2" CBP @ 4570' & PT Treated new Yeso perfs w/150 in slick water. Set 5-1/2" CBP @ 4150' & PT w/1500 gal 15% HCL & fraced Set 5-1/2" CBP @ 3550' & PT w/1500 gal 15% HCL & fraced	inal inspection.  ETION OF A NEW YESO OIL  2000 psi for 30 min-OK. On 2/2 On 3/3/17, treated new perfs 87# 40/70 Arizona sand in slic 5-1/2" csg to 4000 psi-OK. Po 00 gal 15% HCL & fraced w/3' -OK. Perfed Yeso @ 3660'-40 1 w/29,403# 100 mesh & 363,8 -OK. Perfed Yeso @ 3200'-34 1 w/30,584# 100 mesh & 252,0  True and correct.  Electronic Submission #3694 For LIME ROCK RES mitted to AFMSS for processin	WELL.  0/17, perfed Yeso/Tubb @ w/1500 gal 15% HCL acid k water. erfed Yeso @ 4250'-4542 1,600# 100 mesh & 310,0 041' w/34-0.40" holes. Tre 840# 40/70 Arizona sand 176' w/29-0.40" holes. Tre 048# 40/70 Arizona sand 67 verified by the BLM Welfources II A LP, sent to ting by PRISCILLA PEREZ or	Accepted for Accep	record - NMOCD  ARTESIA DISTRICT  APR 1 0 2017	
determined that the site is ready for fit THIS IS THE INITIAL COMPL On 2/6/17, PT 5-1/2" csg to 50 4750'-4786' w/25-0.40" holes. w/31,249# 100 mesh & 206,18 Set 5-1/2" CBP @ 4570' & PT Treated new Yeso perfs w/150 in slick water. Set 5-1/2" CBP @ 4150' & PT w/1500 gal 15% HCL & fraced Set 5-1/2" CBP @ 3550' & PT w/1500 gal 15% HCL & fraced	inal inspection.  ETION OF A NEW YESO OIL  2000 psi for 30 min-OK. On 2/2 On 3/3/17, treated new perfs 87# 40/70 Arizona sand in slic 5-1/2" csg to 4000 psi-OK. Po 00 gal 15% HCL & fraced w/3' -OK. Perfed Yeso @ 3660'-40 1 w/29,403# 100 mesh & 363,8 -OK. Perfed Yeso @ 3200'-34 1 w/30,584# 100 mesh & 252,0  True and correct.  Electronic Submission #3694 For LIME ROCK RES mitted to AFMSS for processin	WELL.  0/17, perfed Yeso/Tubb @ w/1500 gal 15% HCL acid k water. erfed Yeso @ 4250'-4542 1,600# 100 mesh & 310,0 041' w/34-0.40" holes. Tre 840# 40/70 Arizona sand 176' w/29-0.40" holes. Tre 048# 40/70 Arizona sand 67 verified by the BLM Welfources II A LP, sent to ting by PRISCILLA PEREZ or	Accepted for Accep	record - NMOCD  ARTESIA DISTRICT  APR 1 0 2017	
determined that the site is ready for fit THIS IS THE INITIAL COMPL On 2/6/17, PT 5-1/2" csg to 50 4750'-4786' w/25-0.40" holes. w/31,249# 100 mesh & 206,18 Set 5-1/2" CBP @ 4570' & PT Treated new Yeso perfs w/150 in slick water. Set 5-1/2" CBP @ 4150' & PT w/1500 gal 15% HCL & fraced Set 5-1/2" CBP @ 3550' & PT w/1500 gal 15% HCL & fraced	inal inspection.  ETION OF A NEW YESO OIL  2000 psi for 30 min-OK. On 2/2 On 3/3/17, treated new perfs 87# 40/70 Arizona sand in slic 5-1/2" csg to 4000 psi-OK. Po 00 gal 15% HCL & fraced w/3* -OK. Perfed Yeso @ 3660'-40 15 w/29,403# 100 mesh & 363,8 -OK. Perfed Yeso @ 3200'-34 15 w/30,584# 100 mesh & 252,0  15 true and correct.  Electronic Submission #3694 For LIME ROCK RES 10 mitted to AFMSS for processin	WELL.  0/17, perfed Yeso/Tubb @ w/1500 gal 15% HCL acid k water. erfed Yeso @ 4250'-4542 1,600# 100 mesh & 310,0 041' w/34-0.40" holes. Tre 840# 40/70 Arizona sand 176' w/29-0.40" holes. Tre 048# 40/70 Arizona sand 67 verified by the BLM Well GOURCES II A LP, sent to the ng by PRISCILLA PEREZ or Title PETRO	Accepted for Accep	record - NMOCD  ARTESIA DISTRICT  APR 1 0 2017	
determined that the site is ready for fit THIS IS THE INITIAL COMPL On 2/6/17, PT 5-1/2" csg to 50 4750'-4786' w/25-0.40" holes. w/31,249# 100 mesh & 206,18 Set 5-1/2" CBP @ 4570' & PT Treated new Yeso perfs w/150 in slick water. Set 5-1/2" CBP @ 4150' & PT w/1500 gal 15% HCL & fraced Set 5-1/2" CBP @ 3550' & PT w/1500 gal 15% HCL & fraced  14. I hereby certify that the foregoing is  Corr Name (Printed/Typed) MIKE PIP	inal inspection.  ETION OF A NEW YESO OIL  2000 psi for 30 min-OK. On 2/2 On 3/3/17, treated new perfs 87# 40/70 Arizona sand in slic 5-1/2" csg to 4000 psi-OK. Po 00 gal 15% HCL & fraced w/3* -OK. Perfed Yeso @ 3660'-40 15 w/29,403# 100 mesh & 363,8 -OK. Perfed Yeso @ 3200'-34 15 w/30,584# 100 mesh & 252,0  15 true and correct.  Electronic Submission #3694 For LIME ROCK RES 10 mitted to AFMSS for processin	WELL.  0/17, perfed Yeso/Tubb @ w/1500 gal 15% HCL acid k water. erfed Yeso @ 4250'-4542 1,600# 100 mesh & 310,0 041' w/34-0.40" holes. Tre 840# 40/70 Arizona sand 176' w/29-0.40" holes. Tre 048# 40/70 Arizona sand 67 verified by the BLM Well GOURCES II A LP, sent to the	Accepted for Accep	record - NMOCD  ARTESIA DISTRICT  APR 1 0 2017  ECORD	
determined that the site is ready for fit THIS IS THE INITIAL COMPL On 2/6/17, PT 5-1/2" csg to 50 4750'-4786' w/25-0.40" holes. w/31,249# 100 mesh & 206,18 Set 5-1/2" CBP @ 4570' & PT Treated new Yeso perfs w/150 in slick water. Set 5-1/2" CBP @ 4150' & PT w/1500 gal 15% HCL & fraced Set 5-1/2" CBP @ 3550' & PT w/1500 gal 15% HCL & fraced  14. I hereby certify that the foregoing is  Corr Name (Printed/Typed) MIKE PIP	inal inspection.  ETION OF A NEW YESO OIL  2000 psi for 30 min-OK. On 2/2i On 3/3/17, treated new perfs 37# 40/70 Arizona sand in slic 5-1/2" csg to 4000 psi-OK. Pe 200 gal 15% HCL & fraced w/3*  -OK. Perfed Yeso @ 3660'-40 0 w/29,403# 100 mesh & 363,1 -OK. Perfed Yeso @ 3200'-34 0 w/30,584# 100 mesh & 252,0  - true and correct.  Electronic Submission #3694 For LIME ROCK RES  mitted to AFMSS for processir  PIN  Submission)  THIS SPACE FOR F  d. Approval of this notice does not waitable title to those rights in the subject operations thereon.  U.S.C. Section 1212, make it a crime  U.S.C. Section 1212, make it a crime	WELL.  0/17, perfed Yeso/Tubb @ w/1500 gal 15% HCL acid k water. erfed Yeso @ 4250'-4542 1,600# 100 mesh & 310,0 0/41' w/34-0.40" holes. Tre 840# 40/70 Arizona sand 176' w/29-0.40" holes. Tre 0/48# 40/70 Arizona sand  67 verified by the BLM Well GOURCES II A LP, sent to the ng by PRISCILLA PEREZ or Title PETRO  Date 03/10/20  FEDERAL OR STATE O  Title  Varrant or ect lease  Office  er for any person knowingly and	Accepted for 2 4612'-4740' & faced w/31-0.40" holes. 22# 40/70 Arizona sand ated new Yeso perfs in slick water. ated new Yeso perfs in slick water. ated new Yeso perfs in slick water. The Carlsbad o3/13/2017/(17PP0401SE) FUM ENGINEER ACCEPTED FOR RITER ACCEPTE	PECORD  AMOCD  ARTESIA DISTRICT  APR 1 0 2017  ECORD  AMOCD  AMOC	

### Additional data for EC transaction #369467 that would not fit on the form

#### 32. Additional remarks, continued

On 3/6/17, MIRUSU. CO after frac, drilled CBPs @ 3550', 4150' & 4570', & CO to PBTD @ 4842'. On 3/8/17, landed 2-7/8" 6.5# L-80 tbg @ 3512'. Ran pump & rods. Released completion rig on 3/10/17.