
	UNITED STATES NMOCD DEPARTMENT OF THE INTERIOR Artesia			FORM APPROVED OMB NO. 1004-0137 Expires: January 31, 2018		
	BUREAU OF LAND MANAG / NOTICES AND REPOR	5. Lease Serial No.				
Do not use ti abandoned w		6. If Indian, Allottee or Tribe Name				
SUBMIT IN	SUBMIT IN TRIPLICATE - Other instructions on page 2					
1. Type of Well		8. Well Name and No. GOLDEN SPUR 25 FBS 003H				
2. Name of Operator CONOCOPHILLIPS COMPA	9. API Well No. 30-015-41230					
3a. Address P. O. BOX 51810 MIDLAND, TX 79710		3b. Phone No. (include area code) Ph: 432-688-9174		10. Field and Pool or Exploratory Area WC 015 G 05 S263125N		
4. Location of Well <i>(Footage, Sec.,</i> Sec 25 T26S R31E Mer NMI	• • •			11. County or Parish, State EDDY COUNTY, NM		
12. CHECK THE A	APPROPRIATE BOX(ES) 1	TO INDICATE NATURE OF	F NOTICE, REPORT, OR OT	HER DATA		
TYPE OF SUBMISSION		TYPE OF	ACTION			
□ Notice of Intent	AcidizeAlter Casing	 Deepen Hydraulic Fracturing 	 Production (Start/Resume) Reclamation 	□ Water Shut-Of □ Well Integrity		
Subsequent Report	Casing Repair	New Construction	Recomplete	Other		
Final Abandonment Notice	Change Plans	Plug and Abandon Plug Back	Temporarily Abandon Water Disposal			
Attach the Bond under which the w following completion of the involv testing has been completed. Final <i>A</i> determined that the site is ready for	Deration: Clearly state all pertinent onally or recomplete horizontally, g vork will be performed or provide the ed operations. If the operation resu Abandonment Notices must be filed r final inspection.	ive subsurface locations and measur he Bond No. on file with BLM/BIA alts in a multiple completion or reco		nent markers and zones e filed within 30 days 60-4 must be filed once		
If the proposal is to deepen direction Attach the Bond under which the w following completion of the involvi- testing has been completed. Final A determined that the site is ready for 1/24/17 RIH w/BH & set @ 8 1/26/17 Pump 30 sx class C	Operation: Clearly state all pertinent onally or recomplete horizontally, g york will be performed or provide the ed operations. If the operation resu Abandonment Notices must be filed r final inspection. 3797'. cmt. WOC 8498', Circ pkr fluid. Run M	ive subsurface locations and measur he Bond No. on file with BLM/BIA alts in a multiple completion or reco	date of any proposed work and approved and true vertical depths of all perti Required subsequent reports must be mpletion in a new interval, a Form 31 ing reclamation, have been completed d. Chart	nent markers and zones e filed within 30 days 60-4 must be filed once and the operator has		
If the proposal is to deepen direction Attach the Bond under which the w following completion of the involve testing has been completed. Final <i>i</i> determined that the site is ready for 1/24/17 RIH w/BH & set @ 8 1/26/17 Pump 30 sx class C 1/27/17 RIH & tagged cmt @ attached.	Operation: Clearly state all pertinent onally or recomplete horizontally, g york will be performed or provide the ed operations. If the operation resu Abandonment Notices must be filed r final inspection. 3797'. cmt. WOC 8498', Circ pkr fluid. Run M	ive subsurface locations and measur he Bond No. on file with BLM/BIA ilts in a multiple completion or reco d only after all requirements, includi	date of any proposed work and appro- ed and true vertical depths of all perti . Required subsequent reports must b mpletion in a new interval, a Form 31 ng reclamation, have been completed d. Chart	nent markers and zones e filed within 30 days 60-4 must be filed once and the operator has		
If the proposal is to deepen direction Attach the Bond under which the w following completion of the involve testing has been completed. Final <i>i</i> determined that the site is ready for 1/24/17 RIH w/BH & set @ 8 1/26/17 Pump 30 sx class C 1/27/17 RIH & tagged cmt @ attached.	Operation: Clearly state all pertinent onally or recomplete horizontally, g york will be performed or provide the ed operations. If the operation resu Abandonment Notices must be filed r final inspection. 3797'. cmt. WOC 8498', Circ pkr fluid. Run M	ive subsurface locations and measure he Bond No. on file with BLM/BIA ults in a multiple completion or reco d only after all requirements, includi 11T to 530#/35 mins. test hele	date of any proposed work and approved and true vertical depths of all pertities. Required subsequent reports must be impletion in a new interval, a Form 31- ing reclamation, have been completed d. Chart ARTES APR pied for record	nent markers and zones e filed within 30 days 60-4 must be filed once and the operator has ONSERVATION IA DISTRICT		
If the proposal is to deepen direction Attach the Bond under which the w following completion of the involve testing has been completed. Final determined that the site is ready for 1/24/17 RIH w/BH & set @ 8 1/26/17 Pump 30 sx class C 1/27/17 RIH & tagged cmt @ attached. Attached is a current wellbor	peration: Clearly state all pertinent mally or recomplete horizontally, g york will be performed or provide ti ed operations. If the operation rest Abandonment Notices must be filed r final inspection. 3797'. cmt. WOC 8498'. Circ pkr fluid. Run M re schematic.	ive subsurface locations and measu he Bond No. on file with BLM/BIA ults in a multiple completion or reco d only after all requirements, includi IIT to 530#/35 mins. test held IIT to 530#/35 mins. test held 66745 verified by the BLM Well IILLIPS COMPANY, sent to the rocessing by DEBORAH MCKI	date of any proposed work and appre- red and true vertical depths of all perti- mpletion in a new interval, a Form 31- ing reclamation, have been completed d. Chart ARTES APR Pled for record NMOCD, PF 4//3/17 HInformation System a Carlsbad	nent markers and zones e filed within 30 days 60-4 must be filed once and the operator has ONSERVATION IA DISTRICT 1 0 2017		
If the proposal is to deepen direction Attach the Bond under which the w following completion of the involve testing has been completed. Final determined that the site is ready for 1/24/17 RIH w/BH & set @ E 1/26/17 Pump 30 sx class C 1/27/17 RIH & tagged cmt @ attached. Attached is a current wellbor 14. I hereby certify that the foregoing Name (Printed/Typed) RHOND.	peration: Clearly state all pertinent mally or recomplete horizontally, g york will be performed or provide ti ed operations. If the operation rest Abandonment Notices must be filed r final inspection. 3797'. cmt. WOC 8498'. Circ pkr fluid. Run M re schematic.	tive subsurface locations and measure he Bond No. on file with BLM/BIA ults in a multiple completion or reco d only after all requirements, includi 11T to 530#/35 mins. test hele 11T to 530#/35 mins. test hele 66745 verified by the BLM Wel 11LLIPS COMPANY, sent to the rocessing by DEBORAH MCKI Title STAFF I	date of any proposed work and appre- ed and true vertical depths of all perti- medianed subsequent reports must be mpletion in a new interval, a Form 31 ing reclamation, have been completed d. Chart d. Chart d. Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Char	nent markers and zones e filed within 30 days 60-4 must be filed once and the operator has ONSERVATION IA DISTRICT 1 0 2017 CEIVED		
If the proposal is to deepen direction Attach the Bond under which the w following completion of the involve testing has been completed. Final determined that the site is ready for 1/24/17 RIH w/BH & set @ E 1/26/17 Pump 30 sx class C 1/27/17 RIH & tagged cmt @ attached. Attached is a current wellbor 14. Thereby certify that the foregoing Name (Printed/Typed) RHOND.	Deration: Clearly state all pertinent mally or recomplete horizontally, g york will be performed or provide ti ed operations. If the operation resu Abandonment Notices must be filed r final inspection. 3797'. cmt. WOC 9 8498'_Circ pkr fluid. Run M re schematic.	tive subsurface locations and measure he Bond No. on file with BLM/BIA ults in a multiple completion or reco d only after all requirements, includi 11T to 530#/35 mins. test hele 11T to 530#/35 mins. test hele 66745 verified by the BLM Wel 11LLIPS COMPANY, sent to the rocessing by DEBORAH MCKI Title STAFF I	date of any proposed work and appre- red and true vertical depths of all perti- mpletion in a new interval, a Form 31 ing reclamation, have been completed d. Chart d. Chart ARTES APR Pied for record NMOCD, PIECTOR NMOCD, PIECTOR ACCEPTED FOR RE	nent markers and zones e filed within 30 days 60-4 must be filed once and the operator has ONSERVATION IA DISTRICT 1 0 2017 CEIVED		
If the proposal is to deepen direction Attach the Bond under which the w following completion of the involve testing has been completed. Final <i>A</i> determined that the site is ready for 1/24/17 RIH w/BH & set @ E 1/26/17 Pump 30 sx class C 1/27/17 RIH & tagged cmt @ attached. Attached is a current wellbor 14. I hereby certify that the foregoing Name (<i>Printed/Typed</i>) RHOND Signature (Electronic Approved By Conditions of approval, if any, are attached	Deration: Clearly state all pertinent or recomplete horizontally, g york will be performed or provide ti ed operations. If the operation rest Abandonment Notices must be filed r final inspection. 3797'. cmt. WOC 8498'. Circ pkr fluid. Run M re schematic.	ive subsurface locations and measure he Bond No. on file with BLM/BIA ults in a multiple completion or reco d only after all requirements, includi 11T to 530#/35 mins. test hele 11T to 530#/35 mins. test hele 66745 verified by the BLM Well 11LLIPS COMPANY, sent to the rocessing by DEBORAH MCKI Title STAFF I Date 02/10/20 R FEDERAL OR STATE (Title	date of any proposed work and appre- ed and true vertical depths of all perti- mediated subsequent reports must be mpletion in a new interval, a Form 31 ing reclamation, have been completed d. Chart d. Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart Chart	nent markers and zones e filed within 30 days 60-4 must be filed once and the operator has ONSERVATION IA DISTRICT 1 0 2017 CENTED CORD		
If the proposal is to deepen direction Attach the Bond under which the w following completion of the involve testing has been completed. Final determined that the site is ready for 1/24/17 RIH w/BH & set @ E 1/26/17 Pump 30 sx class C 1/27/17 RIH & tagged cmt @ attached. Attached is a current wellbor 14. Thereby certify that the foregoing Name (Printed/Typed) RHOND. Signature (Electronic Approved By	Deration: Clearly state all pertinent or recomplete horizontally, g york will be performed or provide ti ed operations. If the operation rest Abandonment Notices must be filed r final inspection. 3797'. cmt. WOC 8498'. Circ pkr fluid. Run M re schematic.	ive subsurface locations and measure he Bond No. on file with BLM/BIA ults in a multiple completion or reco d only after all requirements, includi 11T to 530#/35 mins. test hele Acce 4 66745 verified by the BLM Well 11LLIPS COMPANY, sent to the rocessing by DEBORAH MCKI Title STAFF Date 02/10/20 R FEDERAL OR STATE (Title STAFF Date 02/10/20	adte of any proposed work and appre- red and true vertical depths of all perti- mediane treports must be impletion in a new interval, a Form 31- ing reclamation, have been completed d. Chart ARTES APR Pred for record NMOCD, PF 4//3/17 Hinformation System e Carlsbad NNEY on 02/14/2017 () REGULATORY TECHNICIAN ACCEPTED FOR RE DFFICE USE MAH 2 8 2017 BUREAU OF LAND MANASI CARLSBAD FIELLOFT	nent markers and zones e filed within 30 days 60-4 must be filed once and the operator has ONSERVATION TA DISTRICT 1 0 2017 CETVED CORD		



Schematic - Current													
Cor	nocoPl	nillips	GOLDEN SP	UR FEDERA	L FBS 25 3	BH							
District	UNCONVENTIC	Field Name NAL RED HILLS WEST	API / UV 300154	VI 11.2.20	County		State/Province NEW MEXICO	. <u></u>					
Original Spu		Surface Legal Location	East/West Distance		t Reference	North/South Distance (eference					
0/2		Section 25, Township 26 S, Range 31 E		530.00 FWL		-	65.00 FSL						
	HORIZONTAL - Original Hole, 2/10/2017 1:27:06 PM												
MD (ftKB)	AD (ftKB) Vertical schematic (actual)												
28.9	THE REPORT OF THE PROPERTY OF				100 XXXXXX			081301081828283119 <u>0</u> 0791					
1,066.9							1	=					
3,255.6				~				~~~~~~					
4,018.0													
6,017.1			A4										
6,742.1		ing Patch; 6,742.0-6,763.6; X-SPA	N System										
7,691.3		10,000 psi rated;	ong patch 1/10/2014										
8,799.9	Bri	dge plug - permanent; 5 1/2	; 8,797.0- 		∤ −−−	6 ,							
9,824.1													
9,974.1													
10,162.1													
10,298.9													
10,452.1													
10,590.9													
10,761.2													
11,046.9													
11,182.1													
11,488.8													
11,616.1													
11,754.3					8								
11,912.1					,								
12,039.0													
12,359.9													
12,519.0													
12,712.3													
12,865.2													
13,023.0													
13,166.0													
13,318.9													
13,492.1													
13,665.0	ļ												
13,813.0													
13,961.9													
14,127.0	I		<u></u>	Page 1/1			Report Printed:	2/10/2017					

.-

.