Form 3160-5 (June 2015)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED

	OMB M	J. 100	14-0	137
	Expires: Ja	nuary	31,	201
Lease	Serial No.			

Do not use thi	NOTICES AND REPO	drill or to re	LLS -enter an	Shad	NMNM01212	1 e or Trib	e Name	
abandoned well. Use form 3160-3 (APD) for such proposals.				NMNM012121 6. Carlian, Allottee or Tribe Name Offer Carling on Carlot See Name and (or No.				
SUBMIT IN TRIPLICATE - Other instructions on page 2				6. Parlian, Allottee or Tribe Name 7. If in or CA/Agree P Name and/or No.				
1. Type of Well					8. Well Name and No. COTTON DRAW UNIT 293H			
						W GINIT		
2. Name of Operator DEVON ENERGY PRODUCT	@dvn.com	J		9. API Well No. 30-015-44108-00-X1				
3a. Address 333 WEST SHERIDAN AVENUE OKLAHOMA CITY, OK 73102		3b. Phone No. (include area code) Ph: 405.552.6558		10. Field and Pool or Exploratory Area PADUCA				
4. Location of Well (Footage, Sec., T	1)			11. County or Parish, State				
Sec 25 T24S R31E SWSE 23 32.181721 N Lat, 103.729027				EDDY COUNTY, NM				
12. CHECK THE AI	PPROPRIATE BOX(ES)	TO INDICA	TE NATURE O	F NOTICE,	REPORT, OR O	THER	DATA	
TYPE OF SUBMISSION		TYPE OF ACTION						
Notice of Intent	☐ Acidize	☐ Dee	pen	☐ Product	ion (Start/Resume)		Water Shut-Off	
_	🗖 Alter Casing	🗖 Нус	raulic Fracturing	Reclam	ation		Well Integrity	
☐ Subsequent Report	Casing Repair	□ Nev	Construction	☐ Recomp	olete	Ø	Other	
☐ Final Abandonment Notice	☐ Change Plans	Plug	g and Abandon	☐ Tempor	Temporarily Abandon		Change to Original A PD	
	☐ Convert to Injection	Plug	g Back	☐ Water I	ater Disposal		<i>-</i>	
13. Describe Proposed or Completed Op- If the proposal is to deepen directions Attach the Bond under which the wor following completion of the involved testing has been completed. Final Al- determined that the site is ready for fi	ally or recomplete horizontally rk will be performed or provide I operations. If the operation re pandonment Notices must be fi	, give subsurface the Bond No. or esults in a multip	locations and measur in file with BLM/BIA de completion or reco	red and true ve Required sumpletion in a	ertical depths of all per bsequent reports must new interval, a Form 3	rtinent m be filed 3160-4 m	arkers and zones. within 30 days ust be filed once	
1. SUMMARY OF CHANGES	:							
Devon Energy respectfully rec plan:		llowing chang	es and additions	to the drillin	MM OIL		SERVATION	
Utilize a spudder rig to pre-set surface casing.				ARTESIA DISTRICT				
2. Description of Operations					MA	Y 19	2017	
Spudder rig will move in the on the Cotton Draw Unit 293H After drilling the surface hol	i		·	· ·	R	ECEI	VED	
14. I hereby certify that the foregoing is	true and correct. Electronic Submission # For DEVON ENERG nitted to AFMSS for proce	375918 verifie Y PRODUCTIO ssing by TEUM	d by the BLM Well N COMPAN, sent IGKU KRUENG on	l Information to the Carls n 05/12/2017	n System sbad (17TMK0019SE)			
Name (Printed/Typed) LINDA GOOD			Title REGULATORY SPECIALIST					
Cionatura (Fleatrania 6	(uhmissism)		D-4- 05/44/00	247				
Signature (Electronic S		2D EEDED 4	Date 05/11/20					
	THIS SPACE FO	JR FEDERA	LORSIATE	JFFICE U			<u> </u>	
Approved By_TEUNGKU MUCHLIS KRUENG			TitlePETROLE	<u>UM ENGI</u> NI	EER		Date 05/12/2017	
Conditions of approval, if any, are attached certify that the applicant holds legal or equ	s not warrant or e subject lease							
which would entitle the applicant to conduct operations thereon.		Office Carlsbac	1		_			

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Additional data for EC transaction #375918 that would not fit on the form


32. Additional remarks, continued

applicable rules and regulations (OnShore Order 2 and all COA regulations).

- b. Rig will utilize fresh water based mud to drill 17?? surface hole to TD. Solids control will be handled entirely on a closed loop basis.
- 2. The wellhead will be installed and tested once the 13-3/8? surface casing is cut off and the WOC time has been reached.
- 3. A blind flange with the same pressure rating as the wellhead will be installed to seal the wellbore. Pressure will be monitored with a pressure gauge installed on the wellhead.
- a. A means for intervention will be maintained while the drilling rig is not over the well.
- 4. Spudder rig operations is expected to take 8-10 days on a multi well pad.
- 5. The BLM will be contacted and notified 24 hours prior to commencing spudder rig operations.6. Drilling operations will be performed with the drilling rig. At that time an approved BOP stack
- will be nippled up and tested on the wellhead before drilling operations commences on each well.
- a. The BLM will be contacted / notified 24 hours before the drilling rig moves back on to the pad with the pre-set surface casing.
- 7. Devon Energy will have supervision over the rig to ensure compliance with all BLM regulations and to oversee operations.
- 8. Once the rig is removed, Devon Energy will secure the wellhead area by placing a guard rail around the cellar area.

Mud Mixing tank and Shaker ្រាល់ នេះប្រក្រឡ Mud Pumps 1 & 2 0.0 Spudder Rig Layout Conex & Forklift Trailer Tool pusher

Wellhead - Cactus 13-5/8" 5K MBU-3T



PRODUCTION CONFIGURATION