District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505State of New Mexico
State of New MexicoNM OIL CONSERvoir Original
DepartmentARTESIA DISTRIO Appropriate
District Office001 Conservation Division
1220 S. St. Francis Dr., Santa Fe, NM 87505011 Conservation Division
Santa Fe, NM 87505011 9 2017

GAS CAPTURE PLAN

🛛 Original	Operator & OGRID No.:	MARATHON OIL PERMIAN, LLC
Amended - Reason for Amendment:	• <u> </u>	OGRID: 372098

This Gas Capture Plan outlines actions to be taken by the Operator to reduce well/production facility flaring/venting for new completion (new drill, recomplete to new zone, re-frac) activity.

Note: Form C-129 must be submitted and approved prior to exceeding 60 days allowed by Rule (Subsection A of 19.15.18.12 NMAC).

Well(s)/Production Facility - Name of facility

Date: OCTOBER 18, 2017

The well(s) that will be located at the production facility are shown in the table below.

		Well Location		Expected	Flared or	
Well Name	API	(ULSTR)	Footages	MCF/D	Vented	Comments
Red Light State Com 23-26-27 TB #14H	30-015-444	A-27-T23S-R26E	301' FNL 754' FEL	1.5 MM	0 MM	
Red Light State Com 23-26-27 WA #15H	44491	A-27-T23S-R26E	300' FNL 804' FEL	2.5 MM	0 MM	
Red Light State Com 23-26-27 WXY #18H	30-015- 44492	A-27-T23S-R26E	302' FNL 704' FEL	2.5 MM	0 MM	

Gathering System and Pipeline Notification

Well(s) will be connected to a production facility after flowback operations are complete, if gas transporter system is in place. The gas produced from production facility is dedicated to <u>Enterprise Products</u> and will be connected to <u>Enterprise Products</u> low pressure gathering system located in <u>Eddy</u> County, New Mexico. It will require less than a mile of pipeline to connect the facility to low/high pressure gathering system. <u>MOP</u> provides (periodically) to <u>Gas Transporter</u> a drilling, completion and estimated first products have periodic conference calls to discuss changes to drilling and completion schedules. Gas from these wells will be processed at <u>Enterprise Products</u> have periodic conference calls to discuss changes to drilling and completion schedules. Gas from these wells will be processed at <u>Enterprise Products</u> Processing Plant located at <u>3579 US Why 285 N</u> in <u>Reeves</u> County, <u>Texas</u>. The actual flow of the gas will be based on compression operating parameters and gathering system pressures.

Flowback Strategy

After the fracture treatment/completion operations, well(s) will be produced to temporary production tanks and gas will be flared or vented. During flowback, the fluids and sand content will be monitored. When the produced fluids contain minimal sand, the wells will be turned to production facilities. Gas sales should start as soon as the wells start flowing through the production facilities, unless there are operational issues on <u>Enterprise Products</u> system at that time. Based on current information, it is <u>MOP's</u> belief the system can take this gas upon completion of the well(s).

Safety requirements during cleanout operations from the use of underbalanced air cleanout systems may necessitate that sand and non-pipeline quality gas be vented and/or flared rather than sold on a temporary basis.

Alternatives to Reduce Flaring

Below are alternatives considered from a conceptual standpoint to reduce the amount of gas flared.

• Power Generation – On lease

o Only a portion of gas is consumed operating the generator, remainder of gas will be flared

• Compressed Natural Gas - On lease

o Gas flared would be minimal, but might be uneconomical to operate when gas volume declines

• NGL Removal – On lease

o Plants are expensive, residue gas is still flared, and uneconomical to operate when gas volume declines