| District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 84 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87 | CONSEDUC | State of New Mexico Inerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 | Submit Original to Appropriate District Office |
|--|----------|--|--|
| | 2017 | S CAPTURE PLAN | |
| ☑ Original □ Amended - Reason for Amen | - | rator & OGRID No.: <u>OXY USA INC 16696</u> | |

This Gas Capture Plan outlines actions to be taken by the Operator to reduce well/production facility flaring/venting for new completion (new drill, recomplete to new zone, re-frac) activity.

Note: Form C-129 must be submitted and approved prior to exceeding 60 days allowed by Rule (Subsection A of 19.15.18.12 NMAC).

| ed at the prod | uction facility are shown i | n the table belo | ow. | | |
|----------------|--|---|--|---|---|
| API | Well Location | Footages | Expected | Flared or | Comments |
| | (ULSTR) | _ | MCF/D | Vented | |
| Pending | Unit C, Sec. 13, T24S, | 228 FNL | 3229 | 0 | |
| | R30E | 2405 FWL | | | |
| Pending | Unit C, Sec. 13, T24S, | 258 FNL | 3229 | 0 | |
| 15-4452 | /R30E | 2405 FWL | | | |
| Pending | Unit M, Sec. 12 T24S, | 275 FSL | 3229 | 0 | |
| - | R30E | 102 FWL | | | |
| Pending | Unit C, Sec 12 T24S, | 450 FNL | 3229 | 0 | |
| | R30E | 1760 FWL | | | |
| Pending | Unit C, Sec 13 T24S, | 474 FNL | 3229 | 0 | |
| Ū. | R30E | 1778 FWL | | | |
| | API Pending Pending IS - 4453 Pending Pending | APIWell Location (ULSTR)PendingUnit C, Sec. 13, T24S, R30EPendingUnit C, Sec. 13, T24S, I5-44524PendingUnit C, Sec. 13, T24S, R30EPendingUnit M, Sec. 12 T24S, R30EPendingUnit C, Sec 12 T24S, R30EPendingUnit C, Sec 12 T24S, R30EPendingUnit C, Sec 13 T24S, Unit C, Sec 13 T24S, | API Well Location (ULSTR) Footages Pending Unit C, Sec. 13, T24S, R30E 228 FNL 2405 FWL Pending Unit C, Sec. 13, T24S, R30E 258 FNL 2405 FWL Pending Unit C, Sec. 13, T24S, R30E 275 FSL 102 FWL Pending Unit M, Sec. 12 T24S, R30E 275 FSL 102 FWL Pending Unit C, Sec 12 T24S, R30E 450 FNL 1760 FWL Pending Unit C, Sec 13 T24S, WI 474 FNL | (ULSTR) MCF/D Pending Unit C, Sec. 13, T24S, R30E 228 FNL 2405 FWL 3229 Pending Unit C, Sec. 13, T24S, R30E 258 FNL 2405 FWL 3229 I5 - 445 FWL 228 FNL R30E 3229 Pending Unit M, Sec. 12 T24S, R30E 275 FSL 102 FWL 3229 Pending Unit C, Sec 12 T24S, R30E 450 FNL 1760 FWL 3229 Pending Unit C, Sec 13 T24S, Unit C, Sec 13 T24S, 474 FNL 3229 | APIWell Location (ULSTR)FootagesExpected MCF/DFlared or VentedPendingUnit C, Sec. 13, T24S, R30E228 FNL 2405 FWL32290PendingUnit C, Sec. 13, T24S, R30E258 FNL 2405 FWL32290PendingUnit C, Sec. 13, T24S, R30E258 FNL 2405 FWL32290PendingUnit M, Sec. 12 T24S, R30E275 FSL 102 FWL32290PendingUnit C, Sec 12 T24S, R30E450 FNL 1760 FWL32290PendingUnit C, Sec 13 T24S, R30E474 FNL32290 |

Well(s)/Production Facility – Name of facility

The well(s) that will be located at the production facility are shown in the table below.

Gathering System and Pipeline Notification

Well(s) will be connected to a production facility after flowback operations are complete, where a gas transporter system is in place. The gas produced from production facility is dedicated to <u>Enterprise Field Services, LLC ("Enterprise"</u>) and is connected to <u>Enterprise</u> gathering system located in Eddy County, New Mexico. <u>OXY USA INC. ("OXY"</u>) provides (periodically) to <u>Enterprise</u> a drilling, completion and estimated first production date for wells that are scheduled to be drilled in the foreseeable future. In addition, <u>OXY</u> and <u>Enterprise</u> have periodic conference calls to discuss changes to drilling and completion schedules. Gas from these wells will be processed at <u>Enterprise</u> Processing Plant located in Sec. 36, Twn. 24S, Rng. 30E, Eddy County, New Mexico. The actual flow of the gas will be based on compression operating parameters and gathering system pressures.

Flowback Strategy

After the fracture treatment/completion operations, well(s) will be produced to temporary production tanks and gas will be flared or vented. During flowback, the fluids and sand content will be monitored. When the produced fluids contain minimal sand, the wells will be turned to production facilities. Gas sales should start as soon as the wells start flowing through the production facilities, unless there are operational issues on <u>Enterprise</u> system at that time. Based on current information, it is <u>OXY's</u> belief the system can take this gas upon completion of the well(s).

Safety requirements during cleanout operations from the use of underbalanced air cleanout systems may necessitate that sand and non-pipeline quality gas be vented and/or flared rather than sold on a temporary basis.

Alternatives to Reduce Flaring

Below are alternatives considered from a conceptual standpoint to reduce the amount of gas flared.

- Power Generation On lease
 - Only a portion of gas is consumed operating the generator, remainder of gas will be flared
- Compressed Natural Gas On lease
 - o Gas flared would be minimal, but might be uneconomical to operate when gas volume declines

