	UNITED STATE EPARTMENT OF THE I UREAU OF LAND MANA	NTERIOR	OM Expir	RM APPROVED IB NO. 1004-0137 es: January 31, 2018	
		RTS ON WELLS	5. Lease Serial N NMLC0294		
Do not use th abandoned we	is form for proposals to II. Use form 3160-3 (AP	drill or to re-efiter (fisla) D) for such proposals.	6. If Indian, Allo	ttee or Tribe Name	
SUBMIT IN TRIPLICATE - Other instructions on page 2			7. If Unit or CA/.	7. If Unit or CA/Agreement, Name and/or No.	
1. Type of Well ☐ Gas Well ☐ Other			8. Well Name and SKELLY UNI		
2. Name of Operator COG OPERATING LLC E-Mail: sballard@concho.com		9. API Well No. 30-015-346	9. API Well No. 30-015-34645		
3a. Address		3b. Phone No. (include area code)		l or Exploratory Area	
600 W. ILLINOIS AVE MIDLAND, TX 79701		Ph: 432-685-4373			
4. Location of Well (Footage, Sec., T., R., M., or Survey Description Sec 22 T17S R31E 1210FNL 2195FEL			11. County or Par	rish, State	
			EDDY COU	EDDY COUNTY, NM	
12. CHECK THE A	PPROPRIATE BOX(ES)	TO INDICATE NATURE O	F NOTICE, REPORT, OR	OTHER DATA	
TYPE OF SUBMISSION	TYPE OF ACTION				
□ Notice of Intent	☐ Acidize	🗖 Deepen	Production (Start/Resume	e) 🔲 Water Shut-Off	
	□ Alter Casing	Hydraulic Fracturing	Reclamation	🗖 Well Integrity	
🛛 Subsequent Report	Casing Repair	New Construction	Recomplete	Other Venting and/or Fla	
Final Abandonment Notice	Change Plans	Plug and Abandon Plug Back	Temporarily Abandon Water Disposal	ng	
Attach the Bond under which the wo following completion of the involve testing has been completed. Final A determined that the site is ready for f Skelly Unit 942	rk will be performed or provide 1 operations. If the operation re bandonment Notices must be fil final inspection.	give subsurface locations and measu the Bond No. on file with BLM/BIA sults in a multiple completion or reco ed only after all requirements, includ	 Required subsequent reports mu impletion in a new interval, a Form ing reclamation, have been completed 	st be filed within 30 days 3160-4 must be filed once ted and the operator has	
Attach the Bond under which the wo following completion of the involve testing has been completed. Final A determined that the site is ready for f	ally or recomplete horizontally, rk will be performed or provide 4 operations. If the operation re bandonment Notices must be fil final inspection.	the Bond No. on file with BLM/BIA sults in a multiple completion or reco ed only after all requirements, includ	 Required subsequent reports mu impletion in a new interval, a Form ing reclamation, have been completed 	st be filed within 30 days 3160-4 must be filed once ted and the operator has	
Attach the Bond under which the wo following completion of the involved testing has been completed. Final A determined that the site is ready for 1 Skelly Unit 942 (Permit approval: Electronic S Actual gas flared for this batter April	ally or recomplete horizontally, rk will be performed or provide 4 operations. If the operation re bandonment Notices must be fil final inspection.	the Bond No. on file with BLM/BIA sults in a multiple completion or reco ed only after all requirements, includ NM 2017is as follows:	Required subsequent reports mu mpletion in a new interval, a Form ing reclamation, have been comple OIL CONSERVATION	st be filed within 30 days 13160-4 must be filed once ted and the operator has	
Attach the Bond under which the wo following completion of the involved testing has been completed. Final A determined that the site is ready for 1 Skelly Unit 942 (Permit approval: Electronic S Actual gas flared for this batter April Total for Battery = 3365 mcf May	ally or recomplete horizontally, rk will be performed or provide 4 operations. If the operation re bandonment Notices must be fil final inspection.	the Bond No. on file with BLM/BIA sults in a multiple completion or reco ed only after all requirements, includ NM 2017is as follows:	Constant of the second	st be filed within 30 days 13160-4 must be filed once ted and the operator has	
Attach the Bond under which the wo following completion of the involver testing has been completed. Final A determined that the site is ready for f Skelly Unit 942 (Permit approval: Electronic S Actual gas flared for this batter April Total for Battery = 3365 mcf May Total for Battery = 0 mcf	ally or recomplete horizontally, rk will be performed or provide 4 operations. If the operation re bandonment Notices must be fil final inspection.	the Bond No. on file with BLM/BIA sults in a multiple completion or reco ed only after all requirements, includ NM 2017is as follows:	Constant of the second	st be filed within 30 days 13160-4 must be filed once ted and the operator has	
Attach the Bond under which the wo following completion of the involver testing has been completed. Final A determined that the site is ready for 1 Skelly Unit 942 (Permit approval: Electronic S Actual gas flared for this batter April Total for Battery = 3365 mcf May	ally or recomplete horizontally, rk will be performed or provide 4 operations. If the operation re bandonment Notices must be fil final inspection.	the Bond No. on file with BLM/BIA sults in a multiple completion or reco ed only after all requirements, includ NM 2017is as follows:	Required subsequent reports mu mpletion in a new interval, a Form ing reclamation, have been comple OIL CONSERVATION	st be filed within 30 days 13160-4 must be filed once ted and the operator has	
Attach the Bond under which the wo following completion of the involved testing has been completed. Final A determined that the site is ready for f Skelly Unit 942 (Permit approval: Electronic S Actual gas flared for this batter April Total for Battery = 3365 mcf May Total for Battery = 0 mcf June Total for Battery = 0 mcf Juny	ally or recomplete horizontally, rk will be performed or provide 4 operations. If the operation re bandonment Notices must be fil final inspection. Submission # 373597) ery for 4/21/2017 TO 7/20/	the Bond No. on file with BLM/BIA sults in a multiple completion or reco ed only after all requirements, includ NM 2017is as follows:	Constant of the second	st be filed within 30 days 13160-4 must be filed once ted and the operator has	
Attach the Bond under which the wo following completion of the involved testing has been completed. Final A determined that the site is ready for f Skelly Unit 942 (Permit approval: Electronic S Actual gas flared for this batter April Total for Battery = 3365 mcf May Total for Battery = 0 mcf June Total for Battery = 0 mcf Juny	ally or recomplete horizontally, rk will be performed or provide d operations. If the operation re bandonment Notices must be fil final inspection. Submission # 373597) ery for 4/21/2017 TO 7/20, s true and correct. Electronic Submission #	the Bond No. on file with BLM/BIA sults in a multiple completion or reco ed only after all requirements, includ /2017is as follows: 393744 verified by the BLM Wel	Constant of the system	st be filed within 30 days 13160-4 must be filed once ted and the operator has	
Attach the Bond under which the wo following completion of the involved testing has been completed. Final A determined that the site is ready for 1 Skelly Unit 942 (Permit approval: Electronic S Actual gas flared for this batter April Total for Battery = 3365 mcf May Total for Battery = 0 mcf June Total for Battery = 0 mcf June Total for Battery = 0 mcf June	ally or recomplete horizontally, rk will be performed or provide d operations. If the operation re bandonment Notices must be fil final inspection. Submission # 373597) ery for 4/21/2017 TO 7/20, strue and correct. Electronic Submission # For COG C Committed to AFMSS for	the Bond No. on file with BLM/BLA sults in a multiple completion or reco ed only after all requirements, includ 2017is as follows: 393744 verified by the BLM Wei PPERATING LLC, sent to the Ca processing by JENNIFER SAM	ARTESIA DISTRICT NOV 2 9 2017 RECEIVED Information System ARTESIA DISTRICT	st be filed within 30 days 13160-4 must be filed once ted and the operator has	
Attach the Bond under which the wo following completion of the involved testing has been completed. Final A determined that the site is ready for f Skelly Unit 942 (Permit approval: Electronic S Actual gas flared for this batter April Total for Battery = 3365 mcf May Total for Battery = 0 mcf June Total for Battery = 0 mcf June	ally or recomplete horizontally, rk will be performed or provide d operations. If the operation re bandonment Notices must be fil final inspection. Submission # 373597) ery for 4/21/2017 TO 7/20, strue and correct. Electronic Submission # For COG C Committed to AFMSS for	the Bond No. on file with BLM/BLA sults in a multiple completion or reco ed only after all requirements, includ 2017is as follows: 393744 verified by the BLM Wei PPERATING LLC, sent to the Ca processing by JENNIFER SAM	Conservation in a new interval, a Form ing reclamation, have been completion ARTESIA DISTRICT NOV 29 2017 RECEIVED	st be filed within 30 days 13160-4 must be filed once ted and the operator has	
Attach the Bond under which the wo following completion of the involved testing has been completed. Final A determined that the site is ready for 1 Skelly Unit 942 (Permit approval: Electronic S Actual gas flared for this batter April Total for Battery = 3365 mcf May Total for Battery = 0 mcf June Total for Battery = 0 mcf June Total for Battery = 0 mcf June Total for Battery = 0 mcf July	ally or recomplete horizontally, rk will be performed or provide d operations. If the operation re bandonment Notices must be fil final inspection. Submission # 373597) ery for 4/21/2017 TO 7/20/ strue and correct. Electronic Submission # For COG C Committed to AFMSS for ALLARD Submission)	the Bond No. on file with BLM/BIA sults in a multiple completion or reco ed only after all requirements, includ 2017is as follows: 393744 verified by the BLM Wel PERATING LLC, sent to the Ca processing by JENNIFER SANC Title ADM M Date 11/01/20	CIL CONSERVATION ARTESIA DISTRICT NOV 2 9 2017 RECEIVED Information System arisbag HEZ on 11/01/2017 () STRIMEASSOANTRE-	st be filed within 30 days 13160-4 must be filed once ted and the operator has	
Attach the Bond under which the wo following completion of the involved testing has been completed. Final A determined that the site is ready for 1 Skelly Unit 942 (Permit approval: Electronic S Actual gas flared for this batter April Total for Battery = 3365 mcf May Total for Battery = 0 mcf June Total for Battery = 0 mcf June Total for Battery = 0 mcf June Total for Battery = 0 mcf July	ally or recomplete horizontally, rk will be performed or provide d operations. If the operation re bandonment Notices must be fil final inspection. Submission # 373597) ery for 4/21/2017 TO 7/20/ strue and correct. Electronic Submission # For COG C Committed to AFMSS for ALLARD Submission)	the Bond No. on file with BLM/BIA sults in a multiple completion or reco ed only after all requirements, includ 2017is as follows: 393744 verified by the BLM Wel PERATING LLC, sent to the Ca processing by JENNIFER SANC Title ADM	CIL CONSERVATION ARTESIA DISTRICT NOV 2 9 2017 RECEIVED Information System arisbag HEZ on 11/01/2017 () STRIMEASSOANTRE-	st be filed within 30 days 13160-4 must be filed once ted and the operator has	
Attach the Bond under which the wo following completion of the involved testing has been completed. Final A determined that the site is ready for 1 Skelly Unit 942 (Permit approval: Electronic S Actual gas flared for this batter April Total for Battery = 3365 mcf May Total for Battery = 0 mcf June Total for Battery = 0 mcf June Total for Battery = 0 mcf June Total for Battery = 0 mcf July	ally or recomplete horizontally, rk will be performed or provide d operations. If the operation re bandonment Notices must be fil final inspection. Submission # 373597) ery for 4/21/2017 TO 7/20/ strue and correct. Electronic Submission # For COG C Committed to AFMSS for ALLARD Submission)	the Bond No. on file with BLM/BIA sults in a multiple completion or reco ed only after all requirements, includ 2017is as follows: 393744 verified by the BLM Wel PERATING LLC, sent to the Ca processing by JENNIFER SANC Title ADM M Date 11/01/20	CIL CONSERVATION ARTESIA DISTRICT NOV 2 9 2017 RECEIVED Information System arisbag HEZ on 11/01/2017 () STRIMEASSOANTRE-	st be filed within 30 days 13160-4 must be filed once ted and the operator has	
Attach the Bond under which the wo following completion of the involved testing has been completed. Final A determined that the site is ready for 1 Skelly Unit 942 (Permit approval: Electronic S Actual gas flared for this batter April Total for Battery = 3365 mcf May Total for Battery = 0 mcf June Total for Battery = 0 mcf June Total for Battery = 0 mcf July 14. I hereby certify that the foregoing is Name (Printed/Typed) SANDY B Signature (Electronic S Approved By	ally or recomplete horizontally, rk will be performed or provide d operations. If the operation re bandonment Notices must be fil final inspection. Submission # 373597) ery for 4/21/2017 TO 7/20/ strue and correct. Electronic Submission # For COG C Committed to AFMSS for ALLARD Submission) THIS SPACE FC	the Bond No. on file with BLM/BIA sults in a multiple completion or reco ed only after all requirements, includ 2017 is as follows: 2017 is as fol	ARTESIA DISTRICT NOV 2 9 2017 RECEIVED Information System ARTESIA DISTRICT NOV 2 9 2017 RECEIVED Information System ARTESIA DISTRICT NOV 2 9 2017 RECEIVED DIT OFFICE SE 3 (2017) 2017	st be filed within 30 days 13160-4 must be filed once ted and the operator has	
Attach the Bond under which the wo following completion of the involved testing has been completed. Final A determined that the site is ready for f Skelly Unit 942 (Permit approval: Electronic S Actual gas flared for this batter April Total for Battery = 3365 mcf May Total for Battery = 0 mcf June Total for Battery = 0 mcf June Total for Battery = 0 mcf July 14. I hereby certify that the foregoing is Name (Printed/Typed) SANDY B Signature (Electronic S	ally or recomplete horizontally, rk will be performed or provide d operations. If the operation re bandonment Notices must be fil final inspection. Submission # 373597) ery for 4/21/2017 TO 7/20/ strue and correct. Electronic Submission # For COG C Committed to AFMSS for ALLARD Submission) THIS SPACE FC ed. Approval of this notice does uitable title to those rights in the act operations thereon. U.S.C. Section 1212, make it a	the Bond No. on file with BLM/BIA sults in a multiple completion or reco ed only after all requirements, includ 2017 is as follows: 2017 is as fol	ARTESIA DISTRICT NOV 2 9 2017 RECEIVED HISTRICT NOV 2 9 2017 RECEIVED HISTRICT NOV 2 9 2017 RECEIVED HISTRICT DISTRICT NOV 2 9 2017 RECEIVED HISTRICT DISTRI	st be filed within 30 days 13160-4 must be filed once ted and the operator has	
Attach the Bond under which the wo following completion of the involved testing has been completed. Final A determined that the site is ready for f Skelly Unit 942 (Permit approval: Electronic S Actual gas flared for this batter April Total for Battery = 3365 mcf May Total for Battery = 0 mcf June Total for Battery = 0 mcf June Total for Battery = 0 mcf July 14. I hereby certify that the foregoing is Name (<i>Printed/Typed</i>) SANDY B Signature (Electronic S Signature (Electronic S Approved By) onditions of approval, if any, are attacher tify that the applicant holds legal or eq hich would entitle the applicant to condu- tle 18 U.S.C. Section 1001 and Title 43 States any false, fictitious or fraudulent istructions on page 2)	ally or recomplete horizontally, rk will be performed or provide d operations. If the operation re bandonment Notices must be fil final inspection. Submission # 373597) ery for 4/21/2017 TO 7/20/ strue and correct. Electronic Submission # For COG C Committed to AFMSS for ALLARD Submission) THIS SPACE FC ed. Approval of this notice does uitable title to those rights in the act operations thereon. U.S.C. Section 1212, make it a statements or representations as	the Bond No. on file with BLM/BIA sults in a multiple completion or reco ed only after all requirements, includ 2017 is as follows: 2017 is as fol	ARTESIA DISTRICT NOV 2 9 2017 RECEIVED HINGTONIC ON SYSTEM ARTESIA DISTRICT NOV 2 9 2017 RECEIVED HINGTONIC ON THE STRIPTION SYSTEM ARTESIA DISTRICT NOV 2 9 2017 RECEIVED HINGTONIC ON THE DISTRICT OF THE STRIPTION OF THE STRIPTION OF THE STRIPT	at be filed within 30 days 13160-4 must be filed once ted and the operator has CORD MENN Date nt or agency of the United	

ſ

Additional data for EC transaction #393744 that would not fit on the form

32. Additional remarks, continued

Total for Battery = 0 mcf

. • • • • •

NUMBER OF WELLS TO FLARE: (51) See attachment

Reason for flare: Planned Midstream Curtailment

Skelly Unit #942 NUMBER OF WELLS TO FLARE: (51) SKELLY UNIT 973 30-015-36283-00-S01* SKELLY UNIT 622 30-015-36831-00-S01 SKELLY UNIT 640 30-015-37085-00-S01 SKELLY UNIT 942 30-015-34645-00-S01 SKELLY UNIT 998 30-015-36681-00-SKELLY UNIT 621 30-015-36832-00-S01 SKELLY UNIT 967 30-015-35871-00-S01 SKELLY UNIT 605 30-015-36885-00-S01 SKELLY UNIT 985 30-015-36454-00-SKELLY UNIT 982 30-015-36515-00-S01 SKELLY UNIT 996 30-015-36729-00- · SKELLY UNIT 604 30-015-36445-00-SKELLY UNIT 422H 30-015-43832-00-SKELLY UNIT 608 30-015-36766-00= SKELLY UNIT 629 30-015-36964-00-SKELLY UNIT 988 30-015-36680-00-S01 SKELLY UNIT 972 30-015-36184-00-S01-SKELLY UNIT 609 30-015-36886-00-S01 SKELLY UNIT 997 30-015-36474-00- -SKELLY UNIT 994 30-015-36588-00-S0* SKELLY UNIT 628 30-015-36981-00-S01. SKELLY UNIT 984 30-015-36517-00-S01* SKELLY UNIT 992 30-015-36598-00-S01 SKELLY UNIT 611 30-015-36887-00-S01 SKELLY UNIT 974 30-015-36597-00-S01 SKELLY UNIT 610 30-015-36888-00-S01-SKELLY UNIT 601 30-015-36447-00-S01 SKELLY UNIT 639 30-015-37083-00-S01 SKELLY UNIT 981 30-015-36516-00- -SKELLY UNIT 975 30-015-36356-00-S01 SKELLY UNIT 632 30-015-36974-00- --SKELLY UNIT 977 30-015-36061-11-S01 SKELLY UNIT 983 30-015-36514-00-S01 SKELLY UNIT 993 30-015-36472-00-S01 SKELLY UNIT 615 30-015-36884-00-S01 SKELLY UNIT 625 30-015-36967-00- 💂 SKELLY UNIT 602 30-015-36596-00-S014 SKELLY UNIT 991 30-015-36471-00- · SKELLY UNIT 627 30-015-36968-00-S01+ SKELLY UNIT 999 30-015-36475-00-SKELLY UNIT 986 30-015-36446-00- · SKELLY UNIT 969 30-015-35867-00-S01 SKELLY UNIT 607 30-015-36764-00-S01 SKELLY UNIT 603 30-015-36728-00-S01 SKELLY UNIT 616 30-015-36889-00-S01 SKELLY UNIT 636 30-015-37090-00-S01 SKELLY UNIT 970 30-015-35817-00-S01 SKELLY UNIT 606 30-015-36765-00-S04 SKELLY UNIT 966 30-015-35969-00-SKELLY UNIT 971 30-015-35947-00-SKELLY UNIT 600 30-015-36470-00-