(June 2015)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED)
OMB NO. 1004-013	7
Expires: January 31 20	١

	Expires: January 31, 2018
5.	Lease Serial No.
	NMNM118108

SUNDKT N	JIICES ANL	KEPUKIS	ON MELLO
Do not use this	form for prop	osals to drill	or to re-enter an
abandoned well.	Use form 310	60-3 (APD) for	such proposals

6.	If In	dian.	Allottee	or Trib	e Name

abandoned wel	l. Use form 3160-3 (APD) fo	or such proposals.	6. If Indian, Allott	ee or Tribe Name
SUBMIT IN 1	TRIPLICATE - Other instruc	tions on page 2	7. If Unit or CA/A	greement, Name and/or No.
Type of Well Oil Well	er		8. Well Name and MultipleSee	
Name of Operator CHEVRON USA INCORPORA	Contact: DO	RIAN K FUENTES RON.COM	9. API Well No. MultipleSee	e Attached
3a. Address 6301 DEAUVILLE BLVD MIDLAND, TX 79706		. Phone No. (include area code) n: 432-687-7631	10. Field and Pool WILDCAT	or Exploratory Area
4. Location of Well (Footage, Sec., T.	, R., M., or Survey Description)		11. County or Pari	sh, State
MultipleSee Attached			EDDY COUN	NTY, NM
12. CHECK THE AF	PPROPRIATE BOX(ES) TO	INDICATE NATURE OF	NOTICE, REPORT, OR C	OTHER DATA
TYPE OF SUBMISSION		TYPE OF	ACTION	
Notice of Intent	☐ Acidize	☐ Deepen	☐ Production (Start/Resume)	☐ Water Shut-Off
_	☐ Alter Casing	☐ Hydraulic Fracturing	☐ Reclamation	■ Well Integrity
☐ Subsequent Report	Casing Repair	■ New Construction	☐ Recomplete	Other
☐ Final Abandonment Notice	☐ Change Plans	□ Plug and Abandon	□ Temporarily Abandon	Change to Original A PD
	☐ Convert to Injection	□ Plug Back	■ Water Disposal	
testing has been completed. Final Abdetermined that the site is ready for final Chevron respectfully request the fraction of the first hit for listed wells below. It to ensure a good FIT and to an change to the setting depth (AMH SO 8 P2 5H 30-015-4393 HH SO 8 P2 13H 30-015-4393 HH SO 8 P2 14H 30-015-4393 HH SO 8 P2 21H 30-015-4393 HH SO 8 P2 22H 30-015-4393 HH SO 8 P2 22H 30-015-4393 HH SO 8 P2 22H 30-015-4393	inal inspection. o change the intermediate ca We will set the casing in the 3 void a frac hit. The cement vo. TTACHED) 5 4 33 31 31 31	asing setting depths to avoi Brd Bone Spring carbonate	d a possible formation to reflect the Office Sia	CONSERVATION TESIA DISTRICT AN 0 3 2018 RECEIVED
14. I hereby certify that the foregoing is	Electronic Submission #3990	INCORPORATED, sent to the	ne Carlsbad	
Name (Printed/Typed) DORIAN F	(FUENTES	Title REGUL/	ATORY SPECIALIST	
Signature (Electronic S	Submission)	Date 12/27/20	17	
	THIS SPACE FOR	FEDERAL OR STATE (OFFICE USE	
Approved By		ZOTA STE TitlePETROLE	VENS JM ENGINEER	Date 01/02/2018
Conditions of approval, if any, are attached certify that the applicant holds legal or equivalent would entitle the applicant to conduction	itable title to those rights in the sub			W-74-74-4-4-4
Title 18 U.S.C. Section 1001 and Title 43 States any false, fictitious or fraudulent s	U.S.C. Section 1212, make it a crimstatements or representations as to a	ne for any person knowingly and my matter within its jurisdiction.	willfully to make to any departmen	nt or agency of the United

- Additional data for EC transaction #399037 that would not fit on the form

Wells/Facilities, continued

Agreement	Lease	Well/Fac Name, Number	API Number	Location
NMNM118108	NMNM118108	HH SO 8 P2 5H	30-015-43935-00-X1	Sec 17 T26S R27E SESW 255FNL 960FWL
NMNM118108	NMNM118108	HH SO 8 P2 13H	30-015-43933-00-X1	Sec 17 T26S R27E NWNW 305FNL 960FWL
NMNM118108	NMNM118108	HH SO 8 P2 14H	30-015-43931-00-X1	Sec 17 T26S R27E NWNW 330FNL 960FWL
NMNM118108	NMNM118108	HH SO 8 P2 21H	30-015-43927-00-X1	Sec 17 T26S R27E NWNW 205FNL 960FWL
NMNM118108	NMNM118108	HH SO 8 P2 22H	30-015-43928-00-X1	Sec 17 T26S R27E NWNW 230FNL 960FWL
NMNM118108	NMNM118108	HH SO 8 P2 6H	30-015-43934-00-X1	Sec 17 T26S R27E NWNW 280FNL 960FWL

32. Additional remarks, continued

Should you have any questions or require additional information, please contact me. My phone number and email address are noted below.

Delaware Basin Changes to APD/COA for Federal Well



Well Names:

HH SO 8 P2	5H	30-015-43935
HH SO 8 P2	6H	30-015-43934
HH SO 8 P2	13H	30-015-43933
HH SO 8 P2	14H	30-015-43931
HH SO 8 P2	21H	30-015-43927
HH SO 8 P2	22H	30-015-43928

Rig:

Patterson 815

CVX CONTACT:

Roderick Milligan

MCBU Drilling Engineer Chevron North America Exploration and Production Co. MidContinent Business Unit

Office: (713) 372-2011 Cell: (281) 413-9794

Email: RXMQ@CHEVRON.COM

Summary of Changes to APD Submission

Chevron respectfully request to change the intermediate casing setting depths to avoid a possible frac hit. We will set the casing in the Third BoneSpring carbonate formation to ensure a good FIT and to avoid a frac hit. The cement volumes have been updated to reflect the change to the setting depth.

4. CASING PROGRAM

Purpose	From	То	Hole Size	Csg Size	Weight	Grade	Thread	Condition
Surface	0'	450'	17-1/2"	13-3/8"	54.5#	K-55	STC	New
Intermediate	0'	8,700'	12-1/4"	9-5/8"	40.0#	L-80	TXP	New
Production	0'	XXXX	8-1/2"	5-1/2"	20.0#	P-110	TXP	New

		Cement	Cement					
Slurry	Type	Тор	Bottom	Weight	Yield	% Excess	Sacks	Water
Intermediate								
Stage 2 Lead	50:50 Poz: Class C + Antifoam, Extender, Salt, Retarder	0'	1,100'	11.9	2.43	0	142	14.21
Stage 2 Tail	Class C + Antifoam, Retarder, Viscosifier	1,100'	2,100'	14.8	1.33	0	235	6.37
DV Tool		2,1	00'					
Stage 1 Lead	50:50 Poz: Class C	2,100'	8,015'	11.9	2.43	0	762	13.76
Stage 1 Tail	Class H	8,015'	8,700'	15.6	1.21	0	259 ·	5.54

Changes Summary

Summary: Variance to change the intermediate casing setting depths to avoid a possible frac hit. We will set the casing in the Third BoneSpring carbonate to ensure a good FIT and to avoid a frac hit. The cement volumes have been updated to reflect the change to the setting depth.