District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe. NM 8750

State of New Mexico Energy, Minerals and Natural Resources Department

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe. NM 87505 to Appropriate
District Office

A OIL CONSERVATION

Submit Original

ARTESIA DISTRICT

1220 S. St. Francis Dr., Santa Fe, NM 87505	Santa Fe, NM 87505	ARTESIA DISTRICT
Date: 2-13-18	GAS CAPTURE PLAN	FEB 1 5 200;
☐ Original ☐ Amended - Reason for Amendment:	Operator & OGRID No.: Mewbourne O	il Company - 14744
This Gas Capture Plan outlines actions to new completion (new drill, recomplete to n	be taken by the Operator to reduce well/produce zone, re-frac) activity.	uction facility flaring/venting for
Note: Form C-129 must be submitted and approv	ved prior to exceeding 60 days allowed by Rule (Subse	ection A of 19.15.18.12 NMAC).
Well(s)/Production Facility - Name of fa	cility	

The well(s) that will be located at the production facility are shown in the table below. Flared or Comments API Well Location Expected Well Name Footages MCF/D Vented (ULSTR) ONLINE AFTER FRAC PORTY NINER RIDGE UNIT #107H 30-015-44652 1-16-235-30E 2323 FSL & 2562 F NA 5-18-235-30E ORTY NINER RIDGE UNIT #10 30-015-44653 2323 PSL & 2637 FI NA ONLINE AFTER PRAC 1-16-235-30E 2398 PSL & 2638 FF NA FORTY NINER RIDGE UNIT #109H 30-015-44654 ONLINE AFTER FRAC

Gathering System and Pipeline Notification

Well(s) will be connected to a production facility after flowback operations are complete, if gas transporter system is in place. The gas produced from production facility is dedicated to DCP Midstream and will be connected to DCP Midstream and will be connected to DCP Midstream a drilling, completion and estimated first production date for wells that are scheduled to be drilled in the foreseeable future. In addition, Mewbourne Oil Company and DCP Midstream have periodic conference calls to discuss changes to drilling and completion schedules. Gas from these wells will be processed at

The actual flow of the gas will be based on compression operating parameters and gathering system pressures.

Flowback Strategy

After the fracture treatment/completion operations, well(s) will be produced to temporary production tanks and gas will be flared or vented. During flowback, the fluids and sand content will be monitored. When the produced fluids contain minimal sand, the wells will be turned to production facilities. Gas sales should start as soon as the wells start flowing through the production facilities, unless there are operational issues on DCP Midstream system at that time. Based on current information, it is Operator's belief the system can take this gas upon completion of the well(s).

Processing Plant located in Sec. 3, Twn. 225, Rng. 37E, Lea County, New Mexico.

Safety requirements during cleanout operations from the use of underbalanced air cleanout systems may necessitate that sand and non-pipeline quality gas be vented and/or flared rather than sold on a temporary basis.

Alternatives to Reduce Flaring

Below are alternatives considered from a conceptual standpoint to reduce the amount of gas flared.

- Power Generation On lease
 - o Only a portion of gas is consumed operating the generator, remainder of gas will be flared
- Compressed Natural Gas On lease
 - o Gas flared would be minimal, but might be uneconomical to operate when gas volume declines
- NGL Removal On lease
 - o Plants are expensive, residue gas is still flared, and uneconomical to operate when gas volume declines