



PHOENIX

TECHNOLOGY SERVICES USA INC.

Celebrating 20 Years of Focused Solutions

3610 Elkins Road, Midland, Texas 79705 T. 432.684.0057 F. 432.686.7964 www.phxtech.com

February 22, 2018

Oil Conservation Division
State of New Mexico
811 S. First St.
Artesia, New Mexico 88210

NM OIL CONSERVATION
ARTESIA DISTRICT

MAR 05 2018

RECEIVED

Dear District 2 - Artesia

Attention: Regulatory Department

Re: Mewbourne Oil
Fuller 14 11 W1HA Fed Com #2H
Eddy County, NM
API #30-015-44450
Job No. 62346

Enclosed please find the Survey Data Certification, and the original Plat and one copy of the Survey Report performed on the above referenced Well by Phoenix Technology Services, Inc. (P-5 No. 664171). Other information required by your office is as follows:

Name & Title of Surveyor	Drain Hole Number	Surveyed Depths		Dates Performed		Type of Survey
		From	To	Start	End	
Noe Garza	2H	0	565	2/21/18	2/21/18	Gyro

A certified plat on which the bottom hole location is oriented both to the surface location and to the lease lines (or unit lines in case of pooling) is attached to the survey report. If any other information is required, please contact the undersigned at the letterhead address and phone number.

Best Regards,

Brittany Carley

Brittany Carley
Operations Administrator

Rev 3-6-18

SURVEY CERTIFICATION FORM

3610 Elkins Road Midland, TX 79705 t:432-684-0057 f: 432-686-7964



PHOENIX
TECHNOLOGY SERVICES

Company: Mewbourne

Job #: 62346

Well Name: Fuller 14 11 W1HA Fed Com # 2H

County/State: Eddy Co., New Mexico

Survey Instrument Type: North Seek Rate Gyro

API # 30-015-44450

TIE-IN DATA

Measure Depth (ft)	Vertical Depth (ft)	Inclination (°)	Azimuth (°)	N-S Coordinates	E-W Coordinates	Data Source
0	0	0	0	0	0	Surface

First Survey

Date	Depth (ft)	Inclination (°)	Azimuth (°)
2018-02-21	0	0	0

Last Survey

Date	Depth (ft)	Inclination (°)	Azimuth (°)
2018-02-21	565	1.18	113.4

Projected TD Survey

Date	Depth (ft)	Inclination (°)	Azimuth (°)
0	0	0	0

Grid Correction
-0.21

Gyro Operator: Phoenix Technology Services USA Ltd.

Gyro Supervisor: Angel Guebara

To the best of my knowledge I certify this survey data to be correct and true

Date:

21
624-18

Print Name: Noe Garza

Signature:



PHOENIX
TECHNOLOGY SERVICES

Company: Mewbourne
Well: Fuller 14 11 W1HA Fed Com # 2H
Location: Eddy Co., New Mexico
Rig: Patterson 250

Job Number: 62346
Grid Corr.: -0.21
Lat: 32.04
Long: -103.95

Date: 02/21/18
Calculation Method: Minimum Curvature
Proposed Azimuth: 29.6
RKB - MSL in feet: Surface
Tie Into: _____

Survey Tool Type	Survey Depth (ft)	Inclination (deg)	Azimuth (deg)	Course Length (ft)	True Vertical Depth (ft)	Vertical Section (ft)	Coordinates		Closure		Dogleg Severity (d/100')	Build Rate (d/100')	Walk Rate (d/100')
							N/S (ft)	E/W (ft)	Distance (ft)	Angle (deg)			
Enter Tie-In Survey on Line 10													
FIELD COPY, NON-DEFINITIVE													
TIE IN	0			0	0	0	0	0					
Gyro	100.00	0.69	324.13	100	100.00	0.49	0.49 N	0.35 W	0.60	324.13	0.69	0.69	324.13
	200.00	0.89	7.97	100	199.99	1.75	1.75 N	0.60 W	1.84	341.09	0.62	0.20	-316.16
	300.00	1.03	16.28	100	299.97	3.38	3.38 N	0.24 W	3.39	355.96	0.20	0.14	8.31
	400.00	0.66	50.77	100	399.96	4.60	4.60 N	0.46 E	4.63	5.70	0.61	-0.37	34.49
	500.00	1.02	83.30	100	499.95	5.07	5.07 N	1.79 E	5.38	19.44	0.58	0.36	32.53
	565.00	1.18	113.40	65	564.94	4.87	4.87 N	2.98 E	5.71	31.43	0.91	0.25	46.31

NM OIL CONSERVATION

ARTESIA DISTRICT

MAR 05 2018

Form C-102

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION
1220 South St. Francis
Santa Fe, NM 87505

RECEIVED
OIL CONSERVATION

Revised August 1, 2011
Submit one copy to appropriate
District Office

SEP 26 2017

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

1 API Number 30-015-44450		2 Pool Code 98220		3 Pool Name PURPLE SAGE WOLFCAMP GAS	
4 Property Code 319624		5 Property Name FULLER 14/11 WIHA FEDERAL			6 Well Number 2H
7 OGRID NO. 14744		8 Operator Name MEWBOURNE OIL COMPANY			9 Elevation 2949'

10 Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
H	14	26S	29E		2500	NORTH	470	EAST	EDDY

11 Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
A	11	26S	29E		330	NORTH	440	EAST	EDDY

12 Dedicated Acres	13 Joint or Infill	14 Consolidation Code	15 Order No.
480			

No allowable will be assigned to this completion until all interest have been consolidated or a non-standard unit has been approved by the division.

DETAIL "A"

2947.3' 720' 2954.3'

600' S. L.

2948.9' 2953.1'

2500'

SEE DETAIL "A"

470'

17 OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

8-24-17

Signature **BRADLEY BISHOP** Date

Printed Name

BBISHOP@MEWBOURNE.COM

E-mail Address

18 SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

8-14-2017

Date of Survey

Signature and Seal of Professional Surveyor

19680

Certificate Number

GEODETIC DATA

NAD 83 GRID - NM EAST

SURFACE LOCATION

N: 379386.2 - E: 661021.2

LAT: 32.0424242° N

LONG: 103.9470652° W

BOTTOM HOLE

N: 386950.6 - E: 661046.5

LAT: 32.0632180° N

LONG: 103.9468963° W

CORNER DATA

NAD 83 GRID - NM EAST

A: FOUND BRASS CAP "1940"

N: 376539.9 - E: 656060.1

B: FOUND BRASS CAP "1940"

N: 379229.8 - E: 656067.0

C: FOUND BRASS CAP "1940"

N: 381920.7 - E: 656056.3

D: FOUND BRASS CAP "1940"

N: 384614.1 - E: 656058.2

E: FOUND 1/2" REBAR

N: 387267.1 - E: 656100.2

F: FOUND BRASS CAP "1940"

N: 387281.8 - E: 661486.2

G: FOUND BRASS CAP "1940"

N: 381882.4 - E: 661489.4

H: FOUND BRASS CAP "1940"

N: 379187.8 - E: 661491.3

I: FOUND BRASS CAP "1940"

N: 376497.1 - E: 661496.5

J: FOUND BRASS CAP "1940"

N: 376518.6 - E: 658778.8

K: FOUND BRASS CAP "1940"

N: 381901.5 - E: 658773.2

RRC - Job No.:

LS1708499

NSP Required
2640/2500
P.P. 1000