

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-103
Revised August 1, 2011

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-015-26905
1. Type of Well: Oil Well ☐ Gas Well ☒ Other ☐		5. Indicate Type of Lease STATE ☐ FEE ☒
2. Name of Operator Chevron Midcontinent, L.P.		6. State Oil & Gas Lease No.
3. Address of Operator 6301 Deauville Blvd., Midland, TX 79706		7. Lease Name or Unit Agreement Name Nymeyer A
4. Well Location Unit Letter K : 2130 feet from the SOUTH line and 1980 feet from the WEST line Section 15 Township 23S Range 28E, NMPM, County Eddy		8. Well Number: 3
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 2999' GR		9. OGRID Number 241333
		10. Pool name or Wildcat Loving, Brushy Canyon, East

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☐	REMEDIAL WORK ☐	ALTERING CASING ☐
TEMPORARILY ABANDON ☒	CHANGE PLANS ☐	COMMENCE DRILLING OPNS. ☐	P AND A ☐
PULL OR ALTER CASING ☐	MULTIPLE COMPL ☐	CASING/CEMENT JOB ☐	
DOWNHOLE COMMINGLE ☐			
OTHER: ☐		OTHER: TEMPORARILY ABANDON ☐	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. 8 5/8" 24# @ 555': TOC @ surface; 5 1/2" 15.5# @ 6449' w/ DV tool @ 3804': TOC @ surface

Chevron USA INC respectfully requests to temporarily abandon this well as follows: **NM OIL CONSERVATION ARTESIA DISTRICT**

1. MIRU, pull rods, N/U BOP, pull tubing
2. Tag cement cap on top of CIBP @ 5965', spot 27 bbls 9.5 ppg gel KCl fluid
3. Spot 25 sx CL C cement plug f/ 5965' t/ 5737' (Brushy Canyon perms). WOC & tag.
4. Set CIBP @ 4650', circulate well with 9.5 ppg KCl fluid, pressure test casing to 500 psi for 10 minutes
5. Spot 10 sx CL C cement plug f/ 4650' t/ 4550'. WOC & tag (See Condition of Approval below)
6. RDMO

APR 03 2018

RECEIVED

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Nick Glann TITLE P&A Engineer DATE 4/3/2018

Type or print name Nick Glann E-mail address: nglann@chevron.com PHONE: 661-599-5062 (cell) / 432-687-7786 (office)
For State Use Only

APPROVED BY: Rebecca [unclear] TITLE Compliance officer DATE 4/9/18

Conditions of Approval (if any): Future P&A will require plug f/ 4650' t/ 4550' to be upgraded with minimum 25 sx CL C cement TA status may be granted after a successful MIT test is performed. Contact the OCD to schedule the test so it may be witnessed.

LAST PROD 1/1/2017

CURRENT WELLBORE DIAGRAM

DATE: 9/19/17
ENGINEER: T. Yancey

UPDATED: 12/16/2017
BY: R.J. DeBruin

LEASE/WELL: NYMEYER A / NYMEYER A 3

PRIVATE LEASE

API #: 30-015-26905

CHEVNO: OV1641

LOCATION: 2,130' FSL & 1,980' FWL, SEC 15, T23S, R28E

COST CTR: BCUS11200

UNIT: K

FIELD: LOVING EAST - DELAWARE

COUNTY: EDDY

STATE: NM

DESCRIPTION OF WORK: TA

STATUS: Inactive Oil Well

GL (ft): 2,999 KB (ft): 3,011 DF (ft): SPUD: 2/2/92 COMPL: 2/26/92

TUBING DETAIL AS OF 4/1/2006

148 JTS (4,584') 2-7/8" 6.4# J55 8rd EUE
TAC @ 4,617'
6 JTS (187') 2-7/8" 6.4# J55 8rd EUE
SN @ 4,785' (MECH)
1 JT (4') 2-7/8" PERF SUB
2-7/8" X 32' BULL PLUG MUD ANCHOR

8-5/8", 24#, J55 ST&C @ 555'
345 SXS CMT (CIRC 55 SXS)
12-1/4" HOLE

ROD DETAIL AS OF 4/1/2006

2,100' (84) 7/8" D STEEL RODS
2,450' (98) 3/4" D STEEL RODS
200' (8) 1-1/2" K SINKER BARS
UNKNOWN PUMP SIZE

DV TOOL @ 3,804'

DELAWARE PERF DETAIL (BRUSHY CANYON)

4,684'-4,707' (2 SPF, 47 HOLES)

TAC @ 4,617'

BRUSHY CANYON PERF DETAIL

6,156'-78' (44 HOLES)

CIBP @ 6,000 W/ 35' CMT

6,064'-66' SQZ'D W/ 100 SXS CMT

PBTD: 6,250'
TD: 6,450'

5 1/2", 15.5#, J55 @ 6,449'
1,370 SXS CMT (CIRC 30 SXS)
7-7/8" HOLE

PROPOSED TA WELLBORE DIAGRAM

DATE: 9/19/17 UPDATED: 12/16/2017
ENGINEER: T. Yancey BY: R.J. DeBruin

LEASE/WELL: NYMEYER A / NYMEYER A 3

PRIVATE LEASE

API #: 30-015-26905

CHEVNO: OV1641

LOCATION: 2,130' FSL & 1,980' FWL, SEC 15, T23S, R28E

COST CTR: BCUS11200

UNIT: K

FIELD: LOVING EAST - DELAWARE

COUNTY: EDDY

STATE: NM

DESCRIPTION OF WORK: TA

STATUS: Inactive Oil Well

GL (ft): 2,999 KB (ft): 3,011 DF (ft): SPUD: 2/2/92 COMPL: 2/26/92

