District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe. NM 87505

# State of New Mexico Energy, Minerals and Natural Resources Department

Submit Original to Appropriate District Office

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

# NM OIL CONSERVATION ARTESIA DISTRICT

This Gas Capture Plan outlines actions to be taken by the Operator to reduce well/production facility flaring/venting for new completion (new drill, recomplete to new zone, re-frac) activity.

Note: Form C-129 must be submitted and approved prior to exceeding 60 days allowed by Rule (Subsection A of 19.15.18.12 NMAC).

## Well(s)/Production Facility - Name of facility

The well(s) that will be located at the production facility are shown in the table below.

	Well Name	API	Well Location (ULSTR)	Footages	Expected MCF/D	Flared or Vented	Comments
•	STINGER 6 WOAD FEE #IH	30.015	A-6-23S-27E	780 FNL & 240 FEL	0	NA	ONLINE AFTER FRAC
•	STINGER 6 WOAD FEE #2H	3	A-6-23S-27E	310FNL & 240 FE	. 0	NA	ONLINE AFTER FRAC

### **Gathering System and Pipeline Notification**

Well(s) will be c	onnected to a produc	tion facility after	flowback oper	ations are	complete,	if gas transpo	rter system is in
place. The gas	produced from prod	uction facility is	dedicated to _	Western		and will	be connected to
Western	low/high pressu	re gathering syst	em located in	EDDY	County, 1	New Mexico.	It will require
' of pip	beline to connect the	facility to low/hi	gh pressure ga	thering sy:	stem. Mev	wbourne Oil C	ompany provides
(periodically) to _	Western	a drilling, complet	tion and estima	ted first pro	duction da	te for wells tha	t are scheduled to
be drilled in the	foreseeable future.	In addition, Mew	bourne Oil Co	mpany and	d Western	1 <u></u>	have periodic
conference calls	to discuss changes	to drilling and co	ompletion sche	dules. Ga	as from the	ese wells will	be processed at
Western	Processing	g Plant located in S	Sec. <u>36</u> , Blk.	58 T1S	,Culberson	County, Texas	s. The actual flow
of the gas will be	based on compression	operating parameter	ers and gatherin	g system pi	ressures.		

#### Flowback Strategy

After the fracture treatment/completion operations, well(s) will be produced to temporary production tanks and gas will be flared or vented. During flowback, the fluids and sand content will be monitored. When the produced fluids contain minimal sand, the wells will be turned to production facilities. Gas sales should start as soon as the wells start flowing through the production facilities, unless there are operational issues on \_\_westerp\_\_\_ system at that time. Based on current information, it is Operator's belief the system can take this gas upon completion of the well(s).

Safety requirements during cleanout operations from the use of underbalanced air cleanout systems may necessitate that sand and non-pipeline quality gas be vented and/or flared rather than sold on a temporary basis.

#### **Alternatives to Reduce Flaring**

Below are alternatives considered from a conceptual standpoint to reduce the amount of gas flared.

- Power Generation On lease
  - o Only a portion of gas is consumed operating the generator, remainder of gas will be flared
- Compressed Natural Gas On lease
  - o Gas flared would be minimal, but might be uneconomical to operate when gas volume declines
- NGL Removal On lease
  - Plants are expensive, residue gas is still flared, and uneconomical to operate when gas volume declines