District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy, Minerals and Natural Resources Department

Submit Original to Appropriate District Office

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

NM OIL CONSERVATION ARTESIA DISTRICT

| | | | GAS CA | PTURE PL | AN | N | MAY 3 1 2018 | |
|---|--|--|---|--|--|---|--|--|
| | Original | RECEIVED Operator & OGRID No.: Mewbourne Oil Company - 14744 Reason for Amendment: | | | | | | |
| new | completion (new dr | rill, recomplete to | o new zone, re-fra | ac) activity. | | | facility flaring/venting for of 19.15.18.12 NMAC). | |
| | II(s)/Production Fac | | | | | | | |
| The | well(s) that will be Well Name | API | Well Location (ULSTR) | Footages | Expected MCF/D | Flared or Vented | Comments | |
| | STINGER 6 WOHE FEE #3H | 30-015 44996 | H-6-23S-27E | 2210 FNL & 240 FEL | 0 | NA | ONLINE AFTER FRAC | |
| We place we we con wo of the Florage After flar | ce. The gas producestern low some low s | ed to a production of the ded from production of the ded from production whigh pressure of connect the far and a seable future. In class changes to a processing From compression of the ded from procession of the ded from production of th | on facility after flation facility is de gathering system icility to low/high drilling, completion addition, Mewbord drilling and completed in Section parameters operations, well(section and sand control and sand sand control and sand control and sand sand sand sand control and sand sand sand sand sand sand sand | edicated to no located in pressure gas on and estima ourne Oil Completion scheme. 36 , Blk. s and gathering will be prontent will be resulted. | western EDDY (thering system of the direct production of the direct pr | County, New Jem. Mewbo Juction date for Western From these Culberson Coessures. | gas transporter system is in and will be connected to Mexico. It will require urne Oil Company provides by wells that are scheduled to have periodic wells will be processed at unty, Texas. The actual flow uction tanks and gas will be duced fluids contain minimalls start flowing through the | |
| | | | | | | | sed on current information, i | |

Alternatives to Reduce Flaring

Below are alternatives considered from a conceptual standpoint to reduce the amount of gas flared.

sand and non-pipeline quality gas be vented and/or flared rather than sold on a temporary basis.

is Operator's belief the system can take this gas upon completion of the well(s).

- Power Generation On lease
 - o Only a portion of gas is consumed operating the generator, remainder of gas will be flared
- Compressed Natural Gas On lease
 - o Gas flared would be minimal, but might be uneconomical to operate when gas volume declines

Safety requirements during cleanout operations from the use of underbalanced air cleanout systems may necessitate that

- NGL Removal On lease
 - o Plants are expensive, residue gas is still flared, and uneconomical to operate when gas volume declines