		UNITED STATES PARTMENT OF THE D	NTERIOR	5. Lease Serial No.		O. 1004-0137	
	UREAU OF LAND MANA NOTICES AND REPO is form for proposals to	enter an		5. Lease Serial No. NMLC029342E			
	abandoned we	II. Use form 3160-3 (AP	D) for such pro	posals.		6. If Indian, Allottee of	or Tribe Name
	SUBMIT IN T	TRIPLICATE - Other inst	tructions on pa	ge 2		7. If Unit or CA/Agree	ement, Name and/or No
I. Type of Well Oil Well	Gas Well 🔲 Oth	ner				8. Well Name and No. THUNDER ROAD	
2. Name of Operato COG OPERA		Contact: E-Mail: kcastillo@	KANICIA CAST	ILLO		9. API Well No. 30-015-36280-0)0-S1
a. Address 600 W ILLINC MIDLAND, TX		<u>.</u>	3b. Phone No. (in Ph: 432-685-4			10. Field and Pool or LOCO HILLS-P	
Location of Well	l (Footage, Sec., T)			11. County or Parish, State		
Sec 20 T17S	R30E SENW 16	75FNL 2310FEL				EDDY COUNTY	Y, NM
12. (CHECK THE AP	PPROPRIATE BOX(ES)	TO INDICATE	NATURE O	F NOTICE, I	REPORT, OR OTH	HER DATA
TYPE OF SU	YPE OF SUBMISSION TYPE OF ACTION						
□ Notice of In	tent	🗖 Acidize	Deeper	ı	Production	on (Start/Resume)	Water Shut-Off
		Alter Casing	🗖 Hydrau	ilic Fracturing	🗖 Reclama	tion	Well Integrity
🛛 Subsequent	Кероп	Casing Repair	New Construction		□ Recomplete □ Other		Other
Final Abandonment Notice		Change Plans	🛛 Plug and Abandon		Temporarily Abandon		
		Convert to Injection	🗖 Plug B	ack	U Water D	isposal	
following compl	etion of the involved	operations. If the operation re	sults in a multiple of	e with BLM/BIA	. Required sub- muletion in a ne	sequent reports must be winterval a Form 316	50-4 must be filed once
testing has been determined that t 05/22/18 MIR TAC. POH w/	letion of the involved completed. Final At the site is ready for fi U plugging equip / 1 jt of tbg. Work	i operations. If the operation re oandonment Notices must be fil inal inspection. Oment. POH w/ POH w/ ro ed on freeing rods from r	esults in a multiple c led only after all req ods, rods parted pump 05/23/18.	ompletion or reco uirements, includ . Dug out cella lar on pump f	mpletion in a no ing reclamation ar, NU BOP. I POH w/ rods	ew interval, a Form 316 , have been completed : Released &	50-4 must be filed once
testing has been determined that to 05/22/18 MIR TAC. POH w/ K-bars. POH test csg, held 3600-3347', V cmt @ 1200-5 circulated to s	etion of the involved completed. Final At the site is ready for fi U plugging equip / 1 jt of tbg. Work w/ 2 7/8" tbg. Se 500 psi. Spotteo <u>VOC</u> . Tagged plu 897'. <u>WOC</u> . 05/2: surface. (Plug co	i operations. If the operation re bandonment Notices must be fil inal inspection. oment. POH w/ POH w/ ro ed on freeing rods from p t 51/2" CIBP @ 4235 25 sx class C cmt @ 42 50 3350", Spotted 25 s 5/18 Tagged plug @ 895 mbinations were approve	sults in a multiple c led only after all req ods, rods parted pump. 05/23/18 5'. 05/24/18 Circ 35-3982'. Spotte x class C cmt @ '. ND BOP. Spot ed by Chase Mes	ompletion or reco uirements, includ . Dug out cella Jar on pump. F ulate hole w/ I d 25 sx class) 2850-2597'. S Ied. 75 sx class seer w/ BLM).	mpletion in a noing reclamation ar, NU BOP. I POH w/ rods MLF. Pressu <u>C cmt @</u> Spotted 30 si Rigged dowr	w interval, a Form 316 , have been completed a & Released & re <u>x class</u> C	60-4 must be filed once and the operator has RECEIVED UN 1 3 2018
testing has been determined that to 05/22/18 MIR TAC. POH w/ K-bars. POH test csg, held <u>3600-3347'</u> , V cmt @ 1200-6 circulated to moved off.	etion of the involved completed. Final At the site is ready for fi U plugging equip / 1 jt of tbg. Work w/ 2 7/8" tbg. Se 500 psi. Spotted <u>VOC</u> . Tagged plu <u>897</u> ". <u>WOC</u> . 05/2 surface. (Plug co 15/31/18 Moved i	i operations. If the operation re bandonment Notices must be fil inal inspection. oment. POH w/ POH w/ ro ed on freeing rods from p t 5 1/2" CIBP @ 4235 25 sx class C cmt @ 42 10 @ 3350". Spotted 25 s 5/18 Tagged blug @ 895	sults in a multiple c led only after all req ods, rods parted pump. 05/23/18 . 5'. 05/24/18 Circ 35-3982'. Spotte sc Class C cmt @ '. ND BOP. Spot ed by Chase Mes bug out cellar. Cut off deadmen. C	ompletion or reco uirements, includ . Dug out cella Jar on pump. F culate hole w/ I ad 25 sx class) 2850-2597'. S Ted 75 sx clas sser w/ BLM). ut off well head leaned locatio	mpletion in a noing reclamation POH w/ rods MLF. Pressu <u>C cmt @</u> Spotted 30 s. s. C cmt @ 5 Rigged dowr d. Welded on n, moved off	w interval, a Form 316 , have been completed a & Released & re <u>x class</u> C <u>J</u> To and DISTRIC	60-4 must be filed once and the operator has RECEIVED UN 1 3 2018 CT II-ARTESIA O.C
testing has been determined that to 05/22/18 MIR TAC. POH w/ K-bars. POH test csg, held <u>3600-3347'</u> , V cmt @ 1200-6 circulated to moved off.	etion of the involved completed. Final At the site is ready for fi U plugging equip / 1 jt of tbg. Work w/ 2 7/8" tbg. Se 500 psi. Spottec <u>VOC</u> . Tagged plu 897". <u>WOC</u> . 05/2 surface. (Plug co 15/31/18 Moved i to Dry Hole Mark	i operations. If the operation re bandonment Notices must be fil inal inspection. oment. POH w/ POH w/ re ted on freeing rods from p d 25 sx class C cmt @ 422 g @ 3350, Spotted 25 s 5/18 Tagged plug @ 895 mbinations were approve n backhoe and welder. D ter". Backfilled cellar. Cut	sults in a multiple c led only after all req ods, rods parted pump. 05/23/18 5'. 05/24/18 Circ 35-3982'. Spotte sc Class C cmt (@ '. ND BOP. Spot ed by Chase Mes bug out cellar. Cu t off deadmen. C	Dug out cella Jar on pump. F culate hole w/ f 2850-2597. 1ed 75 sx class sser w/ BLM). t off well head leaned locatio RECLAN	mpletion in a noing reclamation POH w/ rods MLF. Pressu <u>C cmt @</u> Spotted 30 signed dowr d. Welded on n, moved off IATION	w interval, a Form 316 , have been completed a & re <u>x class</u> C 76 & T and DISTRIC RECLAMA	60-4 must be filed once and the operator has RECEIVED UN 1 3 2018 CT II-ARTESIA O.C NTION PROCEDURE
testing has been determined that to 05/22/18 MIR TAC. POH w/ K-bars. POH test csg, held <u>3600-3347'</u> , V cmt @ 1200-6 circulated to moved off.	etion of the involved completed. Final At the site is ready for fi U plugging equip / 1 jt of tbg. Work w/ 2 7/8" tbg. Se 500 psi. Spottec <u>VOC</u> . Tagged plu 897". <u>WOC</u> . 05/2 surface. (Plug co 15/31/18 Moved i to Dry Hole Mark	i operations. If the operation re pandomment Notices must be fil inal inspection. oment. POH w/ POH w/ ro red on freeing rods from p t <u>5 1/2" CIBP @ 4235</u> 125 sx class C cmt @ 42 <u>aq @ 3350"</u> , Spotted 25 s 5/18 Tagged plug @ 895 subinations were approve n backhoe and welder. D	sults in a multiple c led only after all req ods, rods parted pump. 05/23/18 5'. 05/24/18 Circ 35-3982'. Spotte sc Class C cmt (@ '. ND BOP. Spot ed by Chase Mes bug out cellar. Cu t off deadmen. C	ompletion or reco uirements, includ . Dug out cella Jar on pump. F culate hole w/ I ad 25 sx class) 2850-2597'. S Ted 75 sx clas sser w/ BLM). ut off well head leaned locatio	mpletion in a noing reclamation POH w/ rods MLF. Pressu <u>C cmt @</u> Spotted 30 signed dowr d. Welded on n, moved off IATION	w interval, a Form 316 , have been completed a & re <u>x class</u> C 76 & T and DISTRIC RECLAMA	60-4 must be filed once and the operator has RECEIVED UN 1 3 2018 CT II-ARTESIA O.C
testing has been determined that to 05/22/18 MIR TAC. POH w/ K-bars. POH test csg, held <u>3600-3347', V</u> cmt @ 1200-6 circulated to s moved off. @ "Below Groun	etion of the involved completed. Final At the site is ready for fi U plugging equip / 1 jt of tbg. Work w/ 2 7/8" tbg. Se 500 psi. Spotter <u>VOC</u> . Tagged plin <u>B97</u> '. <u>WOC</u> . 05/25 <u>surface</u> . (Plug co <u>5/317/18</u> Moved i nd Dry Hole Mark	i operations. If the operation re bandonment Notices must be fil inal inspection. oment. POH w/ POH w/ ro ed on freeing rods from p t 51/2" CIBP @ 4235 25 sx class C cmt @ 42 35 cm @ 3350" Spotted 25 s 5/18 Tagged plug @ 895 718 Tagged plug @ 895 718 Tagged plug @ 895 mbinations were approve n backhoe and welder. D ter". Backfilled cellar. Cut C C C - 1 Y - 1 8 cd for record - NMOCI true and correct. Electronic Submission #	sults in a multiple c led only after all req ods, rods parted pump. 05/23/18 5'. 05/24/18 Circ 35-3982'. Spotte construction construction construction d by Chase Mes bug out cellar. Cu t off deadmen. C	Dug out cella Jar on pump. F culate hole w/ f 2850-2597'. Ted. 75 sx class Ser w/ BLM). to off well head leaned locatio CECLAN UE/Z	mpletion in a noing reclamation ar, NU BOP. I POH w/ rods MLF. Pressu <u>C cmt @</u> Spotted 30 si S <u>C cmt @ 55</u> Rigged dowr Mulded on n, moved off IATION Information arisbad	w interval, a Form 316 , have been completed a Released & re <u>x class</u> C <u>76 &</u> n and DISTRIC N RECLAMA A System	60-4 must be filed once and the operator has RECEIVED UN 1 3 2018 CT II-ARTESIA O.C NTION PROCEDURE
testing has been determined that to 05/22/18 MIR TAC. POH w/ K-bars. POH test csg, held <u>3600-3347'</u> , V cmt @ 1200-5 circulated to s moved off. @ "Below Groun	etion of the involved completed. Final At the site is ready for fi U plugging equip / 1 jt of tbg. Work w/ 2 7/8" tbg. Se 500 psi. Spotter <u>VOC</u> . Tagged plin <u>B97</u> '. <u>WOC</u> . 05/25 <u>surface</u> . (Plug co <u>5/317/18</u> Moved i nd Dry Hole Mark	i operations. If the operation re- bandonment Notices must be fil- inal inspection. oment. POH w/ POH w/ re- ted on freeing rods from p ted 1/2" CIBP @ 4235 25 sx class C cmt @ 42 25 sx class C cmt @ 42 26 sx class C cmt @ 42 26 sx class C cmt @ 42 26 sx class C cmt @ 42 27 sx class C cmt @ 42 28 sx class C cmt @ 42 29 store a system in backhoe and welder. D cer". Backfilled cellar. Cut C C C C C C C cor cor cut Electronic Submission # For COG C nitted to AFMSS for proces	sults in a multiple c led only after all req ods, rods parted pump. 05/23/18 5'. 05/24/18 Circ 35-3982'. Spotte x Class C cmt @ '. ND BOP. Spot d by Chase Mes bug out cellar. Cut off deadmen. C C 4422540 verified b DPERATING LLC, ssing by DEBOR/	Dug out cella Jar on pump. F culate hole w/ f 2850-2597'. Ted. 75 sx class Ser w/ BLM). to off well head leaned locatio CECLAN UE/Z	mpletion in a noing reclamation ar, NU BOP. POH w/ rods MLF. Pressu <u>C cmt @</u> Spotted 30 si s. C cmt @ 5 Rigged dowr M. Welded on n, moved off IATION	w interval, a Form 316 , have been completed a Released & re <u>x class</u> C <u>76 &</u> n and DISTRIC N RECLAMA A System	60-4 must be filed once and the operator has RECEIVED UN 1 3 2018 CT II-ARTESIA O.C NTION PROCEDURE
testing has been determined that to 05/22/18 MIR TAC. POH w/ K-bars. POH test csg, held <u>3600-3347'</u> , V cmt @ 1200-5 circulated to s moved off. @ "Below Groun	etion of the involved completed. Final At the site is ready for fi U plugging equip (1 jt of tbg. Work w/ 2 7/8" tbg. Se 500 psi. Spotteo 500 psi. Spotteo MOC. Tagged plu surface. (Plug co 5/31/18 Moved i to Dry Hole Mark	i operations. If the operation re- bandonment Notices must be fil- inal inspection. oment. POH w/ POH w/ re- ted on freeing rods from p ted 1/2" CIBP @ 4235 25 sx class C cmt @ 42 25 sx class C cmt @ 42 26 sx class C cmt @ 42 26 sx class C cmt @ 42 26 sx class C cmt @ 42 27 sx class C cmt @ 42 28 sx class C cmt @ 42 29 store a system in backhoe and welder. D cer". Backfilled cellar. Cut C C C C C C C cor cor cut Electronic Submission # For COG C nitted to AFMSS for proces	sults in a multiple c led only after all req ods, rods parted pump. 05/23/18 5'. 05/24/18 Circ 35-3982'. Spotte x Class C cmt @ '. ND BOP. Spot d by Chase Mes bug out cellar. Cut off deadmen. C C 4422540 verified b DPERATING LLC, ssing by DEBOR/	ompletion or reco uirements, includ . Dug out cella Jar on pump. F sulate hole w/ f ad 25 sx class 0 2850-2597'. S Ted 75 sx class ser w/ BLM). ut off well head leaned locatio RECLAN OUE_/2	mpletion in a noing reclamation ar, NU BOP. POH w/ rods MLF. Pressu <u>C cmt @</u> Spotted 30 si s. C cmt @ 5 Rigged dowr M. Welded on n, moved off IATION	w interval, a Form 316 , have been completed a Released & re <u>x class</u> C <u>76 &</u> n and DISTRIC N RECLAMA A System	60-4 must be filed once and the operator has RECEIVED UN 1 3 2018 CT II-ARTESIA O.C NTION PROCEDURE
testing has been determined that to 05/22/18 MIR TAC. POH w/ K-bars. POH test csg, held <u>3600-3347'</u> , V cmt @ 1200-5 circulated to s moved off. @ "Below Groun	etion of the involved completed. Final At the site is ready for fi U plugging equip (1 jt of tbg. Work w/ 2 7/8" tbg. Se 500 psi. Spotteo 500 psi. Spotteo MOC. Tagged plu surface. (Plug co 5/31/18 Moved i to Dry Hole Mark	i operations. If the operation re bandonment Notices must be fil inal inspection. oment. POH w/ POH w/ re ted on freeing rods from p ted on freeing rods from p ted <u>5 1/2" CIBP @ 4235</u> 25 sx class C cmt @ 42 25 sx class C cmt @ 42 25 sx class C cmt @ 42 25 sx class C cmt @ 42 5/18 Tagged plug @ 895 mbinations were approve n backhoe and welder. D ter". Backfilled cellar. Cut C - 1 Y - 1 8 cd for record - NMIOCI true and correct. Electronic Submission # For COG C nitted to AFMSS for proces CASTILLO	sults in a multiple c led only after all req ods, rods parted pump. 05/23/18 . 5'. 05/24/18 Circ 35-3982'. Spotte ix Class C cmt @ 'ND BOP. Spot ed by Chase Mes bug out cellar. Cu t off deadmen. C C t off deadmen. C C C C C C C C C C C C C C C C C C C	Dug out cella Jar on pump. F sulate hole w/ f ad 25 sx class 0 2850-2597'. S 1ed 75 sx class ser w/ BLM). at off well head leaned locatio RECLAN OUE_/2 by the BLM Well sent to the Ca AH MCKINNEY itle PREPA	mpletion in a na ing reclamation POH w/ rods MLF. Pressu <u>C cmt @</u> Spotted 30 si s.C cmt @ 5 Rigged dowr d. Welded on n, moved off IATION Information arlsbad on 06/04/2018 RER	ew interval, a Form 316 , have been completed a Released & re <u>x class</u> C J 76 & DISTRIC N RECLAMA System 8 (18PP1490SE)	60-4 must be filed once and the operator has RECEIVED UN 1 3 2018 CT II-ARTESIA O.C NTION PROCEDURE NTTACHED
testing has been determined that to 05/22/18 MIR TAC. POH w/ K-bars. POH test csg, held <u>3600-3347'</u> , V cmt @ 1200-5 circulated to s moved off. @ "Below Groun"	etion of the involved completed. Final At the site is ready for fi U plugging equip (1 jt of tbg. Work w/ 2 7/8" tbg. Se 500 psi. Spotteo MOC. Tagged plu Surface. (Plug co (5/311/18 Moved i To Dry Hole Mark CAccepto that the foregoing is Comm (yped) KANICIA (i operations. If the operation re bandonment Notices must be fil inal inspection. oment. POH w/ POH w/ re ted on freeing rods from p ted on freeing rods from p ted <u>5 1/2" CIBP @ 4235</u> 25 sx class C cmt @ 42 25 sx class C cmt @ 42 25 sx class C cmt @ 42 25 sx class C cmt @ 42 5/18 Tagged plug @ 895 mbinations were approve n backhoe and welder. D ter". Backfilled cellar. Cut C - 1 Y - 1 8 cd for record - NMIOCI true and correct. Electronic Submission # For COG C nitted to AFMSS for proces CASTILLO	sults in a multiple c led only after all req ods, rods parted pump. 05/23/18 . 5'. 05/24/18 Circ 35-3982'. Spotte ix Class C cmt @ 'ND BOP. Spot ed by Chase Mes bug out cellar. Cu t off deadmen. C C t off deadmen. C C C C C C C C C C C C C C C C C C C	Dug out cella Jar on pump. F sulate hole w/ f ad 25 sx class 0 2850-2597'. S 1ed 75 sx class ser w/ BLM). at off well head leaned locatio RECLAN OUE_/2 by the BLM Well sent to the Ca AH MCKINNEY itle PREPA	mpletion in a na ing reclamation POH w/ rods MLF. Pressu <u>C cmt @</u> Spotted 30 si s.C cmt @ 5 Rigged dowr d. Welded on n, moved off IATION Information arlsbad on 06/04/2018 RER	ew interval, a Form 316 , have been completed a Released & re <u>x class</u> C J 76 & DISTRIC N RECLAMA System 8 (18PP1490SE)	60-4 must be filed once and the operator has RECEIVED UN 1 3 2018 CT II-ARTESIA O.C NTION PROCEDURE
testing has been determined that to 05/22/18 MIR TAC. POH w/ K-bars. POH test csg, held <u>3600-3347'</u> , V cmt @ 1200-6 circulated to s moved off. @ "Below Ground Id. I hereby certify Name (Printed/T) Signature	etion of the involved completed. Final At the site is ready for fi U plugging equip (1 jt of tbg. Work w/ 2 7/8" tbg. Se 500 psi. Spotteo MOC. Tagged plu Surface. (Plug co (5/311/18 Moved i To Dry Hole Mark CAccepto that the foregoing is Comm (yped) KANICIA (i operations. If the operation re bandonment Notices must be fil inal inspection. oment. POH w/ POH w/ re ted on freeing rods from p ted on freeing rods from p ted <u>5 1/2" CIBP @ 4235</u> 25 sx class C cmt @ 42 25 sx class C cmt @ 42 25 sx class C cmt @ 42 25 sx class C cmt @ 42 5/18 Tagged plug @ 895 mbinations were approve n backhoe and welder. D ter". Backfilled cellar. Cut C - 1 Y - 1 8 cd for record - NMIOCI true and correct. Electronic Submission # For COG C nitted to AFMSS for proces CASTILLO	sults in a multiple c led only after all req ods, rods parted pump. 05/23/18 5'. 05/24/18 Circ 35-3982'. Spotte control and the second control and the second control and the second the second the second the second the second the second the second the second the second the second the second the second the second the second the second the second the second the second the se	ompletion or reco uirements, includ Dug out cella Jar on pump. F culate hole w/ I d 25 sx class 2850-2597'. Ited. 75 sx class Ser w/ BLM). ut off well head leaned locatio RECLAN UE_/2 by the BLM Well sent to the Ca H MCKINNEY itle PREPA	mpletion in a na ing reclamation POH w/ rods MLF. Pressu <u>C cmt @</u> Spotted 30 si s.C cmt @ 5 Rigged dowr d. Welded on n, moved off IATION Information arlsbad on 06/04/2018 RER	ew interval, a Form 316 , have been completed a Released & re <u>x class</u> C J 76 & DISTRIC N RECLAMA System 8 (18PP1490SE)	60-4 must be filed once and the operator has RECEIVED UN 1 3 2018 CT II-ARTESIA O.C NTION PROCEDURE NTTACHED
testing has been determined that to 05/22/18 MIR TAC. POH w/ K-bars. POH test csg, held <u>3600-3347', V</u> cmt @ 1200-6 circulated to s moved off. Below Groun Below Groun Id. 1 hereby certify Name (<i>Printed/T</i> Signature	etion of the involved completed. Final At the site is ready for fi U plugging equip (1 jt of tbg. Work w/ 2 7/8" tbg. Se 500 psi. Spottec <u>VOC</u> . Tagged plu VOC. 05/25 surface. (Plug co 5/31718 Moved i nd Dry Hole Mark (Accepted) that the foregoing is <i>Comm</i> (Electronic S (Electronic S al, if any, are attached ant holds legal or equi	Approval of this notice does nitable title to those rights in the operation. In a inspection. In a inspection. In a inspection. In a inspection. In a inspection. In a consection of the operation of the operation of the operation of the operation of the operation of the operation of the operation of the operation of the operation of the operation of the operation of the operation of the operatio	sults in a multiple c led only after all req ods, rods parted pump. 05/23/18 5'. 05/24/18 Circ 35-3982'. Spatte cass C cmt @ to ff deadmen. C to ff deadmen. C DPERATING LLC, ssing by DEBOR T DDR FEDERAL	ompletion or reco uirements, includ Dug out cella Jar on pump. F culate hole w/ I d 25 sx class 2850-2597'. Ited 75 sx class Ser w/ BLM). It off well head leaned locatio RECLAN UE_/2 by the BLM Well sent to the Ca H MCKINNEY itle PREPA	mpletion in a na ing reclamation POH w/ rods MLF. Pressu <u>C cmt @</u> Spotted 30 si s.C cmt @ 5 Rigged dowr d. Welded on n, moved off IATION Information arlsbad on 06/04/2018 RER	ew interval, a Form 316 , have been completed a Released & re <u>x class</u> C J 76 & DISTRIC N RECLAMA System 8 (18PP1490SE)	60-4 must be filed once and the operator has RECEIVED UN 1 3 2018 CT II-ARTESIA O.C NTION PROCEDURE NTTACHED D FOR RECOR
testing has been determined that to 05/22/18 MIR TAC. POH w/ K-bars. POH test csg, held <u>3600-3347'</u> , V cmt @ 1200-6 circulated to s moved off. Below Groun Below Groun Hat I hereby certify Name (Printed/T) Signature	etion of the involved completed. Final At the site is ready for fi U plugging equip (1 jt of tbg. Work w/ 2 7/8" tbg. Se 500 psi. Spottec <u>VOC</u> . Tagged plu Surface. (Plug co 5/31718 Moved i ad Dry Hole Mark (Accepted) that the foregoing is Comm (yped) KANICIA ((Electronic S	d operations. If the operation re- bandonment Notices must be fil inal inspection. Doment. POH w/ POH w/ ro- sed on freeing rods from p t 5 1/2" CIBP @ 4235 25 sx class C cmt @ 42 20 @ 3350" Spotted 25 s 5/18 Tagged plug @ 895 7/18 Tagged plug @ 895 mbinations were approve n backhoe and welder. D ter". Backfilled cellar. Cut C C - 1 Y - 1 8 cd for record - NMOCI it the and correct. Electronic Submission # For COG C hitted to AFMSS for proces CASTILLO Submission) THIS SPACE FC	sults in a multiple c led only after all req ods, rods parted pump. 05/23/18 5'. 05/24/18 Circ 35-3982'. Spatte cass C cmt @ '. ND BOP. Spatter of by Chase Mes by Gout cellar. Cut off deadmen. C Construction of the construction of the constructio	ompletion or reco uirements, includ . Dug out cella Jar on pump. F culate hole w/ I d 25 sx class <u>2850-2597'. S</u> fed 75 sx class Ser w/ BLM). ut off well head leaned locatio RECLAN UE_/2 by the BLM Well sent to the Ca H MCKINNEY itle PREPA	mpletion in a na ing reclamation POH w/ rods MLF. Pressu <u>C cmt @</u> Spotted 30 s: s.C cmt @ Spotted 30	ew interval, a Form 316 , have been completed a Released & re <u>x class</u> C <u>76 &</u> DISTRIC N RECLAMA A System B (18PP1490SE)	50-4 must be filed once and the operator has RECEIVED UN 1 3 2018 CT II-ARTESIA O.C NTION PROCEDURE NTTACHED



United States Department of the Interior

BUREAU OF LAND MANAGEMENT Carlsbad Field Office 620 E. Greene St. Carlsbad, New Mexico 88220-6292 www.blm.gov/nm



In Reply Refer To: 1310

Reclamation Objectives and Procedures

Reclamation Objective: Oil and gas development is one of many uses of the public lands and resources. While development may have a short- or long-term effect on the land, successful reclamation can ensure the effect is not permanent. During the life of the development, all disturbed areas not needed for active support of production operations should undergo "interim" reclamation in order to minimize the environmental impacts of development on other resources and uses. At final abandonment, well locations, production facilities, and access roads must undergo "final" reclamation so that the character and productivity of the land and water are restored.

The long-term objective of final reclamation is to set the course for eventual ecosystem restoration, including the restoration of the natural vegetation community, hydrology, and wildlife habitats. In most cases this means returning the land to a condition approximating or equal to that which existed prior to the disturbance. The final goal of reclamation is to restore the character of the land and water to its predisturbance condition. The operator is generally not responsible for achieving full ecological restoration of the site. Instead, the operator must achieve the short-term stability, visual, hydrological, and productivity objectives of the surface management agency and take steps necessary to ensure that long-term objectives will be reached through natural processes.

To achieve these objectives, remove any and all contaminants, scrap/trash, equipment, pipelines and powerlines. Strip and remove caliche, contour the location to blend with the surrounding landscape, redistribute the native soils, provide erosion control as needed, rip and seed as specified in the original APD COA. This will apply to well pads, facilities, and access roads. Barricade access road at the starting point. If reserve pits have not reclaimed due to salts or other contaminants, submit a plan for approval, as to how you propose to provide adequate restoration of the pit area.

- The Application for Permit to Drill or Reenter (APD, Form 3160-3), Surface Use Plan of Operations must include adequate measures for stabilization and reclamation of disturbed lands. Oil and Gas operators must plan for reclamation, both interim and final, up front in the APD process as per Onshore Oil and Gas Order No. 1.
- 2. For wells and/or access roads not having an approved plan, or an inadequate plan for surface reclamation (either interim or final reclamation), the operator must submit a proposal describing the procedures for reclamation. For interim reclamation, the appropriate time for submittal would be when filing the Well Completion or Recompletion Report and Log (Form 3160-4). For final reclamation, the appropriate time for submittal would be when filing the Appropriate time for submittal would be when filing the Vell Completion or Recompletion Report and Log (Form 3160-4). For final reclamation, the appropriate time for submittal would be when filing the Notice of Intent, or the Subsequent Report of Abandonment, Sundry Notices and Reports on Wells (Form 3160-5). Interim reclamation is to be completed within 6 months of well completion, and final reclamation is to be completed within 6 months.
- 3. The operator must file a Subsequent Report Plug and Abandonment (Form 3160-5) following the plugging of a well.
- 4. Previous instruction had you waiting for a BLM specialist to inspect the location and provide you with reclamation requirements. If you have an approved Surface Use Plan of Operation and/or an approved Sundry Notice, you are free to proceed with reclamation as per approved APD. If you have issues or concerns, contact a BLM specialist to assist you. It would be in your interest to have a BLM specialist look at the location and access road prior to the removal of reclamation

equipment to ensure that it meets BLM objectives. Upon conclusion submit a Form 3160-5, Subsequent Report of Reclamation. This will prompt a specialist to inspect the location to verify work was completed as per approved plans.

- 5. The approved Subsequent Report of Reclamation will be your notice that the native soils, contour and seedbed have been reestablished. If the BLM objectives have not been met the operator will be notified and corrective actions may be required.
- 6. It is the responsibility of the operator to monitor these locations and/or access roads until such time as the operator feels that the BLM objective has been met. If after two growing seasons the location and/or access roads are not showing the potential for successful revegetation, additional actions may be needed. When you feel the BLM objectives have been met submit a Final Abandonment Notice (FAN), Form 3160-5, stating that all reclamation requirements have been achieved and the location and/or access road is ready for a final abandonment inspection.
- 7. At this time the BLM specialist will inspect the location and/or access road. If the native soils and contour have been restored, and the revegetation is successful, the FAN will be approved, releasing the operator of any further liability of the location and/or access road. If the location and/or access road have not achieved the objective, you will be notified as to additional work needed or additional time being needed to achieve the objective.

If there are any questions, please feel free to contact any of the following specialists:

Jim Amos Supervisory Petroleum Engineering Tech 575-234-5909, 575-361-2648 (Cell)

Arthur Arias Environmental Protection Specialist 575-234-6230

Henryetta Price Environmental Protection Specialist 575-234-5951

Shelly Tucker Environmental Protection Specialist 575-234-5979

Trishia Bad Bear, Hobbs Field Station Natural Resource Specialist 575-393-3612