Description (25) 39-3461 Energy Minerals and Natural Resources (25) 1 French (27) 1-100 Rep 1-1	Submit I Copy To Appropriate District Office	RECEIVED tate of	New Me	exico			Form (
Destret 1-579 748-128 30-015-23635 30-015-2365 30-015-2365 30-015-2365 30-015-2365 30-015-2365	<u>District 1</u> – (575) 393-6161	Energy, Minerals and Natural Resources			IVELL ADI		Revised July 1	8, 2013
## 13 First St. Ansein, NM \$8210 1220 South St. Francis Dr.		II IN -9 1- 9040						
STATE FEE State Oil & Gas Lease No.	811 S. First St., Artesia, NM 88210						se	
1200 S. 1. Francis Dr., Sauna Fe, NM 13795 COM NOT USE THIS NORM FOR PROPOSALS TO DRILL OR TO DEFEN OR PLEO BACK TO A 15 PROPOSALS. SUNDRY NOTICES AND REPORTS ON WELLS. COM NOT USE THIS NORM FOR PROPOSALS TO DRILL OR TO DEFEN OR PLEO BACK TO A 15 PROPOSALS. 1. Type of Well: Oil Well See APPLICATION FOR PERMIT (FORM C-10) FOR SUCH 15 15 2. Name of Operator 9, OGRID Number 104 South Fourth Street, Artesis, NM 88210 105 Pool name or Wildett 105 South Fourth Street, Artesis, NM 88210 10. Pool name or Wildett 104 South Fourth Street, Artesis, NM 88210 10. Pool name or Wildett 105 Section 22 Township 178 Range 25E NMPM Eddy County 11. Elevation (Show whether DR, RKR, RT, GR, etc.) 3542/GR 12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK PLUG AND ABANDON CHANSE PLANS COMMENCE ERILLINO OFNS PAND A	District III - (505) 334-6178 1000 Rio Brazos Rd., Aztec, NM 8741	1220 South	h St. Frai	ncis Dr.				
SUNDRY NOTICES AND REPORTS ON WELLS ON ONT USE THIS FORM FOR PROVOSALS 10 DRILLOR TO DEEPER OR PLUG BACK TO A DIFFERENT RESERVOR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS) 1. Type of Well: Oil Well S Gas Well Other 2. Name of Operator	1220 S. St. Francis Dr., Santa Fe, NM	Man Lan Californ	E, NM 8	/505	6. State Oi	l & Gas Leas	se No.	
DIFFERENT RESERVOR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH		ICES AND REPORTS O	N WELLS	}	7. Lease N	ame or Unit	Agreement N	ame
1. Type of Well: Oil Well	DIFFERENT RESERVOIR. USE "APPLI			·				
SOUTH Companies Companie	· —	Gas Well Other			15			
10. Pool name or Wildcat					1	Number	•	
104 South Fourth Street, Artesia, NM 88210 Eagle Creek; San Andres						me or Wilde	• • • • • • • • • • • • • • • • • • •	<u> </u>
4. Well Location Unit Letter K: 2310 feet from the South line and 2310 feet from the West line Section 22 Township 17S Range 2.5E NMPM Eddy County 11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3542/CR 12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK PLUG AND ABANDON CHANGE PLANS COMMENCE BULLING OPPS PAND A PULL OR ALTER CASING MULTIPLE COMPL CASING/CEMENT JOB PAND A OTHER: OTHER: OTHER: OTHER: 13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. EOG Y Resources, Inc. plans to plug and abandon this well as follows: 1. MIRU all safety equipment as needed. TOH with production equipment. 2. RIH with GR/JB to 1240'. 3. Set a CIBP at 1230'. 4. Load the hole with fresh water, pressure test 4-1/2" casing to 500 psi and circulate an 85 sx Class "C" cement plug from 1230' up to surface. WOC. 5. Back fill as needed. 6. Cut off wellhead, install dry hole marker and clean location. Wellbore schematics attached NOTE: A Subsequent P&A Form C-103 was inadvertently sent on November 7, 2011 on this well, the Jackson Estate BY #14 was the well actually plugged in 2011. Spud Date: RemeDial in an ended by the strue and complete to the best of my knowledge and belief. SIGNATURE A subsequent P&A Form C-103 was inadvertently sent on November 7 proposed by the strue and complete to the best of my knowledge and belief. SIGNATURE Tina Huerta E-mail address: tina huerta@eogresources.com PHONE: 575-748-4168 proposed by the proposed by t		NM 88210			l			
Section 22 Township 17S Range 25E NMPM Eddy County 11. Elevation (Show whether DR, RKB, RT, CR, etc.)						<u>. </u>		
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK □ PLUG AND ABANDON ☑ CHANGE PLANS □ CHANGE COMMENCE DRILLING OPNS □ PAND A □ CASING/CEMENT JOB □ CHANGE PLANS □ CHANGE PLANS □ CHANGE PLANS □ CHANGE CHANGE PLANS □ CHANGE PL	Unit Letter K :							line
12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:	Section 22					Eddy	County	
NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WORK ALTERING CASING TEMPORARILY ABANDON CHANGE PLANS COMMENCE DRILLING OPNS PAND A PULL OR ALTER CASING MULTIPLE COMPL CASING/CEMENT JOB PULL OR ALTER CASING MULTIPLE COMPL CASING/CEMENT JOB CLOSED-LOOP SYSTEM OTHER: OTHER: OTHER: 13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. EOG Y Resources, Inc. plans to plug and abandon this well as follows: 1. MIRU all safety equipment as needed. TOH with production equipment. 2. RIH with GR/JB to 1240. 3. Set a CIBP at 1230. 4. Load the hole with fresh water, pressure test 4-1/2" casing to 500 psi and circulate an 85 sx Class "C" cement plug from 1230' up to surface. WOC. 5. Back fill as needed. 6. Cut off wellhead, install dry hole marker and clean location. Wellbore schematics attached NOTE: A Subsequent P&A Form C-103 was inadvertently sent on November 7, 2011 on this well, the Jackson Estate BY #14 was the well actually plugged in 2011. Spud Date: Rig Release Date: Rig Release Date: Rig Release Date: TITLE Regulatory, Specialist DATE June 19, 2018 Type or print name Tina Huerta E-mail address: tina huerta@eogresources.com PHONE: 575-748-4168 For State Use Only APPROVED BY: JULE JACK JACK DATE JULE 321-18		11. Lievation (Snow Wr						
NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WORK ALTERING CASING TEMPORARILY ABANDON CHANGE PLANS COMMENCE DRILLING OPNS PAND A PULL OR ALTER CASING MULTIPLE COMPL CASING/CEMENT JOB PULL OR ALTER CASING MULTIPLE COMPL CASING/CEMENT JOB CLOSED-LOOP SYSTEM OTHER: OTHER: OTHER: 13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. EOG Y Resources, Inc. plans to plug and abandon this well as follows: 1. MIRU all safety equipment as needed. TOH with production equipment. 2. RIH with GR/JB to 1240. 3. Set a CIBP at 1230. 4. Load the hole with fresh water, pressure test 4-1/2" casing to 500 psi and circulate an 85 sx Class "C" cement plug from 1230' up to surface. WOC. 5. Back fill as needed. 6. Cut off wellhead, install dry hole marker and clean location. Wellbore schematics attached NOTE: A Subsequent P&A Form C-103 was inadvertently sent on November 7, 2011 on this well, the Jackson Estate BY #14 was the well actually plugged in 2011. Spud Date: Rig Release Date: Rig Release Date: Rig Release Date: TITLE Regulatory, Specialist DATE June 19, 2018 Type or print name Tina Huerta E-mail address: tina huerta@eogresources.com PHONE: 575-748-4168 For State Use Only APPROVED BY: JULE JACK JACK DATE JULE 321-18	12. Check A	Appropriate Box to In	dicate N	ature of Notice,	Report or C	Other Data		
PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WORK ALTERING CASING PULL OR ALTER CASING WULTIPLE COMPL COMMENCE DRILLING OPNS. PAND A CASING/CEMENT JOB COMMENCE COMMINGLE COMMINGLE COMMINGLE COMMI				1			T 05	
TEMPORARILY ABANDON CHANGE PLANS COMMENCE DRILLING OPNS. P AND A PULL OR ALTER CASING MULTIPLE COMPL CASING/CEMENT JOB CASING/CEMENT			M	1				ςП
PULL OR ALTER CASING DOWNHOLE COMPL OTHER: OTHER: OTHER	<u></u>		=	1				╏
CLOSED-LOOP SYSTEM OTHER: OTHE								
OTHER: OTHER:	DOWNHOLE COMMINGLE							
13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. EOG Y Resources, Inc. plans to plug and abandon this well as follows: 1. MIRU all safety equipment as needed. TOH with production equipment. 2. RIH with GR/JB to 1240; 3. Set a CIBP at 1230; 4. Load the hole with fresh water, pressure test 4-1/2" casing to 500 psi and circulate an 85 sx Class "C" cement plug from 1230' up to surface. WOC. 5. Back fill as needed. 6. Cut off wellhead, install dry hole marker and clean location. Wellbore schematics attached NOTE: A Subsequent P&A Form C-103 was inadvertently sent on November 7, 2011 on this well, the Jackson Estate BY #14 was the well actually plugged in 2011. Spud Date: Rig Release Date: I hereby certify that the information above is true and complete to the best of my knowledge and belief. SIGNATURE TITLE Regulatory Specialist DATE June 19, 2018 Type or print name Tina Huerta E-mail address: tina huerta@eogresources.com PHONE: 575-748-4168: For State Use Only APPROVED BY: ALL ALL ALL ALL ALL ALL ALL ALL ALL AL				07.150				_
of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. EOG Y Resources, Inc. plans to plug and abandon this well as follows: 1. MIRU all safety equipment as needed. TOH with production equipment. 2. RIH with GR/IB to 1240. 3. Set a CIBP at 1230'. 4. Load the hole with fresh water, pressure test 4-1/2" casing to 500 psi and circulate an 85 sx Class "C" cement plug from 1230' up to surface. WOC. 5. Back fill as needed. 6. Cut off wellhead, install dry hole marker and clean location. Wellbore schematics attached NOTE: A Subsequent P&A Form C-103 was inadvertently sent on November 7, 2011 on this well, the Jackson Estate BY #14 was the well actually plugged in 2011. Spud Date: Rig Release Date: Rig Release Date: TITLE Regulatory Specialist DATE June 19, 2018 Type or print name Tina Huerta E-mail address: tina_huerta@eogresources.com PHONE: 575-748-4168 For State Use Only DATE 6-21-18		leted operations (Clearly	 ∕state all r		aive nertine	nt dates incl	uding estimat	ed date
1. MIRU all safety equipment as needed. TOH with production equipment. 2. RIH with GR/JB to 1240 ¹ . 3. Set a CIBP at 1230 ¹ . 4. Load the hole with fresh water, pressure test 4-1/2" casing to 500 psi and circulate an 85 sx Class "C" cement plug from 1230 ¹ up to surface. WOC. 5. Back fill as needed. 6. Cut off wellhead, install dry hole marker and clean location. Wellbore schematics attached NOTE: A Subsequent P&A Form C-103 was inadvertently sent on November 7, 2011 on this well, the Jackson Estate BY #14 was the well actually plugged in 2011. Spud Date: Rig Release Date: TITLE Regulatory Specialist DATE June 19, 2018 Type or print name Tina Huerta E-mail address: tina huerta@eogresources.com PHONE: 575-748-4168 For State Use Only DATE 6-21-18	of starting any proposed wo	ork). SEE RULE 19.15.7.						cu uaic
2. RIH with GR/JB to 1240. 3. Set a CIBP at 1230. 4. Load the hole with fresh water, pressure test 4-1/2" casing to 500 psi and circulate an 85 sx Class "C" cement plug from 1230' up to surface. WOC. 5. Back fill as needed. 6. Cut off wellhead, install dry hole marker and clean location. Wellbore schematics attached NOTE: A Subsequent P&A Form C-103 was inadvertently sent on November 7, 2011 on this well, the Jackson Estate BY #14 was the well actually plugged in 2011. Spud Date: Rig Release Date: Rig Release Date: TITLE Regulatory Specialist DATE June 19, 2018 Type or print name Tina Huerta E-mail address: tina huerta@eogresources.com PHONE: 575-748-4168 For State Use Only APPROVED BY: Jackson Estate BY #14	EOG Y Resources, Inc. plans to plug	g and abandon this well as	follows:					
3. Set a CIBP at 1230'. 4. Load the hole with fresh water, pressure test 4-1/2" casing to 500 psi and circulate an 85 sx Class "C" cement plug from 1230' up to surface. WOC. 5. Back fill as needed. 6. Cut off wellhead, install dry hole marker and clean location. Wellbore schematics attached NOTE: A Subsequent P&A Form C-103 was inadvertently sent on November 7, 2011 on this well, the Jackson Estate BY #14 was the well actually plugged in 2011. Spud Date: Rig Release Date: Title Regulatory Specialist DATE June 19, 2018 Type or print name Tina Huerta E-mail address: tina huerta@eogresources.com PHONE: 575-748-4168 For State Use Only APPROVED BY: June 19, 2018	• • •	eded. TOH with product	ion equipr	nent.				
surface. WOC. 5. Back fill as needed. 6. Cut off wellhead, install dry hole marker and clean location. Wellbore schematics attached NOTE: A Subsequent P&A Form C-103 was inadvertently sent on November 7, 2011 on this well, the Jackson Estate BY #14 was the well actually plugged in 2011. Spud Date: Rig Release Date: I hereby certify that the information above is true and complete to the best of my knowledge and belief. SIGNATURE Tina Huerta E-mail address: tina huerta@eogresources.com PHONE: 575-748-4168 For State Use Only APPROVED BY: ATTILE STATE DATE DATE 6-21-18	3. Set a CIBP at 1230'.							
5. Back fill as needed. 6. Cut off wellhead, install dry hole marker and clean location. Wellbore schematics attached NOTE: A Subsequent P&A Form C-103 was inadvertently sent on November 7, 2011 on this well, the Jackson Estate BY #14 was the well actually plugged in 2011. Spud Date: Rig Release Date: I hereby certify that the information above is true and complete to the best of my knowledge and belief. SIGNATURE TITLE Regulatory Specialist DATE June 19, 2018 Type or print name Tina Huerta E-mail address: tina_huerta@eogresources.com PHONE: 575-748-4168 For State Use Only APPROVED BY: TITLE FAT DATE DATE DATE DATE DATE DATE	4. Load the hole with fresh water, p	pressure test 4-1/2" casing	to 500 ps	i and circulate an 85	sx Class "C"	cement plug	g from 1230'	up to
6. Cut off wellhead, install dry hole marker and clean location. Wellbore schematics attached NOTE: A Subsequent P&A Form C-103 was inadvertently sent on November 7, 2011 on this well, the Jackson Estate BY #14 was the well actually plugged in 2011. Spud Date: Rig Release Date: I hereby certify that the information above is true and complete to the best of my knowledge and belief. SIGNATURE TITLE Regulatory Specialist DATE June 19, 2018 Type or print name Fina Huerta E-mail address: tina huerta@eogresources.com PHONE: 575-748-4168 For State Use Only APPROVED BY: JUNE 11 JUNE 11 JUNE 12 JUNE 19, 2018	surface. WOC.							
Wellbore schematics attached NOTE: A Subsequent P&A Form C-103 was inadvertently sent on November 7, 2011 on this well, the Jackson Estate BY #14 was the well actually plugged in 2011. Spud Date: Rig Release Date: I hereby certify that the information above is true and complete to the best of my knowledge and belief. SIGNATURE TITLE Regulatory Specialist DATE June 19, 2018 Type or print name Tina Huerta E-mail address: tina huerta@eogresources.com PHONE: 575-748-4168 For State Use Only APPROVED BY: JUNE 19, 2017		marker and clean location	า					
NOTE: A Subsequent P&A Form C-103 was inadvertently sent on November 7, 2011 on this well, the Jackson Estate BY #14 was the well actually plugged in 2011. Spud Date: Rig Release Date: I hereby certify that the information above is true and complete to the best of my knowledge and belief. SIGNATURE TITLE Regulatory Specialist DATE June 19, 2018 Type or print name Tina Huerta E-mail address: tina huerta@eogresources.com PHONE: 575-748-4168 For State Use Only APPROVED BY: DATE 6-21-18		marker and elean location	1.					
Spud Date: Rig Release Date: I hereby certify that the information above is true and complete to the best of my knowledge and belief. SIGNATURE TITLE Regulatory Specialist DATE June 19, 2018 Type or print name Tina Huerta E-mail address: tina huerta@eogresources.com PHONE: 575-748-4168 For State Use Only APPROVED BY: DATE 6-21-18	n one of a sonomation attached							
I hereby certify that the information above is true and complete to the best of my knowledge and belief. SIGNATURE TITLE Regulatory Specialist DATE June 19, 2018 Type or print name Tina Huerta E-mail address: tina huerta@eogresources.com PHONE: 575-748-4168 For State Use Only APPROVED BY: DATE 6-21-18	-		tly sent o	n November 7, 20.	ll on this w	ell, the Jack	kson Estate I	3 <i>Y</i> #14
I hereby certify that the information above is true and complete to the best of my knowledge and belief. SIGNATURE TITLE Regulatory Specialist DATE June 19, 2018 Type or print name Tina Huerta E-mail address: tina huerta@eogresources.com PHONE: 575-748-4168 For State Use Only APPROVED BY: DATE 6-21-18								
I hereby certify that the information above is true and complete to the best of my knowledge and belief. SIGNATURE TITLE Regulatory Specialist DATE June 19, 2018 Type or print name Tina Huerta E-mail address: tina huerta@eogresources.com PHONE: 575-748-4168 For State Use Only APPROVED BY: DATE 6-21-18								
TITLE Regulatory Specialist DATE June 19, 2018 Type or print name Tina Huerta E-mail address: tina huerta@eogresources.com PHONE: 575-748-4168 For State Use Only APPROVED BY: DATE 6-21-18	Spud Date:	Rig R	Release Da	te:		-		
TITLE Regulatory Specialist DATE June 19, 2018 Type or print name Tina Huerta E-mail address: tina huerta@eogresources.com PHONE: 575-748-4168 For State Use Only APPROVED BY: DATE 6-21-18					· · · · ·			
TITLE Regulatory Specialist DATE June 19, 2018 Type or print name Tina Huerta E-mail address: tina huerta@eogresources.com PHONE: 575-748-4168 For State Use Only APPROVED BY: DATE 6-21-18	T1 1 (10 1) (10 1)	1 8 . 1 1.			·,			
Type or print name Tina Huerta E-mail address: tina huerta@eogresources.com PHONE: 575-748-4168 For State Use Only APPROVED BY: DATE 6-21-18	i hereby certify that the information	above is true and complet	e to the be	est of my knowledge	and belief.			
APPROVED BY: DATE 6-21-18	SIGNATURE (June) He	TITL TITL	LE <u>R</u>	egulatory Specialist	DATE _	June 19, 2	2018	
APPROVED BY: DATE 6-21-18	Type or print name Tina Hue For State Use Only	rta E-mail address	s: <u>tina l</u>	nuerta@eogresource	s.com PF	IONE: <u>5</u> ′	75-748-41 6 8	<u>.</u>
Conditions of Approval (if any):	APPROVED BY: Conditions of Approval (if any):	TITLE,	Stat	F Mg	DATE_	6-21-	18	

 Well Name:
 Jackson Estate BY #15
 Field: Eagle Creek


 Location:
 2310' FSL & 2310' FWL Sec 22-17S-25E

 GR:
 3,542'
 Zero:
 KB:

 Spud Date:
 2/14/1981
 Completion Date: 3/14/1981

 Comments:
 API #30015236350000

Casing Program					
Size/Wt/Grade/Conn	Depth Set				
10-3/4" 40.5# K-55	343'				
7" 20# K-55	1168'				
4-1/2" 9.5# J-55	1494'				



DATE: 6/08/2011

 Well Name:
 Jackson Estate BY #15
 Field: Eagle Creek


 Location:
 2310' FSL & 2310' FWL Sec 22-17S-25E

 GL:
 3,542'
 Zero:
 KB:

 Spud Date:
 2/14/1981
 Completion Date: 3/14/1981

 Comments:
 API #30015236350000

Casing Program					
Size/Wt/Grade/Conn	Depth Set				
10-3/4" 40.5# K-55	343'				
7" 20# K-55	1168'				
4-1/2" 9.5# J-55	1494'				



DATE: 6/08/2011