Form 3160-5							
(June 2015)	UNITED STATES DEPARTMENT OF THE INTERIO BUREAU OF LAND MANAGEMENT			RECEIVED OCD Artesia		FORM APPROVED OMB NO. 1004-0137 Expires: January 31, 2018	
S		UREAU OF LAND MANAGEMENT NOTICES AND REPORTS ON WELLS			5. Lease Serial No. NMNM13997		
Do n abanc	ot use this doned wel	s form for proposals to I. Use form 3160-3 (AP	drill or to re D) for such p	enter an proposals.	ARTESIA	OS. If Indian, Allottee c	or Tribe Name
SL	JBMIT IN T	RIPLICATE - Other ins	tructions on	page 2		7. If Unit or CA/Agre	ement, Name and/or No.
SUNDRY NOTICES AND REPORTS ON WI Do not use this form for proposals to drill or to re abandoned well. Use form 3160-3 (APD) for such p SUBMIT IN TRIPLICATE - Other instructions on 1. Type of Well Oil Well Gas Well Other 2. Name of Operator RKI EXPLORATION & PROD LLC				HAIR .com		9. API Well No. 30-015-25021-00-S1	
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)						11. County or Parish,	State
Sec 26 T26S R29E				EDDY COUNTY, NM			
12. CHEC	K THE AP	PROPRIATE BOX(ES)	TO INDICA	TE NATURE O	F NOTIC	E, REPORT, OR OTI	HER DATA
TYPE OF SUBMIS	SION	TYPE OF ACTION					
		Acidize	🗖 Dee	pen	🗖 Produ	ction (Start/Resume)	U Water Shut-Off
Notice of Intent		Alter Casing	Hydraulic Fracturing		🗖 Recla	mation	Well Integrity
Subsequent Report		Casing Repair	🗖 Nev	w Construction	🗖 Reco	mplete	Other
Final Abandonment Notice	t Notice	🗖 Change Plans	🔀 Pluş	🛛 Plug and Abandon		Temporarily Abandon	
		Convert to Injection	🗖 Pluş	Plug Back] Water Disposal	
following completion of		k will be performed or provide			. Required		
determined that the site i 5-10-18 Contact BL 5-14-18 Set CIBP (Mud. Spot 25 sacks () 2954'. Attempt to Approved to spot () 5-15-18 Tag Plug () Squeeze 40 sacks () plug () 588'. Bobby Class C 475'-325'.	ted. Final Ab is ready for fi M. MIRU V 4858'. Co Class C 4 5 Class C 4 5 Class C 4 5 Class C 74 7 Class C 74 6 Class C 74 7 W/ BLM a WOC. 5 300'. Bob	andonment Notices must be fil nal inspection. VSU. bntact BLM. Tag_CIBP, L 858'-4493'. Perforate rate. No rate pressured to of 25 sacks Class C 300 bby W/ BLM approved to 5'-645'. WOC. Tag pproved tag. Perforate (bby BLM approved tag. P	led only after all oad & Test C up to 1500 PS 4-2632 WO ne fag. P<u>erfor</u> 2 475' . Estab	requirements, includ asing 500 PSI. C I. Discuss with B C. <u>ate @ 74</u> 5'. Esta lish circulation. S	ing reclama ing reclama iobby BLN blish circu	alt Gel A. RECLAMATI Alation AT <u>10 sacks</u> <u>ss C to</u>	and the operator has
determined that the site i 5-10-18 Contact BL 5-14-18 Set CIBP (Mud. Spot 25 sacks @ 2954'. Attempt to Approved to spot @ 5-15-18 Tag Plug (Squeeze 40 sacks (plug @ 588'. Bobby Class C 475'-325'. 5-16-18 Tag Plug (ted. Final Ab is ready for fi M. MIRU V 4858'. Co Class C 4 5 Class C 4 5 Class C 4 5 Class C 74 7 Class C 74 6 Class C 74 7 W/ BLM a WOC. 5 300'. Bob	andonment Notices must be final inspection. VSU. Intact BLM. Tag.CIBP, L 858'-4493'. Perforate rate. No rate pressured to of 25 sacks Class C 300 bby W/ BLM approved to 5'-645'. WOC. Tag pproved tag. Perforate (by BLM approved tag. P ull.	led only after all oad & Test C: up to 1500 PS <u>4'-2632' WO(he tag. Perfor</u> <u>9 47</u> 5' . Estab <u>'erforate @ 15</u>	requirements, includ asing 500 PSI. C I. Discuss with B C. <u>ate @ 74</u> 5'. Esta lish circulation. S	ing reclama ing reclama iobby BLN blish circu Squeeze 6 sacks Cla	tion, have been completed alt Gel A. RECLAMATI AT Ilation . <u>50 sacks</u> <u>ss C to</u> REC	and the operator has
determined that the site i 5-10-18 Contact BL 5-14-18 Set CIBP (Mud. Spot 25 sacks (@ 2954'. Attempt to Approved to spot (@ 5-15-18 Tag Plug (@ Squeeze 40 sacks (plug (@ 588'. Bobby Class C 475'-325'. 5-16-18 Tag Plug (@	ted. Final Ab is ready for fi M. MIRU V 4858'. Co Class C 4 2 establish 2 3004'. Sp 2 2610'. Bo 2 2610'. Bob 2 2610'. Bob 2 2007. Bob 2'' Casing fi coregoing is	andonment Notices must be fil nal inspection. VSU. Dontact BLM. Tag_CIBP_L 858'-4493'. Perforate rate. No rate pressured to ot 25 sacks Class C 300 bby W/ BLM approved tf 5'-645'. WOC. Tag pproved tag. Perforate (c) by BLM approved tag. P ull. A true and correct. Electronic Submission # For RKI EXPLO	led only after all oad & Test C. up to 1500 PS <u>4-2632': WOO</u> ne tag. P <u>erfor</u> <u>9 475'</u> . Estab <u>9 475'</u> . Estab <u>erforate @ 15</u> <u>Cepted for</u>	requirements, includ asing 500 PSI. C il. Discuss with B C. <u>ate @ 74</u> 5'. Estal lish circulation. S o'. Circulate 80 s record - NMOC	ing reclama ing reclama irculate S bobby BLN blish circu Squeeze 6 sacks Cla Sacks Cla	tion, have been completed alt Gel A. RECLAMATI AT Ilation . B sacks <u>ss C</u> to REC D U E.	and the operator has ION PROCEDURE TACHED LAMATION
determined that the site i 5-10-18 Contact BL 5-14-18 Set CIBP (Mud. Spot 25 sacks (@ 2954'. Attempt to Approved to spot (@ 5-15-18 Tag Plug (@ Squeeze 40 sacks (plug (@ 588''. Bobby Class C 475'-325'. 5-16-18 Tag Plug (@ surface. Leave 4-1/2) 14. I hereby certify that the	ted. Final Ab is ready for fi M. MIRU V 4858'. Co Class C 4 2 establish 2 3004'. Sp 2 2610'. Bo 2 2610'. Bob 2 2610'. Bob 2 2007. Bob 2'' Casing fi coregoing is	andonment Notices must be fil nal inspection. VSU. Intact BLM. Tag. CIBP, L 858'-4493'. Perforate rate. No rate pressured to of 25 sacks Class C 300 bby W/ BLM approved th 5'-645'. WOC. Tag pproved tag. Perforate (c) by BLM approved tag. P ull. true and correct. Electronic Submission # For RKI EXPLO itted to AFMSS for proces	led only after all oad & Test C. up to 1500 PS <u>4-2632': WOO</u> ne tag. P <u>erfor</u> <u>9 475'</u> . Estab <u>9 475'</u> . Estab <u>erforate @ 15</u> <u>Cepted for</u>	requirements, includ asing 500 PSI. C il. Discuss with B C. <u>ate @ 74</u> 5'. Estal lish circulation. S o'. Circulate 80 s record - NMOC	ing reclama ing reclama inculate S lobby BLN blish circu Squeeze 6 sacks Cla sacks Cla CD	tion, have been completed alt Gel A. RECLAMATI AT Ilation . B sacks <u>ss C</u> to REC D U E.	and the operator has ION PROCEDURE TACHED LAMATION
determined that the site is 5-10-18 Contact BL 5-14-18 Set CIBP (Mud. Spot 25 sacks (@ 2954'. Attempt to Approved to spot (@ 5-15-18 Tag Plug (@ Squeeze 40 sacks (plug (@ 588''. Bobby Class C 475'-325'. M 5-16-18 Tag Plug (@ surface. Leave 4-1/2) 14. I hereby certify that the Name (Printed/Typed)	ted. Final Ab is ready for fi M. MIRU V 4858'. Cc Class C 4 establish 3004'. Sp 2610'. Bob Class C 74 W/ BLM a WOC. 3000. Bob 2" Casing fi comm CAITLIN C	andonment Notices must be final inspection. VSU. Dontact BLM. Tag_CIBP_L 858'-4493'. Perforate rate. No rate pressured to of 25 sacks Class C 300 bby W/ BLM approved to 5'-645'. WOC. Tag pproved tag. Perforate (c) by BLM approved tag. P ull. by BLM approved tag. P ull. true and correct. Electronic Submission # For RKI EXPLO itted to AFMSS for proces D'HAIR	led only after all oad & Test C. up to 1500 PS <u>4-2632': WOO</u> ne tag. P <u>erfor</u> <u>9 475'</u> . Estab <u>9 475'</u> . Estab <u>erforate @ 15</u> <u>Cepted for</u>	requirements, includ asing 500 PSI. C il. Discuss with B C. <u>ate @ 74</u> 5'. Estal lish circulation. S o'. Circulate 80 s record - NMOC d by the BLM Well D LLC, sent to t RAH MCKINNEY Title SUBMIT	ing reclama ing reclama inculate S lobby BLN blish circu Squeeze 6 sacks Cla sacks Cla CD	tion, have been completed alt Gel A. RECLAMATI AT Ilation . B sacks <u>ss C</u> to REC D U E.	and the operator has ION PROCEDURE TACHED LAMATION
determined that the site is 5-10-18 Contact BL 5-14-18 Set CIBP (Mud. Spot 25 sacks (@ 2954'. Attempt to Approved to spot (@ 5-15-18 Tag Plug (@ Squeeze 40 sacks (plug (@ 588'. Bobby Class C 475'-325'. M 5-16-18 Tag Plug (@ surface. Leave 4-1// 14. I hereby certify that the Name (Printed/Typed)	ted. Final Ab is ready for fi M. MIRU V 4858'. Co Class C 4 establish 23004'. Sp 2610'. Bo Class C 74 WOC. 3300. Bob 2" Casing f	andonment Notices must be final inspection. VSU. Dontact BLM. Tag CIBP, L 858'-4493'. Perforate rate. No rate pressured u of 25 sacks Class C 300 bby W/ BLM approved to 5'-645'. WOC. Tag pproved tag. Perforate (by BLM approved tag. P ull. true and correct. Electronic Submission # For RKI EXPLO itted to AFMSS for proces D'HAIR	led only after all oad & Test C up to 1500 PS <u>4-2632: WOO</u> ne fag. Perfor <u>9 475'</u> . Estab <u>erforate @ 15</u> <u>erforate @ 15</u> <u>Accepted for</u> <u>425066 verifie</u> <u>RATION & PR ssing by DEBC</u>	requirements, includ asing 500 PSI. C il. Discuss with B <u>ate @ 74</u> 5'. Estal lish circulation. S o'. Circulate 80 s record - NMOC d by the BLM Well D LLC, sent to t RAH MCKINNEY Title SUBMIT Date 06/21/20	ing reclama ing reclama irculate S bobby BLN blish circu <u>Squeeze 6</u> sacks Cla sacks Cla cD	tion, have been completed alt Gel A. RECLAMATI AT alation . a0 sacks <u>ss C to</u> IN C IN U E ion System ad 2018 (18PP1232SE)	and the operator has ION PROCEDURE TACHED
determined that the site is 5-10-18 Contact BL 5-14-18 Set CIBP (Mud. Spot 25 sacks (@ 2954'. Attempt to Approved to spot (@ 5-15-18 Tag Plug (@ Squeeze 40 sacks (plug (@ 588''. Bobby Class C 475'-325'. M 5-16-18 Tag Plug (@ surface. Leave 4-1/2) 14. I hereby certify that the Name (Printed/Typed)	ted. Final Ab is ready for fi M. MIRU V 4858'. Cc Class C 4 establish 3004'. Sp 2610'. Bob Class C 74 W/ BLM a WOC. 3000. Bob 2" Casing fi comm CAITLIN C	andonment Notices must be final inspection. VSU. Dontact BLM. Tag_CIBP_L 858'-4493'. Perforate rate. No rate pressured to of 25 sacks Class C 300 bby W/ BLM approved to 5'-645'. WOC. Tag pproved tag. Perforate (c) by BLM approved tag. P ull. by BLM approved tag. P ull. true and correct. Electronic Submission # For RKI EXPLO itted to AFMSS for proces D'HAIR	led only after all oad & Test C up to 1500 PS <u>4-2632: WOO</u> ne fag. Perfor <u>9 475'</u> . Estab <u>erforate @ 15</u> <u>erforate @ 15</u> <u>Accepted for</u> <u>425066 verifie</u> <u>RATION & PR ssing by DEBC</u>	requirements, includ asing 500 PSI. C il. Discuss with B <u>ate @ 74</u> 5'. Estal lish circulation. S o'. Circulate 80 s record - NMOC d by the BLM Well D LLC, sent to t RAH MCKINNEY Title SUBMIT Date 06/21/20	ing reclama ing reclama irculate S bobby BLN blish circu <u>Squeeze 6</u> sacks Cla sacks Cla cD	tion, have been completed alt Gel A. RECLAMATI AT alation . a0 sacks <u>ss C to</u> IN C IN U E ion System ad 2018 (18PP1232SE)	and the operator has ION PROCEDURE TACHED LAMATION
determined that the site i 5-10-18 Contact BL 5-14-18 Set CIBP (Mud. Spot 25 sacks @ 2954'. Attempt to Approved to spot (5-15-18 Tag Plug (Squeeze 40 sacks (plug @ 588'. Bobby Class C 475-325'. 5-16-18 Tag Plug (surface. Leave 4-1// 14. I hereby certify that the Name (Printed/Typed) Signature	ted. Final Ab is ready for fi M. MIRU V 4858'. Cc Class C 4 establish 3004'. Sp 2610'. Bob Class C 74 W/ BLM a WOC. 3000. Bob 2" Casing fi comm CAITLIN C	andonment Notices must be final inspection. VSU. Dontact BLM. Tag CIBP, L 858'-4493'. Perforate rate. No rate pressured u of 25 sacks Class C 300 bby W/ BLM approved to 5'-645'. WOC. Tag pproved tag. Perforate (by BLM approved tag. P ull. true and correct. Electronic Submission # For RKI EXPLO itted to AFMSS for proces D'HAIR	led only after all oad & Test C up to 1500 PS <u>4-2632: WOO</u> ne fag. Perfor <u>9 475'</u> . Estab <u>erforate @ 15</u> <u>erforate @ 15</u> <u>Accepted for</u> <u>425066 verifie</u> <u>RATION & PR ssing by DEBC</u>	requirements, includ asing 500 PSI. C il. Discuss with B <u>ate @ 74</u> 5'. Estal lish circulation. S o'. Circulate 80 s record - NMOC d by the BLM Well D LLC, sent to t RAH MCKINNEY Title SUBMIT Date 06/21/20	ing reclama ing reclama irculate S bobby BLN blish circu <u>Squeeze 6</u> sacks Cla sacks Cla cD	tion, have been completed alt Gel A. RECLAMATI AT AT AT AT AT AT AT AT AT AT AT AT AT	and the operator has ION PROCEDURE TACHED
determined that the site i 5-10-18 Contact BL 5-14-18 Set CIBP (Mud. Spot 25 sacks @ 2954'. Attempt to Approved to spot (5-15-18 Tag Plug (Squeeze 40 sacks (plug @ 588'. Bobby Class C 475-325'. Sobby 5-16-18 Tag Plug (surface. Leave 4-1// 14. I hereby certify that the Name (Printed/Typed) Signature 	ted. Final Ab is ready for fi M. MIRU V 2 4858'. Co Class C 4 2 establish 2 2610'. Bob 2 2 2610'. Bob 2 2 2610'. Bob 2 2 2610'. Bob 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	andonment Notices must be final inspection. VSU. bontact BLM. Tag_CIBP_L 858'-4493'. Perforate rate. No rate pressured u of 25 sacks Class C 300 bby W/ BLM approved ft 5'-645'. WOC. Tag pproved tag. Perforate (c) by BLM approved tag. P ull. true and correct. Electronic Submission # For RKI EXPLO itted to AFMSS for proces D'HAIR ubmission) THIS SPACE F(C) 4. Approval of this notice does itable title to those rights in the	led only after all oad & Test C. up to 1500 PS 4-2632 WOO he tag. Perfor 0 475' . Estab erforate @ 15 Accepted for 425066 verifie RATION & PR ssing by DEBC DR FEDERA	requirements, includ asing 500 PSI. C il. Discuss with B C. ate @ 745'. Estal lish circulation. S o'. Circulate 80 s record - NMOC d by the BLM Well D LLC, SUBMIT Date 06/21/20 L OR STATE O Title	ing reclama ing reclama irculate S bobby BLM blish circu Squeeze 6 sacks Cla cD I Informat he Carlsb on 06/22/2 ITER 018 OF AICE	tion, have been completed alt Gel A. RECLAMATI AT alation . AT ad sacks ss C to EEC D U F ion System ad 2018 (18PP1232SE) UN 2 9 2018 LUN 2 9 2018	and the operator has ION PROCEDURE TACHED LAMATION 11 - 1 & -18 ECORD Date



United States Department of the Interior

BUREAU OF LAND MANAGEMENT Carlsbad Field Office 620 E. Greene St. Carlsbad, New Mexico 88220-6292 www.blm.gov/nm



In Reply Refer To: 1310

Reclamation Objectives and Procedures

Reclamation Objective: Oil and gas development is one of many uses of the public lands and resources. While development may have a short- or long-term effect on the land, successful reclamation can ensure the effect is not permanent. During the life of the development, all disturbed areas not needed for active support of production operations should undergo "interim" reclamation in order to minimize the environmental impacts of development on other resources and uses. At final abandonment, well locations, production facilities, and access roads must undergo "final" reclamation so that the character and productivity of the land and water are restored.

The long-term objective of final reclamation is to set the course for eventual ecosystem restoration, including the restoration of the natural vegetation community, hydrology, and wildlife habitats. In most cases this means returning the land to a condition approximating or equal to that which existed prior to the disturbance. The final goal of reclamation is to restore the character of the land and water to its predisturbance condition. The operator is generally not responsible for achieving full ecological restoration of the site. Instead, the operator must achieve the short-term stability, visual, hydrological, and productivity objectives of the surface management agency and take steps necessary to ensure that long-term objectives will be reached through natural processes.

To achieve these objectives, remove any and all contaminants, scrap/trash, equipment, pipelines and powerlines. Strip and remove caliche, contour the location to blend with the surrounding landscape, redistribute the native soils, provide erosion control as needed, rip and seed as specified in the original APD COA. This will apply to well pads, facilities, and access roads. Barricade access road at the starting point. If reserve pits have not reclaimed due to salts or other contaminants, submit a plan for approval, as to how you propose to provide adequate restoration of the pit area.

- The Application for Permit to Drill or Reenter (APD, Form 3160-3), Surface Use Plan of Operations must include adequate measures for stabilization and reclamation of disturbed lands. Oil and Gas operators must plan for reclamation, both interim and final, up front in the APD process as per Onshore Oil and Gas Order No. 1.
- 2. For wells and/or access roads not having an approved plan, or an inadequate plan for surface reclamation (either interim or final reclamation), the operator must submit a proposal describing the procedures for reclamation. For interim reclamation, the appropriate time for submittal would be when filing the Well Completion or Recompletion Report and Log (Form 3160-4). For final reclamation, the appropriate time for submittal would be when filing the Notice of Intent, or the Subsequent Report of Abandonment, Sundry Notices and Reports on Wells (Form 3160-5). Interim reclamation is to be completed within 6 months of well completion, and final reclamation is to be completed within 6 months.
- 3. The operator must file a Subsequent Report Plug and Abandonment (Form 3160-5) following the plugging of a well.
- 4. Previous instruction had you waiting for a BLM specialist to inspect the location and provide you with reclamation requirements. If you have an approved Surface Use Plan of Operation and/or an approved Sundry Notice, you are free to proceed with reclamation as per approved APD. If you have issues or concerns, contact a BLM specialist to assist you. It would be in your interest to have a BLM specialist look at the location and access road prior to the removal of reclamation

equipment to ensure that it meets BLM objectives. Upon conclusion submit a Form 3160-5, Subsequent Report of Reclamation. This will prompt a specialist to inspect the location to verify work was completed as per approved plans.

- 5. The approved Subsequent Report of Reclamation will be your notice that the native soils, contour and seedbed have been reestablished. If the BLM objectives have not been met the operator will be notified and corrective actions may be required.
- 6. It is the responsibility of the operator to monitor these locations and/or access roads until such time as the operator feels that the BLM objective has been met. If after two growing seasons the location and/or access roads are not showing the potential for successful revegetation, additional actions may be needed. When you feel the BLM objectives have been met submit a Final Abandonment Notice (FAN), Form 3160-5, stating that all reclamation requirements have been achieved and the location and/or access road is ready for a final abandonment inspection.
- 7. At this time the BLM specialist will inspect the location and/or access road. If the native soils and contour have been restored, and the revegetation is successful, the FAN will be approved, releasing the operator of any further liability of the location and/or access road. If the location and/or access road have not achieved the objective, you will be notified as to additional work needed or additional time being needed to achieve the objective.

If there are any questions, please feel free to contact any of the following specialists:

Jim Amos Supervisory Petroleum Engineering Tech 575-234-5909, 575-361-2648 (Cell)

Arthur Arias •Environmental Protection Specialist 575-234-6230

Henryetta Price Environmental Protection Specialist 575-234-5951

Shelly Tucker Environmental Protection Specialist 575-234-5979

Trishia Bad Bear, Hobbs Field Station Natural Resource Specialist 575-393-3612