Form 3160-5 (June 2015)

UNITED STATES

FORM APPROVED OMB NO. 1004-0137 Expires: January 31, 2018

DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
SUNDRY NOTICES AND REPORTS ON WELLS
Do not use form for proposal to drill or to re-enter the proposal state of the proposal

abandoned we	II. Use form 3160-3 (AP	D) for such p	roposais~ *	TAILES	la		
SUBMIT IN	page 2		7. If Unit or CA/Agreement, Name and/or No.				
1. Type of Well Gas Well Oth	·		8. Well Name and No. SIZZLER FEDERAL 2H				
Name of Operator XTO ENERGY INCORPORA	WELL DENERGY.COM		9. API Well No. 30-015-44280-00-S1				
3a. Address 6401 HOLIDAY HILL ROAD BLDG 5 MIDLAND, TX 79707			(include area code) 1-8205		10. Field and Pool or Exploratory Area PURPLE SAGE-WOLFCAMP (GAS)		
4. Location of Well (Footage, Sec., 7			11. County or Parish, State				
Sec 6 T25S R29E SWSE 180 32.152477 N Lat, 104.020538			EDDY COUNTY, NM				
12. CHECK THE A	PPROPRIATE BOX(ES)	TO INDICA	ΓE NATURE O	F NOTICE,	REPORT, OR OTH	ER D	ATA
TYPE OF SUBMISSION	TYPE OF ACTION						
➡ Nation of Interes	☐ Acidize	☐ Dee _l	☐ Deepen ☐		☐ Production (Start/Resume)		ater Shut-Off
☐ Notice of Intent	☐ Alter Casing	☐ Hyd	raulic Fracturing	☐ Reclamation		o w	ell Integrity
Subsequent Report	Casing Repair	□ New	Construction	□ Recomp	plete		Other
☐ Final Abandonment Notice	Change Plans	Plug	and Abandon	☐ Tempora	emporarily Abandon		l Spud
	☐ Convert to Injection	Plug	Back	□ Water Disposal			
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involvet testing has been completed. Final A determined that the site is ready for the XTO respectfully submits this	rk will be performed or provide d operations. If the operation re bandonment Notices must be fil final inspection.	the Bond No. on sults in a multiple led only after all i	ifile with BLM/BIA e completion or reco requirements, includ	Required sub impletion in a n ing reclamation	sequent reports must be new interval, a Form 3160	filed wi)-4 mus	thin 30 days
well. SPUD DATE: 5/29/2018 GC 7-12-18 Accepted for record - NMOCD							
5/29/18 TO 5/31/18 Drilled 17-1/2? hole. TD @ 5 Tail cmt: 815 sx Class C (190	40?. Ran 13-3/8, 54.5#, . 3 bbls). Bump plug. Circ	J55 surface cs	g to 495?. Cmt:		ss C JUL	1-1	2018
6/1/18 Test BOP?s 250 low, 5000 high. Test choke manifold 250 low, 5000 high. Test annular 250 low, 3000 high (good). Test csg to 1000 psi for 30 min (good). Drill 12-1/4? hole.							
14. I hereby certify that the foregoing is	Electronic Submission #	GY INCORPO	RATED, sent to the	ne Carlsbad			
Name (Printed/Typed) CHERYL	Title REGULATORY COORDINATOR						
					·····		
Signature (Electronic Submission) Date 06/27/2018							
	THIS SPACE FO	OR FEDERA	L OR STATE	OFFICE U	SE		
Approved By ACCEPTED				ATHON SHEPARD ROLEUM ENGINEER			Date 07/03/2018
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.			Office Carlsbad				
Title 18 U.S.C. Section 1001 and Title 43 States any false, fictitious or fraudulent				willfully to ma	ke to any department or	agency	of the United

Additional data for EC transaction #425482 that would not fit on the form

32. Additional remarks, continued

6/9/18
TD 12/1/4? hole @ 9170?. Ran 9-5/8, 40#, J55 csg set @ 9162?. Lead cmt: 4163 sx Class POZ C (1151 bbls). Tail cmt: 402 sx Class C (95 bbls), no returns. Attempt to bump plug, unsuccessful. Pump 422 sx (100 bbls) Class C tail cmt, Circ 190 sx to surface. WOC

Pressure test csg to 1500 psi (good). Perform FIT to 1145 psi (good). Drill 8-3/4? hole.

6/18/18 TO 6/21/18
Drill 8-3/4? hole to 10373, drill 8-1/2 hole to TD @ 17120?. Ran 5-1/2? 17#, CYP-110 production csg @ 17120?. Lead cmt: 805 sx Class H (359 bbls). Tail cmt 1592 sx Class H (436 bbls). Bump plug. No returns. ETOC 1500?.

Rig Release, 12:00 PM 6/21/18.

Revisions to Operator-Submitted EC Data for Sundry Notice #425482

Operator Submitted

BLM Revised (AFMSS)

Sundry Type:

SPUD

ŠR

NMNM111533

SPUD ŠR

NMNM111533

Agreement:

Operator:

Lease:

XTO ENERGY INC.

6401 HOLIDAY HILL RD, BLDG 5 MIDLAND, TX 79707

Ph: 432-571-8205

XTO ENERGY INCORPORATED

6401 HOLIDAY HILL ROAD BLDG 5 MIDLAND, TX 79707 Ph: 432.683 2277

Admin Contact:

CHERYL ROWELL REGULATORY COORDINATOR E-Mail: CHERYL ROWELL@XTOENERGY.COM Cell: 713-542-0648

Ph: 432-571-8205

CHERYL ROWELL REGULATORY COORDINATOR E-Mail: CHERYL_ROWELL@XTOENERGY.COM Cell: 713-542-0648

Ph: 432-571-8205

Tech Contact:

CHERYL ROWELL
REGULATORY COORDINATOR
E-Mail: CHERYL_ROWELL@XTOENERGY.COM
Cell: 713-542-0648

Ph: 432-571-8205

CHERYL ROWELL
REGULATORY COORDINATOR
E-Mail: CHERYL_ROWELL@XTOENERGY.COM
Cell: 713-542-0678 Ph: 432-571-8205

Location:

State: County: NM EDDY

Field/Pool:

PURPLE SAGE-WOLFCAMP

NM EDDY

PURPLE SAGE-WOLFCAMP (GAS)

Well/Facility:

SIZZLER FEDERAL 2H Sec 6 T25S R29E Mer NMP SWSE 180FSL 1650FEL 32.152477 N Lat, 104.020538 W Lon

SIZZLER FEDERAL 2H Sec 6 T25S R29E SWSE 180FSL 1650FEL 32.152477 N Lat, 104.020538 W Lon