	UNITED STATES	NTERIOR	OMB N Expires: J	I APPROVED NO. 1004-0137 January 31, 2018	
SUNDRY	UREAU OF LAND MANA	RTS ARESbad Fi	ield Officereserial No.		
Do not use thi abandoned we	is form for proposals to II. Use form 3160-3 (API	drill or to re-enter and A D) for such proposals A	rtesia 6. If Indian, Allottee	or Tribe Name	
SUBMIT IN TRIPLICATE - Other instructions on page 2         1. Type of Well       Gas Well       Other         2. Name of Operator       Contact:       LINDA GOOD         DEVON ENERGY PRODUCTION CONTRACT:       Linda.good@dvn.com			7. If Unit or CA/Agr	<ul> <li>7. If Unit or CA/Agreement, Name and/or No.</li> <li>8. Well Name and No. TOMB RAIDER 1-12 FED 334H</li> <li>9. APJ Well No. 30-015-44940-00-X1</li> </ul>	
3a. Address 6488 SEVEN RIVERS HIGHWAY ARTESIA, NM 88211		3b. Phone No. (include area code) Ph: 405-552-6558 Fx: 405-552-6558	10. Field and Pool or LIVINGSTON I		
4. Location of Well (Footage, Sec., 7	., R., M., or Survey Description		11. County or Parish, State		
Sec 1 T23S R31E NENE 360FNL 1070FEL 32.339725 N Lat, 103.726418 W Lon			EDDY COUNT	EDDY COUNTY, NM	
12. CHECK THE AJ	PPROPRIATE BOX(ES)	TO INDICATE NATURE O	F NOTICE, REPORT, OR OT	HER DATA	
TYPE OF SUBMISSION	TYPE OF ACTION				
□ Notice of Intent	🗖 Acidize	Deepen	Production (Start/Resume)	UWater Shut-Of	
_	Alter Casing	Hydraulic Fracturing	Reclamation	U Well Integrity	
Subsequent Report	Casing Repair	□ New Construction	Recomplete	Other Drilling Operation	
Final Abandonment Notice	Change Plans	Plug and Abandon Plug Back	Temporarily Abandon Water Disposal		
determined that the site is ready for f	•				
(5/29/2018 - 6/16/2018) Spuc J-55 BTC csg, set @ 780' Le	ead w/806 sx CIC. vld 1.34	4 cu ft/sx. Disp w/116 bbl frsh	wtr. Circ 80		
(5/29/2018 - 6/16/2018) Spuc J-55 BTC csg, set @ 780'. Le bbl cmt to surf. PT BOPE 250 min, OK.	ead w/806 sx CIC. vld 1.34	4 cu ft/sx. Disp w/116 bbl frsh	wtr. Circ 80 00 psi for 30	ECEIVED	
J-55 BTC csg, set @ 780'. Le bbl cmt to surf. PT BOPE 250 min, OK. (6/262018 - 6/29/2018) TD 12 csg, set @ 10,112'. 1st Stage Disp w/360 bbl frsh wtr. 2nd \$ 1.33 cu ft/sx. Disp w/406 bbl work. Procedure approved by	ead w/806 sx CIC, yld 1.3- D/5000 psi, held each test 2-1/4" hole @ 10,126'. R e: Lead w/797 sx, yld cu ft Stage: Lead w/904 sx CIC frsh wtr. Bradenhead sqz y Zota Stevens with the B	4 cu ft/sx. Disp w/116 bbl frsh for 10 min, OK. PT csg to 15 (IH w/236 jts 9-5/8" 40# J-55 F //sx. Tail w/193 sx CIH, yld cu 2, yld 1.94 cu ft/sx. Tail w/118 z was conducted as part of the	wtr. Circ 80 00 psi for 30 P110 L80 BTC ft/sx. sx CIC, yld iremedial cmt si, held each test for	G 07 2018	
J-55 BTC csg, set @ 780'. Le bbl cmt to surf. PT BOPE 250 min, OK. (6/262018 - 6/29/2018) TD 12 csg, set @ 10,112'. 1st Stage Disp w/360 bbl frsh wtr. 2nd 3	ead w/806 sx CIC, yld 1.3- D/5000 psi, held each test 2-1/4" hole @ 10,126'. R e: Lead w/797 sx, yld cu ft Stage: Lead w/904 sx CIC frsh wtr. Bradenhead sqz y Zota Stevens with the B	4 cu ft/sx. Disp w/116 bbl frsh for 10 min, OK. PT csg to 15 (IH w/236 jts 9-5/8" 40# J-55 F //sx. Tail w/193 sx CIH, yld cu 2, yld 1.94 cu ft/sx. Tail w/118 z was conducted as part of the	wtr. Circ 80 00 psi for 30 P110 L80 BTC ft/sx. sx CIC, yld remedial cmt si, held each test for <b>DISTRICT</b>		
J-55 BTC csg, set @ 780'. Le bbl cmt to surf. PT BOPE 250 min, OK. (6/262018 - 6/29/2018) TD 12 csg, set @ 10,112'. 1st Stage Disp w/360 bbl frsh wtr. 2nd 3 1.33 cu ft/sx. Disp w/406 bbl work. Procedure approved by 10 min, OK. PT csg to 2765 p	ead w/806 sx CIC, yld 1.3- D/5000 psi, held each test 2-1/4" hole @ 10,126'. R e: Lead w/797 sx, yld cu ft Stage: Lead w/904 sx CIC frsh wtr. Bradenhead sqz y Zota Stevens with the B psi for 30 min, OK. s true and correct. Electronic Submission # For DEVON ENERG	4 cu ft/sx. Disp w/116 bbl frsh for 10 min, OK. PT csg to 15 (IH w/236 jts 9-5/8" 40# J-55 F V/sx. Tail w/193 sx CIH, yld cu C, yld 1.94 cu ft/sx. Tail w/118 z was conducted as part of the LM. PT BOPE @ 250/5000 p	wtr. Circ 80 00 psi for 30 P110 L80 BTC ft/sx. sx CIC, yld remedial cmt si, held each test for <b>DISTRICT</b> <b>NMOCD</b> Il Information System t to the Carlsbad	G <b>0 7</b> 2018	
J-55 BTC csg, set @ 780'. Le bbl cmt to surf. PT BOPE 250 min, OK. (6/262018 - 6/29/2018) TD 12 csg, set @ 10,112'. 1st Stage Disp w/360 bbl frsh wtr. 2nd 3 1.33 cu ft/sx. Disp w/406 bbl work. Procedure approved by 10 min, OK. PT csg to 2765 p	ead w/806 sx CIC, yld 1.3- D/5000 psi, held each test 2-1/4" hole @ 10,126'. R e: Lead w/797 sx, yld cu ff Stage: Lead w/904 sx CIC frsh wtr. Bradenhead sqz y Zota Stevens with the B osi for 30 min, OK. s true and correct. Electronic Submission # For DEVON ENERG nmitted to AFMSS for proc	4 cu ft/sx. Disp w/116 bbl frsh for 10 min, OK. PT csg to 15 IIH w/236 jts 9-5/8" 40# J-55 F Vsx. Tail w/193 sx CIH, yld cu C, yld 1.94 cu ft/sx. Tail w/118 was conducted as part of the LM. PT BOPE @ 250/5000 p C C S - / O Accepted for record -	wtr. Circ 80 00 psi for 30 P110 L80 BTC ft/sx. sx CIC, yld remedial cmt si, held each test for <b>DISTRICT</b> <b>NMOCD</b> Il Information System t to the Carlsbad	G <b>0 7</b> 2018	
J-55 BTC csg, set @ 780'. Le bbl cmt to surf. PT BOPE 250 min, OK. (6/262018 - 6/29/2018) TD 12 csg, set @ 10,112'. 1st Stage Disp w/360 bbl frsh wtr. 2nd S 1.33 cu ft/sx. Disp w/406 bbl work. Procedure approved by 10 min, OK. PT csg to 2765 p	ead w/806 sx CIC, yld 1.3- D/5000 psi, held each test 2-1/4" hole @ 10,126'. R 2: Lead w/797 sx, yld cu ft Stage: Lead w/904 sx CIC frsh wtr. Bradenhead sqz y Zota Stevens with the B Dosi for 30 min, OK. s true and correct. Electronic Submission # For DEVON ENERG nmitted to AFMSS for proc DOD	4 cu ft/sx. Disp w/116 bbl frsh for 10 min, OK. PT csg to 15 IIH w/236 jts 9-5/8" 40# J-55 F Vsx. Tail w/193 sx CIH, yld cu C, yld 1.94 cu ft/sx. Tail w/118 was conducted as part of the LM. PT BOPE @ 250/5000 pr C S -/ O Accepted for record -	wtr. Circ 80 00 psi for 30 P110 L80 BTC ft/sx. sx CIC, yld remedial cmt si, held each test for <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b>	G <b>0 7</b> 2018	
J-55 BTC csg, set @ 780'. Le bbl cmt to surf. PT BOPE 250 min, OK. (6/262018 - 6/29/2018) TD 12 csg, set @ 10,112'. 1st Stage Disp w/360 bbl frsh wtr. 2nd \$ 1.33 cu ft/sx. Disp w/406 bbl work. Procedure approved by 10 min, OK. PT csg to 2765 p 14. Thereby certify that the foregoing is Com Name (Printed/Typed) LINDA GO	ead w/806 sx CIC, yld 1.3- D/5000 psi, held each test 2-1/4" hole @ 10,126'. R 2: Lead w/797 sx, yld cu ft Stage: Lead w/904 sx CIC frsh wtr. Bradenhead sqz y Zota Stevens with the B Dosi for 30 min, OK. s true and correct. Electronic Submission # For DEVON ENERG nmitted to AFMSS for proc DOD	4 cu ft/sx. Disp w/116 bbl frsh for 10 min, OK. PT csg to 15 IIH w/236 jts 9-5/8" 40# J-55 F V/sx. Tail w/193 sx CIH, yld cu C, yld 1.94 cu ft/sx. Tail w/118 was conducted as part of the LM. PT BOPE @ 250/5000 pr C S -/ O Accepted for record -	wtr. Circ 80 00 psi for 30 P110 L80 BTC ft/sx. sx CIC, yld remedial cmt si, held each test for <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b>	G <b>0 7</b> 2018	
J-55 BTC csg, set @ 780'. Le bbl cmt to surf. PT BOPE 250 min, OK. (6/262018 - 6/29/2018) TD 12 csg, set @ 10,112'. 1st Stage Disp w/360 bbl frsh wtr. 2nd 3 1.33 cu ft/sx. Disp w/406 bbl work. Procedure approved by 10 min, OK. PT csg to 2765 p 14. I hereby certify that the foregoing is Com Name (Printed/Typed) LINDA GO	ead w/806 sx CIC, yld 1.3- D/5000 psi, held each test 2-1/4" hole @ 10,126'. R 2: Lead w/797 sx, yld cu ft Stage: Lead w/904 sx CIC frsh wtr. Bradenhead sqz y Zota Stevens with the B Dosi for 30 min, OK. s true and correct. Electronic Submission # For DEVON ENERG nmitted to AFMSS for proc DOD	4 cu ft/sx. Disp w/116 bbl frsh for 10 min, OK. PT csg to 15 IIH w/236 jts 9-5/8" 40# J-55 F /sx. Tail w/193 sx CIH, yld cu 2, yld 1.94 cu ft/sx. Tail w/118 z was conducted as part of the LM. PT BOPE @ 250/5000 p C C S - / O Accepted for record - 428441 verified by the BLM Wel Y PRODUCTION COMPAN, sen essing by PRISCILLA PEREZ of Title REGUL DR FEDERAL OK STATE	wtr. Circ 80 00 psi for 30 P110 L80 BTC ft/sx. sx CIC, yld remedial cmt si, held each test for <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b>	G 0 7 2018 II-ARTESIA O.C.D.	
J-55 BTC csg, set @ 780'. Le bbl cmt to surf. PT BOPE 250 min, OK. (6/262018 - 6/29/2018) TD 12 csg, set @ 10,112'. 1st Stage Disp w/360 bbl frsh wtr. 2nd \$ 1.33 cu ft/sx. Disp w/406 bbl work. Procedure approved by 10 min, OK. PT csg to 2765 p 14. Thereby certify that the foregoing is Com Name (Printed/Typed) LINDA GO	ead w/806 sx CIC, yld 1.3- D/5000 psi, held each test 2-1/4" hole @ 10,126'. R a: Lead w/797 sx, yld cu ff Stage: Lead w/904 sx CIC frsh wtr. Bradenhead sqz y Zota Stevens with the B psi for 30 min, OK. s true and correct. Electronic Submission # For DEVON ENERG nmitted to AFMSS for proc DOD Submission) THIS SPACE FC a. Approval of this notice does uitable title to those rights in the	4 cu ft/sx. Disp w/116 bbl frsh for 10 min, OK. PT csg to 15 IIH w/236 jts 9-5/8" 40# J-55 F /sx. Tail w/193 sx CIH, yld cu 2, yld 1.94 cu ft/sx. Tail w/118 z was conducted as part of the LM. PT BOPE @ 250/5000 pt CC S-/O Accepted for record -	wtr. Circ 80 00 psi for 30 P110 L80 BTC ft/sx. sx CIC, yld remedial cmt si, held each test for <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b> <b>DISTRICT</b>	G <b>0 7</b> 2018	

## Additional data for EC transaction #428441 that would not fit on the form

## 32. Additional remarks, continued

4

(7/19/2018 - 7/23/2018) TD 8-3/4" hole @ 12,030' & 8-1/2" hole @ 21,781'. RIH w/498 jts 5-1/2" 20# P110EC VAMTOP HT csg, set @ 21,766'. Lead w/767 sx CIC, yld 2.72 cu ft/sx. Tail w/2535 sx CIC, yld 1.54 cu ft/sx. Disp w/481 bbl frsh wtr. RR @ 17:00 hrs.