

State of New Mexico  
Energy, Minerals and Natural Resources Department

Susana Martinez  
Governor

Ken McQueen  
Cabinet Secretary

Matthias Sayer  
Deputy Cabinet

Heather Riley, Division Director  
Oil Conservation Division



NM OIL CONSERVATION  
ARTESIA DISTRICT

AUG 22 2018

RECEIVED

Date 8-22-18

API # 30-0 15-44676

Dear Operator:

I have this date performed a Mechanical Integrity Test on the Mesa Verde SWD 003

\_\_\_ If this test was successful the original chart has been retained by the operator. Send a legible scan of the chart with form C-103 indicating reason for test. It will be scanned into the well file in 7 to 10 days (pending receipt of legible scan and form C-103). The well files are located at [www.emnrd.state.nm.us/ocd/OCOnline.htm](http://www.emnrd.state.nm.us/ocd/OCOnline.htm)

\_\_\_ If this test was unsuccessful the original chart has been returned to the operator pending repair and retest of the well, which must be accomplished within 90 days. If this is a test of a repaired well, previously in non-compliance, all dates and requirements of the original non-compliance are still in effect. No expectation of extension should be construed because of this test.

\_\_\_ If this test was for Temporary Abandonment include in your detailed description, on Form C-103, the location of the CIBP and any other tubular goods in the well, as well as your request for TA status. Include how long you are requesting the TA status for.

\_\_\_ If this is a successful test of a repaired well you must submit a form C-103 to NMOCD within 30 days. This C-103 must include a **detailed** description of the repair to the well. Only after receipt of the C-103 will the non-compliance be closed.

☒ If this is a successful Initial Test of an injection well you must submit a form C-103 to NMOCD within 30 days. This C-103 must include a **detailed** description of the work done on this well **including the position of the packer, tubing information, the date of first injection, the tubing pressure and injection volume. Contact Rusty Klein at 575-748-1283 x109 to verify all required paperwork has been received before you can begin injection.**

If I can be of additional service contact me at (575) 748-1283 Ext 114.

Thank You,

Dan Smolik  
Compliance Officer  
District II - Artesia