Forn.	
(June 2015)	

UNITED STATES June 2015) DEPARTMENT OF THE INTERIOR				FORM APPROVED OMB NO. 1004-0137 Expires: January 31, 2018	
BUREAU OF LAND MANAGEMENT SUNDRY NOTICES AND REPORTS ON WELPS Sbad Fie Do not use this form for proposals to drill or to re-enter an				Serial No. 1989172	
Do not use the abandoned we	is form for proposals to drill II. Use form 3160-3 (APD) fo	or to re-enter an		an, Allottee or Tribe Name	
			AL CAL COLO		
SUBMIT IN	TRIPLICATE - Other instruct	ions on page 2	7. If Unit	or CA/Agreement, Name and/or No.	
1. Type of Well Gas Well Other				8. Well Name and No. PATTON MDP1 17 FEDERAL 173H	
2. Name of Operator OXY USA INCORPORATED				9. API Well No. 30-015-44991-00-X1	
3a. Address 5 GREENWAY PLAZA SUITE HOUSTON, TX 77046-0521		Phone No. (include area co : 432-685-5936		and Pool or Exploratory Area PLE SAGE-WOLFCAMP (GAS)	
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)			11. Coun	11. County or Parish, State	
Sec 17 T24S R31E NENW 374FNL 1615FWL 32.223564 N Lat, 103.803169 W Lon				Y COUNTY, NM	
12. CHECK THE A	PPROPRIATE BOX(ES) TO	INDICATE NATURE	OF NOTICE, REPORT	Γ, OR OTHER DATA	
TYPE OF SUBMISSION	TYPE OF ACTION				
Netice of Intent	□ Acidize	Deepen	Production (Start/	Resume) 🔲 Water Shut-Off	
Notice of Intent	Alter Casing	Hydraulic Fracturi	ng 🗖 Reclamation	Well Integrity	
Subsequent Report	Casing Repair	New Construction	Recomplete		
Final Abandonment Notice	Change Plans	Plug and Abandon	Temporarily Abar	ndon Drilling Operations	
	Convert to Injection	Plug Back	Water Disposal		
Attach the Bond under which the wo	ally or recomplete horizontally, give ork will be performed or provide the E d operations. If the operation results bandonment Notices must be filed on	subsurface locations and me Bond No. on file with BLM/ in a multiple completion or	easured and true vertical depth BIA. Required subsequent re	is of all perturent markers and zones. ports must be filed within 30 days	
& tag cmt @ 681', drill new fo 8/10/18 drill 9-7/8" hole to 11	low 5000# high, test 10-3/4" c rmation to 746', perform FIT to 119', 8/14/18. RIH & set 7-5/8 T @ 4404', ACP @ 4421' pur	est to EMW=17.5ppg, 3 " 29.7# L-80 csg @ 0-		n completed and the operator has 10 -16 -1 8 NMOCD ccepted for record - NMOCD RECEIVED	
PPC w/ additives 10.2ppg 3.0	)6 vield followed by 170sx (50	bbl) PPC w/ additives 1	13.2ppg 1.65 yield,	,	
to surf. Pump 2nd stage w/ 4 1.87 vield, full returns, drop c	Tate ACP to 1990#, open DVT Obbl tuned spacer then cmt w ancellation plug, pressure up a k-off, test to 10000#, good test	/ 1525sx (508bbl) PPC & close DVT, circ 532s	w/ additives 12.9ppg	OCT 1 6 2018	
9/16/18 Skid rig from Patton I 250# low 5000# high. 9/17/1	MDP1 17 Federal 172H to Pat 8 RIH & drill out DVT, test 7-5.	ton MDP1 17 Federal /8" csg to 2550# for 30	173H. RU BOP, test @ min, good test.	DISTRICT II-ARTESIA O.C.D.	
14. I hereby certify that the foregoing	is true and correct.				
	Electronic Submission #4390 For OXY USA INC	CORPORATED. sent to	the Carlsbad	765)	
	mmitted to AFMSS for processi			9/3E)	
Name (Printed/Typed) DAVID S	TEWART	Title REG	SULATORY ADVISOR		
Signature (Electronic	Submission)	Date 10/1	0/2018		
	THIS SPACE FOR				
			PIED FOR REU		
Approved By		Title		Date	
Conditions of approval, if any, are attach certify that the applicant holds legal or ec which would entitle the applicant to conc	juitable title to those rights in the sub	warrant or ject lease Office	OCT 1 1 2018	s/ Jonathon Shepard	

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurgals in representations on page 2) (Instructions on page 2) \*\* BLM REVISED \*\*



## Additional data for EC transaction #439053 that would not fit on the form

## 32. Additional remarks, continued

Drill new formation to 11129', perform FIT test to EMW=14.1ppg, good test. 9/17/18 Drill 6-3/4" hole to 16764'M 11815'V 9/21/18. RIH & set tapered csg string w/ 4-1/2" 13.5# P110 @ 16749-12020' and 5-1/2" 20# P110 csg @ 12020-0'. Pump 165bbl tuned spacer then cmt w/ 675sx (198bbl) PPC w/ additives @ 13.2ppg 1.65 yield, full returns throughout job, calc. TOC @ 7424', WOC. 9/23/18 RUWL RIH & set RBP @ 2997', test RBP to 1000# for 30 min, good test. ND BOP, Install wellhead cap, RD Rel Rig 9/24/18.