UNITED STATES UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT			ОМ Ехріі		DRM APPROVED MB NO. 1004-0137 res: January 31, 2018	
SUNDRY I Do not use thi	NOTICES AND REPORTS s form for proposals to drill	ON WEERS			or Tribe Name	
	I. Use form 3160-3 (APD) for RIPLICATE - Other instructi		<u>CD Art</u>	esia	reement, Name and/or No.	
1. Type of Well		8. Well Name and No.				
🛛 Oil Well 📋 Gas Well 🔲 Other			PATTON MDP1 17 FEDERAL 175H			
2. Name of Operator OXY USA INCORPORATED	A MENDIOLA a@oxy.com	9. API Well No. 30-015-45078-00-X1				
3a. Address 5 GREENWAY PLAZA SUITE HOUSTON, TX 77046-0521	Phone No. (include are 432-685-5936					
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)			11. County or Parish, State			
Sec 17 T24S R31E NWNE 772FNL 1332FEL 32.222477 N Lat, 103.795609 W Lon				EDDY COUNTY, NM		
12. CHECK THE AF	PPROPRIATE BOX(ES) TO I	INDICATE NATU	RE OF NOTICE	, REPORT, OR O	THER DATA	
TYPE OF SUBMISSION	TYPE OF ACTION					
□ Notice of Intent	C Acidize	Deepen	🗖 Produc	ction (Start/Resume)	UWater Shut-Off	
Subsequent Report	Alter Casing	Hydraulic Fract	ē —		□ Well Integrity	
	Casing Repair	New Constructi	— •		Other Drilling Operations	
Final Abandonment Notice	Change Plans Convert to Injection	Plug and Aband Plug Back	on 🔲 l'empo	orarily Abandon Disposal		
determined that the site is ready for f 8/17/18 RU BOP, test @ 250# RIH drill new formation to 792 hole to 11137', 8/22/18. RIH & DVT @ 4486', ACP @ 4503' p 10.2ppg 3.06 yield followed by throughout job, inflate ACP to Pump 2nd stage w/ 40bbl tune yield, full returns, drop cancell surface, WOC. BLM Rep. On test.	k low 5000# high, test 10-3/4" y perform FIT test to EMW=25 & set 7-5/8" 29.7# L-80 csg @ pump 40bbl tuned spacer then y 170sx (50bbl) PPC w/ additiv 1830#, open DVT, circ thru D ed spacer then cmt w/ 1165sx ation plug, pressure up & clos	5ppg, good test. 8/ 0-4224' & 26.4# L- cmt w/ 705sx (384 ves 13.2ppg 1.65 yi VT, circ 138sx (75b (388bbl) PPC w/ a e DVT, circ 316sx (18/18 drill 9-7/8" 80 csg @ 4224- bbl) PPC w/ add eld, full returns bbl) cmt to surf. dditives 12.9ppg 172bbl) cmt to	1.87	d and the operator has -16 - WHOCD RECEIVED CT 1 6 2018	
9/11/18 RU BOP, test @ 250#	≠ low 5000# high. RIH & drill c	out DVT, test 7-5/8"	csg to 2700# for	DISTRICT	II-ARTESIA O .C.D.	
14. I hereby certify that the foregoing is	Electronic Submission #4392	ORPORATED, sent	to the Carlsbad			
Name (Printed/Typed) DAVID STEWART			EGULATORY A	DVISOR		
Signature (Electronic S	Submission)	Date 1	0/10/2018			
	THIS SPACE FOR F			JSE	<u></u>	
		ACI	CEPTED FO	R RECORD		
Approved By Conditions of approval, if any, are attached. Approval of this notice does not warrant or ertify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.			OCT 11		Date	
itle 18 U.S.C. Section 1001 and Title 43 States any false, fictitious or fraudulent	U.S.C. Section 1212 make it a crime	e for any person knowin iy matter within its juris	gly and willfully to a APPEND FI AND F CARLSBAD FIEL	MANAGEMENT	or agency of the United	
Instructions on page 2)						

Additional data for EC transaction #439211 that would not fit on the form

32. Additional remarks, continued

30min, good test. Drill new formation to 11147', perform FIT test to EMW=14.1ppg, 2000psi, good test. 9/12/18 Drill 6-3/4" hole to 16394'M 11644'V 9/17/18. RIH & set tapered csg string w/ 4-1/2" 13.5# P110 @ 16388-11715' and 5-1/2" 20# P110 csg @ 11715-0'. Pump 158bbl tuned spacer then cmt w/ 675sx (197bbl) PPC w/ additives @ 13.2ppg 1.65 yield, full returns throughout job, calc. TOC @ 9857', WOC. 9/19/18 RUWL RIH & set RBP @ 3000', test RBP to 1000# for 30 min, good test. ND BOP, Install wellhead cap, RD Rel Rig 9/19/18.