

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTFORM APPROVED
OMB NO. 1004-0137
Expires: January 31, 2018**SUNDRY NOTICES AND REPORTS ON WELLS**
*Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.*5. Lease Serial No.
NMNM100549

6. If Indian, Allottee or Tribe Name

SUBMIT IN TRIPLICATE - Other instructions on page 27. If Unit or CA/Agreement, Name and/or No.
NMNM138618

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other8. Well Name and No.
HH SO 8 5 FED 003 5H

2. Name of Operator

CHEVRON USA INCORPORATED

Contact: LAURA BECERRA

E-Mail: LBECERRA@CHEVRON.COM

9. API Well No.
30-015-45119-00-X1

3a. Address

6301 DEAUVILLE BLVD
MIDLAND, TX 79706

3b. Phone No. (include area code)

Ph: 432-687-7655

10. Field and Pool or Exploratory Area
PURPLE SAGE-WOLFCAMP (GAS)

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Sec 17 T26S R27E NENW 529FNL 2310FWL
32.048309 N Lat, 104.213417 W Lon

11. County or Parish, State

EDDY COUNTY, NM

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	Change to Original A
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	PD

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

Chevron respectfully requests a variance to change the cement slurry on the Intermediate Stage 1 Lead and Tail and Production Lead from Class H to Class C cement.

Details of the changes are attached.

Carlsbad Field Office
OCD Artesia

RECEIVED

NOV 28 2018

14. I hereby certify that the foregoing is true and correct.

Electronic Submission #437478 verified by the BLM Well Information System

DISTRICT II-ARTESIA O.C.D.

For CHEVRON USA INCORPORATED, sent to the Carlsbad

Committed to AFMSS for processing by PRISCILLA PEREZ on 10/01/2018 (19PP0010SE)

Name (Printed/Typed) LAURA BECERRA

Title REGULATORY SPECIALIST

Signature (Electronic Submission)

Date 09/27/2018

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By MUSTAFA HAQUE

Title PETROLEUM ENGINEER

Date 11/13/2018

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office Carlsbad

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED **

RWP 12-6-18

Delaware Basin

Changes to APD/COA for Federal Well



Well Info:

Well Name	API Number
HH SO 8 5 FED 003 1H	3001545115
HH SO 8 5 FED 003 2H	3001545116
HH SO 8 5 FED 003 3H	3001545117
HH SO 8 5 FED 003 4H	3001545118
HH SO 8 5 FED 003 5H	3001545119
HH SO 8 5 FED 003 6H	3001545120

Rig: Patterson 815

Chevron Contact:

Brett Herman

Drilling & Completions Engineer
Chevron Mid-Continent Business Unit
Drilling & Completions

Cell: (832) 457-0778

Email: brett.herman@chevron.com

Summary of Changes to APD Submission

Chevron respectfully requests to change the intermediate and production cement Class to adhere to our standard operation procedure. We will change the Intermediate Stage 1 Lead and Tail and Production Lead from Class H to Class C. The slurry type has been changed to reflect this.

	Stage 2 Lead	Stage 2 Tail	Stage 1 Lead	Stage 1 Tail
Slurry Type:	Class C	Class C	Class C	Class C
Top:	0	1600	2100	7272
Bottom:	1600	2100	7272	8272
Density:	11.9	14.8	11.9	14.8
Yield:	2.5	1.33	2.5	1.33
Mix H2O:	14.1	6.35	14.1	6.35
Sacks:	354	177	1296	353
Vol. (bbls)	157	42	577	84
% Excess:	100	50	100	50
50 psi CS:	9:10	5:44	11:48	5:11
70 Bc:	5:15	3:47	5:20	5:08

ent: KWM

chlumberger

1 bbl Tuned Spacer III @ 12.4 ppg

	Lead	Tail
Slurry Type:	Class C	Class H
Top:	5353	18911
Bottom:	18911'	19548'
Density:	13.2	15.0
Yield:	1.84	2.18
Mix H2O:	9.85	9.55
Sacks:	2388	100
Vol. (bbls)	782	39
% Excess:	50	50
50 psi CS:	3:59	4:38
70 Bc:	5:06	4:39

Changes Summary

Summary: Variance to change the cement slurry on the Intermediate Stage 1 Lead and Tail and Production Lead from Class H to Class C cement.