Form 3160-5 (June 2015)

UNITED STATES

SUBMIT IN TRIPLICATE - Other instructions on page 2

BUREAU OF LAND MANAGEMENT	
DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT	

FORM APPROVED
OMB NO. 1004-0137
Expires: January 31, 2018

7. If Unit or CA/Agreement, Name and/or No.

5.	Lease Serial No.	
	NMNM120904	


SUNDRY NOTICES AND REPORTS ON WELLS	
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals [1] Arijlijor to re-entrandination of the such proposals [1] [1] (1) to receive the such proposals [1] (1) to receive	_
bandoned well. Use form 3160-3 (APD) för such proposals 💵 💵 🕻	3

6. If Indian, Allottee or Tribe Name

							
Type of Well					8. Well Name and No. SUMIDEROS 12 W1PA FED COM 2H		
Name of Operator Contact: JACKIE LATHAN MEWBOURNE OIL COMPANY E-Mail: jlathan@mewbourne.com					9. API Well No. 30-015-45071-0	0-X1	
3a. Address P O BOX 5270 HOBBS, NM 88241		3b. Phone No. (include area code) Ph: 575-393-5905		10. Field and Pool or Exploratory Area WOLFCAMP			
4. Location of Well (Footage, Sec., T	, R., M., or Survey Description)		-		11. County or Parish, S	State	
Sec 12 T26S R31E SESE 185FSL 380FEL 32.050720 N Lat, 103.724297 W Lon				EDDY COUNTY	, NM		
12. CHECK THE A	PPROPRIATE BOX(ES) T	O INDICAT	E NATURE OF	F NOTICE,	REPORT, OR OTH	ER DATA	
TYPE OF SUBMISSION			TYPE OF	ACTION			
Notice of Intent	☐ Acidize	☐ Deepe	n	☐ Product	ion (Start/Resume)	■ Water Shut-Off	
Notice of Intent	☐ Alter Casing	☐ Hydra	ulic Fracturing	□ Reclam	ation	■ Well Integrity	
☐ Subsequent Report	Casing Repair	New €	Construction	☐ Recomp	olete	□ Other	
☐ Final Abandonment Notice	□ Change Plans	Plug a	and Abandon	☐ Tempor	arily Abandon		
	□ Convert to Injection	Plug l	Засk	□ Water I	Disposal		
Attach the Bond under which the wor following completion of the involved testing has been completed. Final Al determined that the site is ready for f	operations. If the operation result oandonment Notices must be filed inal inspection.	lts in a multiple I only after all re	completion or reco	mpletion in a	new interval, a Form 3160 n, have been completed a	0-4 must be filed once nd the operator has	
Bond on file: 22015694 nation	wide & 022041703 Statewi	ide			RECEIVE	D	
MOC would like to install 205. line. This line will be installed Bishop with any questions. So	directly next to MOC's exis	e from wellsite sting lease ro	to existing Xca ad. Please call	el overhead Bradley	JAN 1 0	2019	
proved JAC 12/10/1	8 DOI-BLM-NM-	N	d For Red MOCD & I:	16.19	DISTRICT 11-ARTES	ENTERED	
14. I hereby certify that the foregoing is	true and correct. Electronic Submission #42 For MEWBOUR! nmitted to AFMSS for proces	NE OIL COMP	AŇY, sent to the	e Carlsbad	•		
Name (Printed/Typed) BRADLEY	BISHOP		Title				
Signature (Electronic S	Submission)		Date 07/05/20	018			
	THIS SPACE FOR	R FEDERAI	OR STATE	OFFICE U	SE	/ /	
Approved By	1-44	[Title M	N . (1KY	Gat 10/2018	
Conditions of approval, if any, are attache certify that the applicant holds legal or equivalent would entitle the applicant to conduct the applicant the applicant to conduct the applicant the applicant the applicant the applicant to conduct the applicant the applicant the applicant the applicant the applicant the applicant to conduct the applicant th	itable tit to those rights in the s		Office	60			
Title 18 U.S.C. Section 1001 and Title 43 States any false, fictitious or fraudulent				willfully to m	ake to any department or	agency of the United	
(Instructions on page 2) ** BLM REV	ISED ** BLM REVISED	** BLM RE	VISED ** BLN	I REVISEI	O ** BLM REVISEI	D **	

VICINITY MAP

NOT TO SCALE



SECTION 12, TWP. 26 SOUTH, RGE. 31 EAST, N. M. P. M., EDDY COUNTY, NEW MEXICO

OPERATOR: Mewbourne Oil Company LOCATION: 185' FSL & 380' FEL LEASE: Sumideros 12 W1PA Federal Com ELEVATION: 3209'

WELL NO.: 2H

Copyright 2016 - All Rights Reserved

				SCALE: N. T. S.
				DATE: 8-15-2017
				SURVEYED BY: ML/TF
NO.	REVISION	DATE		DRAWN BY: CMJ
JOB	NO.: LS17074	32		APPROVED BY: RMH
DWG.	NO.: 170743	2VM	308 W. BROADWAY ST., HOBBS, NM 88240 (575) 964-820	OO SHEET: 1 OF 1

MEWBOURNE OIL COMPANY PROPOSED ELECTRIC LINES and LEASE ROAD FOR THE SUMIDEROS 12 W1PA FEDERAL COM #2H SECTION 12, T26S, R31E, N. M. P. M., EDDY CO., NEW MEXICO

(S 89'54' W + GLO - 5330.16') S 89'45'07" W 5333.61' FND IRON ROD ► FBC "1939" SEC 12 T265 R31E 2667.84 EDGE OF PROPOSED 25.61.00 EASEME PROPOSED EASEMENT ġ 5332.147 B. L. M. DETAIL N. T. S. FBC "1940" FBC "1939" 80 070 12 ¥ . 10.0 0.03 গ S

A strip of land 30 feet wide, being 205.74 feet or 12.469 rods in length, lying in Section 12, Township 26 South, Range 31 East, N. M. P. M., Eddy County, New Mexico, being 15 feet left and 15 feet right of the following described survey of a centerline across B. L. M. land:

BEGINNING at Engr. Sta. 25+00.98, a point on the West line of Section 12, which bears, N 00°19′59″ W, 513.84 feet from a brass cap, stamped "1939", found for the Southeast corner of Section 12;

S 89:35'34" W 5337.84 (S 89'57' W - GLO - 5336.76') DESCRIPTION

Thence S 50'45'37" W, 205.74 feet, to Engr. Sta. 27+06.72, the End of Survey, a point in the Southeast quarter of Section 12, which bears, S 66'36'17" E, 5,654.19 feet from a brass cap, stamped "1940", found for the West quarter corner of Section 12.

Said strip of land contains 0.142 acres, more or less, and is allocated by forties as follows:

SE 1/4 SE 1/4

12,469 Rods

0.142 Acres

SUMIDEROS 12 WIPA FEDERAL COM #2H SUMIDEROS 12 W1PA FEDERAL COM #1H

S 50'45'37"

205.74

1" = 1000 500' 1000

10,81.00

FBC "1939"

, ,

BEARINGS ARE GRID NAD 83 NM EAST DISTANCES ARE HORIZ. GROUND.

LEGEND

RECORD DATA - GLO FOUND MONUMENT AS NOTED

PROPOSED ROAD

I, R. M. Howett, a N. M. Professional Surveyor, hereby certify that I prepared this plat from an actual survey made on the ground under my direct supervision, said survey and plat meet the Min. Stds. for Land Surveying in the State of N. M. and are true and correct to the best of my knowledge and belief.

Howell Kobert M. Robert M. Howett NM PS 19680

ON PAT M. HOWE 8/21/17 RSS/ONAL SUR 19680

513.84 (TIE) FBC "1939"

Copyright 2016 - All Rights Reserve

REVISION DATE JOB NO.: LS1707432 DWG. NO.: 1707432RD4



308 W. BROADWAY ST., HOBBS. NM 88240 (575) 964-8200

SCALE: 1" = 1000 DATE: 8-15-2017 SURVEYED BY: ML/TF DRAWN BY: CMJ APPROVED BY: RMH SHEET: 4 OF 4

BLM Lease Number: NMNM120904

Company Reference: Mewbourne Oil Company

Well Name & Number: SUMIDEROS 12 W1PA FED COM 2H

STANDARD STIPULATIONS FOR OVERHEAD ELECTRIC DISTRIBUTION LINES.

A copy of the grant and attachments, including stipulations, survey plat and/or map, will be on location during construction. BLM personnel may request to you a copy of your permit during construction to ensure compliance with all stipulations.

Holder agrees to comply with the following stipulations to the satisfaction of the Authorized Officer:

- 1. The holder shall indemnify the United States against any liability for damage to life or property arising from the occupancy or use of public lands under this grant.
- 2. The holder shall comply with all applicable Federal laws and regulations existing or hereafter enacted or promulgated. In any event, the holder shall comply with the Toxic Substances Control Act of 1976 as amended, 15 USC 2601 et seq. (1982) with regards to any toxic substances that are used, generated by or stored on the right-of-way or on facilities authorized under this right-of-way grant. (See 40 CFR, Part 702-799 and especially, provisions on polychlorinated biphenyls, 40 CFR 761.1-761.193.) Additionally, any release of toxic substances (leaks, spills, etc.) in excess of the reportable quantity established by 40 CFR, Part 117 shall be reported as required by the Comprehensive Environmental Response, Compensation, and Liability Act, section 102b. A copy of any report required or requested by any Federal agency or State government as a result of a reportable release or spill of any toxic substances shall be furnished to the authorized officer concurrent with the filing of the reports to the involved Federal agency or State government.
- 3. The holder agrees to indemnify the United States against any liability arising from the release of any hazardous substance or hazardous waste (as these terms are defined in the Comprehensive Environmental Response, Compensation and Liability Act of 1980, 42 U.S.C. 9601, et seq. or the Resource Conservation and Recovery Act, 42 U.S.C. 6901, et seq.) on the Right-of-Way (unless the release or threatened release is wholly unrelated to the Right-of-Way holder's activity on the Right-of-Way), or resulting from the activity of the Right-of-Way holder on the Right-of-Way. This agreement applies without regard to whether a release is caused by the holder, its agent, or unrelated third parties.
- 4. There will be no clearing or blading of the right-of-way unless otherwise agreed to in writing by the Authorized Officer.
- 5. Power lines shall be constructed and designed in accordance to standards outlined in "Suggested Practices for Avian Protection on Power lines: The State of the Art in 2006" Edison Electric Institute, APLIC, and the California Energy Commission 2006. The holder shall assume the burden and expense of proving that pole designs not shown in the above publication deter raptor perching, roosting, and nesting. Such proof shall be provided by a raptor expert

approved by the Authorized Officer. The BLM reserves the right to require modification or additions to all powerline structures placed on this right-of-way, should they be necessary to ensure the safety of large perching birds. Such modifications and/or additions shall be made by the holder without liability or expense to the United States.

Raptor deterrence will consist of but not limited to the following: triangle perch discouragers shall be placed on each side of the cross arms and a nonconductive perching deterrence shall be placed on all vertical poles that extend past the cross arms.

- 6. The holder shall minimize disturbance to existing fences and other improvements on public lands. The holder is required to promptly repair improvements to at least their former state. Functional use of these improvements will be maintained at all times. The holder will contact the owner of any improvements prior to disturbing them. When necessary to pass through a fence line, the fence shall be braced on both sides of the passageway prior to cutting the fence. No permanent gates will be allowed unless approved by the Authorized Officer.
- 7. The BLM serial number assigned to this authorization shall be posted in a permanent, conspicuous manner where the power line crosses roads and at all serviced facilities. Numbers will be at least two inches high and will be affixed to the pole nearest the road crossing and at the facilities served.
- 8. Upon cancellation, relinquishment, or expiration of this grant, the holder shall comply with those abandonment procedures as prescribed by the Authorized Officer.
- 9. All surface structures (poles, lines, transformers, etc.) shall be removed within 180 days of abandonment, relinquishment, or termination of use of the serviced facility or facilities or within 180 days of abandonment, relinquishment, cancellation, or expiration of this grant, whichever comes first. This will not apply where the power line extends service to an active, adjoining facility or facilities.
- 10. Any cultural and/or paleontological resource (historic or prehistoric site or object) discovered by the holder, or any person working on his behalf, on public or Federal land shall be immediately reported to the Authorized Officer. Holder shall suspend all operations in the immediate area of such discovery until written authorization to proceed is issued by the Authorized Officer. An evaluation of the discovery will be made by the Authorized Officer to determine appropriate actions to prevent the loss of significant cultural or scientific values. The holder will be responsible for the cost of evaluation and any decision as to proper mitigation measures will be made by the Authorized Officer after consulting with the holder.

11. Special Stipulations:

- For reclamation remove poles, lines, transformer, etc. and dispose of properly.
- Fill in any holes from the poles removed.

Cave/Karst Mitigation Measures

- Smaller powerlines will be routed around sinkholes and other karst features to avoid or lessen the possibility of encountering near surface voids and to minimize changes to runoff or possible leaks and spills from entering karst systems. Larger powerlines will adjust their pole spacing to avoid cave and karst features.
- The BLM, Carlsbad Field Office, will be informed immediately if any subsurface drainage channels, cave passages, or voids are penetrated during construction.
- No further construction will be done until clearance has been issued by the Authorized Officer.
- Special restoration stipulations or realignment may be required.

Watershed Mitigation Measures

 Any water erosion that may occur due to the construction of the overhead electric line during the life of the power line will be quickly corrected and proper measures will be taken to prevent future erosion.

Rangeland Mitigation Measures

Fence Requirement

Where entry is granted across a fence line, the fence must be braced and tied off on both sides of the passageway with H-braces prior to cutting. Once the work is completed, the fence will be restored to its prior condition, or better. The operator shall notify the private surface landowner or the grazing allotment holder prior to crossing any fence(s).

Cattleguards

An appropriately sized cattleguard(s) sufficient to carry out the project shall be installed and maintained at road-fence crossing(s). Any existing cattleguard(s) on the access road shall be repaired or replaced if they are damaged or have deteriorated beyond practical use. The operator shall be responsible for the condition of the existing cattleguard(s) that are in place and are utilized during lease operations. A gate shall be constructed on one side of the cattleguard and fastened securely to H-braces.

Livestock Watering Requirement

Any damage to structures that provide water to livestock throughout the life of the well, caused by operations from the well site, must be immediately corrected by the operator. The operator must notify the BLM office (575-234-5972) and the private surface landowner or the grazing allotment holder if any damage occurs to structures that provide water to livestock.