FORM APPROVED	
OMB NO. 1004-0137	
Expires: January 31, 2018	
ase Serial No. CO	
MNM45236 € € € € € € € € € € € € € € € € € € €	

Date 01/22/2019

	UNITED STATES PARTMENT OF THE INTE		ezari ba	OMB NO Expires: Jan	PPROVED . 1004-0137 wary 31, 2018
SUNDRY	UREAU OF LAND MANAGEM NOTICES AND REPORTS	ON WELLS	(T)	NMNM45236	B
Do not use thi abandoned wel	s form for proposals to drill II. Use form 3160-3 (APD) fo	or to re-enter an CONS r such proposals ESIA D	SERVACE SISTRICT	6. If Indian, Allottee or	Tribe Name
SUBMIT IN 1	TRIPLICATE - Other instruct	ions on page ² JAN 3	2019	7. If Unit or CA/Agreer	nent, Name and/or No.
Type of Well	ier	RECE	IVED	8. Well Name and No. Multiple—See Attac	hed
2. Name of Operator OXY USA INCORPORATED	Contact: SAR E-Mail: SARAH_CHAPN	AH CHAPMAN		9. API Well No. MultipleSee Att	ached
3a. Address 5 GREENWAY PLAZA SUITE HOUSTON, TX 77046-0521		Phone No. (include area code): 713-350-4997		10. Field and Pool or E INGLE WELLS	xploratory Area
4. Location of Well (Footage, Sec., T.	., R., M., or Survey Description)			11. County or Parish, S	tate
MultipleSee Attached				EDDY COUNTY,	, NM
12. CHECK THE AF	PPROPRIATE BOX(ES) TO	INDICATE NATURE OF	NOTICE,	REPORT, OR OTH	ER DATA
TYPE OF SUBMISSION		TYPE OF	ACTION		
☑ Notice of Intent	☐ Acidize	□ Deepen	☐ Product	ion (Start/Resume)	☐ Water Shut-Off
_	☐ Alter Casing	☐ Hydraulic Fracturing	☐ Reclam	ation	■ Well Integrity
☐ Subsequent Report	Casing Repair	■ New Construction	□ Recomp	olete	Other
☐ Final Abandonment Notice	□ Change Plans	□ Plug and Abandon	☐ Tempor	arily Abandon	Change to Original A PD
	☐ Convert to Injection	☐ Plug Back	☐ Water I	Disposal	
13. Describe Proposed or Completed Ope If the proposal is to deepen directions Attach the Bond under which the wor following completion of the involved testing has been completed. Final At determined that the site is ready for fi	ally or recomplete horizontally, give a rk will be performed or provide the B l operations. If the operation results in pandonment Notices must be filed on	subsurface locations and measur lond No. on file with BLM/BIA in a multiple completion or reco	red and true ve Required sub mpletion in a r	ertical depths of all pertine bsequent reports must be f new interval, a Form 3160	nt markers and zones. Tiled within 30 days 1-4 must be filed once
Oxy respectfully requests app	roval for the following change:	s from the approved perm	it:		
This is a bulk sundry request f control equipment pressure ra	for 7 wells in Sand Dunes to c tings. The wells related to this	hange the wellhead desig s sundry request are as fo	n and to challows:	ange	
Sterling Silver MDP1 33-4 Fectoring Silver MDP1	d Com 2H (30-015-45390) d Com 3H (30-015-45391) d Com 4H (30-015-45392) d Com 5H (30-015-45393) d Com 6H (30-015-45386) d Com 7H (30-015-45389)		Ac	cepted For NMOCE	Record 2-4-19
Sin burnion? C	one offl apply.				

14. I hereby certify that the foregoing is true and correct.

Electronic Submission #450778 verified by the BLM Well Information System

For OXY USA INCORPORATED, sent to the Carlsbad

Committed to AFMSS for processing by MUSTAFA HAQUE on 01/18/2019 (19MH0014SE) Name (Printed/Typed) DAVID STEWART REGULATORY ADVISOR

(Electronic Submission) 01/16/2019 Signature

THIS SPACE FOR FEDERAL OR STATE OFFICE USE TitlePETROLEUM ENGINEER _Approved By_MUSTAFA_HAQUE_

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office Carlsbad

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Additional data for EC transaction #450778 that would not fit on the form

Wells/Facilities, continued

Agreement NMNM45236	Lease NMNM45236	Well/Fac Name, Number API Number STERLING SILVER MDP1 33-4 FD30-245-45390-00-X1	Location Sec 33 T23S
NMNM45236	NMNM45236	STERLING SILVER MDP1 33-4 FD30-0#35-45335-00-X1	32.267933 N Sec 33 T23S 32.267933 N
NMNM45236	NMNM45236	STERLING SILVER MDP1 33-4 FD30-8H5-45391-00-X1	Sec 33 T23S 32,267994 N
NMNM45236	NMNM45236	STERLING SILVER MDP1 33-4 FD3D-0H5-45392-00-X1	Sec 33 T23S 32.267994 N
NMNM45236	NMNM45236	STERLING SILVER MDP1 33-4 FD30-0H5-45393-00-X1	Sec 33 T23S 32,267918 N
NMNM45236	NMNM45236	STERLING SILVER MDP1 33-4 FD30-6H5-45386-00-X1	Sec 33 T23S 32.267994 N
NMNM45236	NMNM45236	STERLING SILVER MDP1 33-4 FD30-7945-45389-00-X1	Sec 33 T23S

Location
Sec 33 T23S R31E NWNW 90FNL 939FWL 32.267933 N Lat, 103.788254 W Lon Sec 33 T23S R31E NWNW 90FNL 834FWL 32.267933 N Lat, 103.788558 W Lon Sec 33 T23S R31E NENW 69FNL 2369FWL 32.267994 N Lat, 103.783623 W Lon Sec 33 T23S R31E NENW 69FNL 2474FWL 32.267994 N Lat, 103.783627 W Lon Sec 33 T23S R31E NENE 96FNL 634FEL 32.267918 N Lat, 103.776260 W Lon Sec 33 T23S R31E NENW 69FNL 2439FWL 32.267994 N Lat, 103.783401 W Lon Sec 33 T23S R31E NENW 69FNL 2439FWL 32.267994 N Lat, 103.783401 W Lon Sec 33 T23S R31E NENW 69FNL 263FEL 32.267918 N Lat, 103.776031 W Lon

32. Additional remarks, continued

Please see attached updated Drill Plan for further information.

OXY USA Inc. - Sterling Silver MDP1 33-4 Fed Com 1H, 2H, 3H, 4H, 5H, 6H, 7H

This is a bulk sundry request for 7 wells on 3 pads. The wells related to this sundry request are:

API#	Well Name	Lease Serial #
30-015-45335	Sterling Silver MDP1 33-4 Fed Com 1H	NMNM045236
30-015-45390	Sterling Silver MDP1 33-4 Fed Com 2H	NMNM045236
30-015-45391	Sterling Silver MDP1 33-4 Fed Com 3H	NMNM045236
30-015-45392	Sterling Silver MDP1 33-4 Fed Com 4H	NMNM045236
30-015-45393	Sterling Silver MDP1 33-4 Fed Com 5H	NMNM045236
30-015-45386	Sterling Silver MDP1 33-4 Fed Com 6H	NMNM045236
30-015-45389	Sterling Silver MDP1 33-4 Fed Com 7H	NMNM045236

Oxy respectfully requests approval for the following changes from the approved permit:

1. Change to the wellhead design

Due to the casing design change and adding another casing string to the well, a 13-3/8" 3M sacrificial wellhead will be used to drill the 12-1/4" Intermediate Hole. Upon completion of drilling and cementing operations on the 12-1/4" Intermediate Hole section (along with proper WOC time), the wellhead will be cut off. At this point, the 13" 5x10 MNDS, be welded onto the 9-5/8" casing for the remainder of drilling operations on the pad.

2. Change Control Equipment Pressure Rating

BOP installed and tested before drilling which hole?	Size?	Min. Required WP	Туре	1	Tested to:
12.25" Hole	13-5/8"	3M	Annular	✓	70% of working pressure
		3M	Blind Ram	✓	
			Pipe Ram		250/3000psi
			Double Ram	✓	
			Other*		
8.5" Hole	13-5/8"	5M	Annular	✓	70% of working pressure
		5M	Blind Ram	✓	
			Pipe Ram		250/5000psi
			Double Ram	✓	
			Other*		

OXY USA Inc. - Sterling Silver MDP1 33-4 Fed Com 1H, 2H, 3H, 4H, 5H, 6H, 7H

13-5/8 3M SACR + 13-5/8 MNDS 5x10 Slips (9.625 x 7.625 x 5.5)

