

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTFORM APPROVED
OMB NO. 1004-0137
Expires: January 31, 2018**SUNDRY NOTICES AND REPORTS ON WELLS**
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.

Lease Serial No. NMNM45236

6. If Indian, Allottee or Tribe Name

SUBMIT IN TRIPLICATE - Other instructions on page 2

JAN 31 2019

7. If Unit or CA/Agreement, Name and/or No.

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other8. Well Name and No.
Multiple--See Attached2. Name of Operator
OXY USA INCORPORATEDContact: SARAH CHAPMAN
E-Mail: SARAH_CHAPMAN@OXY.COM9. API Well No.
Multiple--See Attached3a. Address
5 GREENWAY PLAZA SUITE 110
HOUSTON, TX 77046-05213b. Phone No. (include area code)
Ph: 713-350-499710. Field and Pool or Exploratory Area
INGLE WELLS

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Multiple--See Attached

11. County or Parish, State
EDDY COUNTY, NM

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

| TYPE OF SUBMISSION | TYPE OF ACTION | | | |
|--|---|---|--|---|
| <input checked="" type="checkbox"/> Notice of Intent | <input type="checkbox"/> Acidize | <input type="checkbox"/> Deepen | <input type="checkbox"/> Production (Start/Resume) | <input type="checkbox"/> Water Shut-Off |
| <input type="checkbox"/> Subsequent Report | <input type="checkbox"/> Alter Casing | <input type="checkbox"/> Hydraulic Fracturing | <input type="checkbox"/> Reclamation | <input type="checkbox"/> Well Integrity |
| <input type="checkbox"/> Final Abandonment Notice | <input type="checkbox"/> Casing Repair | <input type="checkbox"/> New Construction | <input type="checkbox"/> Recomplete | <input checked="" type="checkbox"/> Other |
| | <input type="checkbox"/> Change Plans | <input type="checkbox"/> Plug and Abandon | <input type="checkbox"/> Temporarily Abandon | Change to Original APD |
| | <input type="checkbox"/> Convert to Injection | <input type="checkbox"/> Plug Back | <input type="checkbox"/> Water Disposal | |

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

Oxy respectfully requests approval for the following changes from the approved permit:

This is a bulk sundry request for 7 wells in Sand Dunes to change the wellhead design and to change control equipment pressure ratings. The wells related to this sundry request are as follows:

Sterling Silver MDP1 33-4 Fed Com 1H (30-015-45335)
 Sterling Silver MDP1 33-4 Fed Com 2H (30-015-45390)
 Sterling Silver MDP1 33-4 Fed Com 3H (30-015-45391)
 Sterling Silver MDP1 33-4 Fed Com 4H (30-015-45392)
 Sterling Silver MDP1 33-4 Fed Com 5H (30-015-45393)
 Sterling Silver MDP1 33-4 Fed Com 6H (30-015-45386)
 Sterling Silver MDP1 33-4 Fed Com 7H (30-015-45389)

- All previous COAs still apply.

Accepted For Record
NMOCD

2-4-19

14. I hereby certify that the foregoing is true and correct.

Electronic Submission #450778 verified by the BLM Well Information System
 For OXY USA INCORPORATED, sent to the Carlsbad
 Committed to AFMSS for processing by MUSTAFA HAQUE on 01/18/2019 (19MH0014SE)

Name (Printed/Typed) DAVID STEWART

Title REGULATORY ADVISOR

Signature (Electronic Submission)

Date 01/16/2019

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By MUSTAFA HAQUE

Title PETROLEUM ENGINEER

Date 01/22/2019

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office Carlsbad

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED **

Additional data for EC transaction #450778 that would not fit on the form

Wells/Facilities, continued

| Agreement | Lease | Well/Fac Name, Number | API Number | Location |
|-----------|-----------|--|--------------------|--|
| NMNM45236 | NMNM45236 | STERLING SILVER MDP1 33-4 FD30-015-45390-00-X1 | 30-015-45390-00-X1 | Sec 33 T23S R31E NWNW 90FNL 939FWL 32.267933 N Lat, 103.788254 W Lon |
| NMNM45236 | NMNM45236 | STERLING SILVER MDP1 33-4 FD30-015-45335-00-X1 | 30-015-45335-00-X1 | Sec 33 T23S R31E NWNW 90FNL 834FWL 32.267933 N Lat, 103.788589 W Lon |
| NMNM45236 | NMNM45236 | STERLING SILVER MDP1 33-4 FD30-015-45391-00-X1 | 30-015-45391-00-X1 | Sec 33 T23S R31E NENW 69FNL 2369FWL 32.267994 N Lat, 103.783623 W Lon |
| NMNM45236 | NMNM45236 | STERLING SILVER MDP1 33-4 FD30-015-45392-00-X1 | 30-015-45392-00-X1 | Sec 33 T23S R31E NENW 69FNL 2474FWL 32.267994 N Lat, 103.783287 W Lon |
| NMNM45236 | NMNM45236 | STERLING SILVER MDP1 33-4 FD30-015-45393-00-X1 | 30-015-45393-00-X1 | Sec 33 T23S R31E NENE 96FNL 634FEL 32.267918 N Lat, 103.776260 W Lon |
| NMNM45236 | NMNM45236 | STERLING SILVER MDP1 33-4 FD30-015-45386-00-X1 | 30-015-45386-00-X1 | Sec 33 T23S R31E NENW 69FNL 2439FWL 32.267994 N Lat, 103.783401 W Lon |
| NMNM45236 | NMNM45236 | STERLING SILVER MDP1 33-4 FD30-015-45389-00-X1 | 30-015-45389-00-X1 | Sec 33 T23S R31E NENE 96FNL 564FEL 32.267918 N Lat, 103.776031 W Lon |

32. Additional remarks, continued

Please see attached updated Drill Plan for further information.

OXY USA Inc. – Sterling Silver MDP1 33-4 Fed Com 1H, 2H, 3H, 4H, 5H, 6H, 7H

This is a bulk sundry request for 7 wells on 3 pads. The wells related to this sundry request are:

| API# | Well Name | Lease Serial # |
|--------------|--------------------------------------|-----------------------|
| 30-015-45335 | Sterling Silver MDP1 33-4 Fed Com 1H | NMNM045236 |
| 30-015-45390 | Sterling Silver MDP1 33-4 Fed Com 2H | NMNM045236 |
| 30-015-45391 | Sterling Silver MDP1 33-4 Fed Com 3H | NMNM045236 |
| 30-015-45392 | Sterling Silver MDP1 33-4 Fed Com 4H | NMNM045236 |
| 30-015-45393 | Sterling Silver MDP1 33-4 Fed Com 5H | NMNM045236 |
| 30-015-45386 | Sterling Silver MDP1 33-4 Fed Com 6H | NMNM045236 |
| 30-015-45389 | Sterling Silver MDP1 33-4 Fed Com 7H | NMNM045236 |

Oxy respectfully requests approval for the following changes from the approved permit:

1. Change to the wellhead design

Due to the casing design change and adding another casing string to the well, a 13-3/8" 3M sacrificial wellhead will be used to drill the 12-1/4" Intermediate Hole. Upon completion of drilling and cementing operations on the 12-1/4" Intermediate Hole section (along with proper WOC time), the wellhead will be cut off. At this point, the 13" 5x10 MNDS, be welded onto the 9-5/8" casing for the remainder of drilling operations on the pad.

2. Change Control Equipment Pressure Rating

| BOP installed and tested before drilling which hole? | Size? | Min. Required WP | Type | ✓ | Tested to: |
|---|--------------|-------------------------|-------------|----------|-------------------------|
| 12.25" Hole | 13-5/8" | 3M | Annular | ✓ | 70% of working pressure |
| | | 3M | Blind Ram | ✓ | 250/3000psi |
| | | | Pipe Ram | | |
| | | | Double Ram | ✓ | |
| | | | Other* | | |
| 8.5" Hole | 13-5/8" | 5M | Annular | ✓ | 70% of working pressure |
| | | 5M | Blind Ram | ✓ | 250/5000psi |
| | | | Pipe Ram | | |
| | | | Double Ram | ✓ | |
| | | | Other* | | |

OXY USA Inc. – Sterling Silver MDP1 33-4 Fed Com 1H, 2H, 3H, 4H, 5H, 6H, 7H

13-5/8 3M SACR + 13-5/8 MNDS 5x10 Slips (9.625 x 7.625 x 5.5)

