	UNITED STATES DEPARTMENT OF THE I BUREAU OF LAND MANA	NTERIOR	Car	ispac OCT	OMB No A Expires Ja	APPROVED O, 1004-0137 anuary 31, 2018
SUNDRY	(NOTICES AND REPO his form for proposals to	RTS ON WELLS	5. Acase Serial No. ANNN 1881 395			
abandoned w	vell. Use form 3160-3 (AP	D) for such propo	sals.		6. If Indian, Allottee o	r Tribe Name
SUBMIT IN	I TRIPLICATE - Other ins	tructions on page	2		7. If Unit or CA/Agree	ement, Name and/or No.
1. Type of Well)ther				8. Well Name and No. Multiple-See Atta	
2. Name of Operator OXY USA INCORPORATED	Contact:	DAVID STEWART	<u> </u>		9. API Well No. MultipleSee At	
3a. Address 5 GREENWAY PLAZA SUIT HOUSTON, TX 77046-0521	Е 110	3b. Phone No. (inclu Ph: 432:586:137	de area code) SONSER SIA DIST	VATION	10. Field and Pool or I POKER LAKE-I	
4. Location of Well (Footage, Sec.,)			11. County or Parish,	
MultipleSee Attached		FEI	B 0 8 20	19	EDDY COUNT	r, NM
		R	CEIVER	•		
12. CHECK THE A	APPROPRIATE BOX(ES)	TO INDICATE N	ATURE O	F NOTICE,	REPORT, OR OTH	IER DATA
TYPE OF SUBMISSION			TYPE OF	F ACTION		
Notice of Intent	C Acidize	🗖 Deepen		Product	ion (Start/Resume)	UWater Shut-Off
□ Subsequent Report	Alter Casing	Hydraulic	Ũ	Reclam		 Well Integrity Other Change to Original A
Final Abandonment Notice	 Casing Repair Change Plans 	New Cons		Recomp	arily Abandon	
	Convert to Injection	Plug Back		U Water E	-	PD
13. Describe Proposed or Completed C If the proposal is to deepen direction Attach the Bond under which the w following completion of the involv testing has been completed. Final determined that the site is ready for OXY USA Inc. respectfully re have a similar design. The s	nally or recomplete horizontally, ork will be performed or provide ed operations. If the operation re Abandonment Notices must be fil final inspection. equests to amend the APD	give subsurface location the Bond No. on file w sults in a multiple comp led only after all require for the following w	ons and measurith BLM/BIA pletion or reco ments, includ ells. The th	red and true ver . Required sub- completion in a re- ling reclamation ree wells will	rtical depths of all pertin osequent reports must be new interval, a Form 316 n, have been completed a	filed within 30 days 60-4 must be filed once
are for the 34H. Corral Fly 35-26 Federal Co Corral Fly 35-26 Federal Co 1. Amend the intermediate a	m #32H - 30-015-44727 - N m #33H - 30-015-44728 - N m #34H - 30-015-44729 - N m #35H - 30-015-44730 - N m #36H - 30-015-44731 - N	VMNM88139 VMNM88139 VMNM88139 VMNM88139 VMNM88139				
14. I hereby certify that the foregoing	Electronic Submission #	A INCORPORATED,	sent to the	Carlsbad	-	
	STEWART	Title		ATORY AD		
Signature (Electronic	c Submission)	Date	12/05/2	018		
	THIS SPACE FO	OR FEDERAL O	RSTATE	OFFICE U	SE	<u> </u>
					<u> </u>	
Approved ByMUSTAFA_HAQUI Conditions of approval, if any, are attack certify that the applicant holds legal or e which would entitle the applicant to con	s not warrant or e subject lease		<u>:UM ENGINI</u> d	<u>ER</u>	Date 02/06/2019	
Title 18 U.S.C. Section 1001 and Title 4 States any false, fictitious or frauduler	3 U.S.C. Section 1212, make it a	crime for any person k	nowingly and		ake to any department or	agency of the United
(Instructions on page 2)					¥ •	
** BLM RE	VISED ** BLM REVISE	D ** BLM REVIS	ED ** BLN	A REVISED) ** BLM REVISE	D **

A

J

RNP 2-19-19

Additional data for EC transaction #446500 that would not fit on the form

Wells/Facilities, continued

٠

,/

Agreement NMNM88139	Lease NMNM88139	Well/Fac Name, Number API Number CORRAL FLY 35-26 FEDERAL CO2020#5-44729-00-X1	Location Sec 2 T25S R29E 434FNL 1308FEL 32.165340 N Lat, 103,950829 W Lon
NMNM88139	NMNM88139	CORRAL FLY 35-26 FEDERAL CO80 20115-44726-00-X1	Sec 2 T25S R29E 694FNL 1008FWL 32.164627 N Lat, 103.960434 W Lon
NMNM88139	NMNM88139	CORRAL FLY 35-26 FEDERAL CO803215-44727-00-X1	Sec 2 T25S R29E 694FNL 1038FWL 32.164627 N Lat, 103.960335 W Lon
NMNM88139	NMNM88139	CORRAL FLY 35-26 FEDERAL CO8038H5-44728-00-X1	Sec 2 T25S R29E 694FNL 1068FWL 32.164627 N Lat, 103.960243 W Lon
NMNM88139	NMNM88139	CORRAL FLY 35-26 FEDERAL CO80 2815-44730-00-X1	Sec 2 T25S R29E 434FNL 1278FEL 32.165340 N Lat, 103.950729 W Lon
NMNM88139	NMNM88139	CORRAL FLY 35-26 FEDERAL COM 38+5-44731-00-X1	Sec 2 T25S R29E 434FNL 1248FEL 32.165340 N Lat, 103.950630 W Lon

32. Additional remarks, continued

2. Amend the intermediate and production casing cementing program and add a contingency cement program, see attached.

3. Amend the mud program, see attached.

- Previous COAD Mill apply. New GA is not required.

OXY USA Inc. - Corral Fly 35-26 Federal Com 31H, 32H, 33H, 34H, 35H, 36H – Amended Drill Plan

This is a bulk sundry request for six wells on two pads. The wells related to this sundry request are:

API#	Well Name	Lease Serial #
3001544726	Corral Fly 35-26 Fd Com 31H	NMNM88139
3001544727	Corral Fly 35-26 Fd Com 32H	NMNM88139
3001544728	Corral Fly 35-26 Fd Com 33H	NMNM88139
3001544729	Corral Fly 35-26 Fd Com 34H	NMNM88139
3001544730	Corral Fly 35-26 Fd Com 35H	NMNM88139
3001544731	Corral Fly 35-26 Fd Com 36H	NMNM88139

The six wells will share a similar design. However, casing depths and cement volumes will differ slightly from well to well. The specific details shown below belong to the Corral Fly 35-26 Federal Com 34H.

1. Casing Program

TT-1-	Casing I	Interval	Csg.	Weight			SF		Buoyant Body SF	Buoyant Joint SF
Hole Size (in)	From (ft)	To (ft)	Size (in)	(lbs)	Grade	Conn.	Collapse	SF Burst	Tension	Tension
14.75	0	475	10.75	40.5	J-55	BTC	1.125	1.2	1.4	1.4
9.875	0	9,775	7625	26.4	L-80	BTC	1.125	1.2	1.4	1.4
6.75	0	20808	5.5	20	P-110	DQX	1.125	1.2	1.4	1.4
		,				I	SF	Values w	ill meet or Ex	ceed

All casing strings will be tested in accordance with Onshore Oil and Gas Order #2 III.B.1.h

*Oxy requests the option to set casing shallower yet still below the salts if losses or hole conditions require this. Cement volumes may be adjusted if casing is set shallower and a DV tool may be run in case hole conditions merit pumping a second stage cement job to comply with permitted top of cement. If cement is circulated to surface during first stage we will drop a cancelation cone and not pump the second stage.

OXY USA Inc. - Corral Fly 35-26 Federal Com 31H, 32H, 33H, 34H, 35H, 36H – Amended Drill Plan

2. Cementing Program

.

Casing	Slurry	#Sks	Wt. (Lb/gal)	Yld ft3/sack	H20 gal/sk	500# Comp. Strength	Slurry Description
Surface	Tail	577	14.8	1.33	6.365	5:26	Accelerator
Intermediate	Lead	953	9.6	2.92	12.99	7:11	Retarder, Extender, Dispersant
	Tail	161	13.2	1.6	7.64	7:32	Retarder, Dispersant, Salt
Production	Tail	837	13.2	1.38	6.686	3:49	Retarder, Dispersant, Fluid Loss Control, Extender

Primary proposal (single stage cement job)

Casing String	Top of Lead (ft)	Bottom of Lead (ft)	Top of Tail (ft)	Bottom of Tail (ft)	% Excess Lead	% Excess Tail
Surface	N/A	N/A	0	475	N/A	100%
Intermediate	0	8775	8775	9775	50%	20%
Production	N/A	N/A	9275	20808	N/A	20%

OXY USA Inc. - Corral Fly 35-26 Federal Com 31H, 32H, 33H, 34H, 35H, 36H – Amended Drill Plan

Casing	Slurry	#Sks	Wt. (Lb/gal)	Yld ft3/sack	H20 gal/sk	500# Comp. Strength	Slurry Description
Surface	Tail	577	14.8	1.33	6.365	5:26	Accelerator
1st Stage	Lead	558	10.2	2.58	11.568	6:59	Retarder, Extender, Dispersant
Intermediate	Tail	160	13.2	1.61	7.804	7:11	Retarder, Dispersant, Salt
			DV/ECP T	°ool @ 3285 ft			
2nd Stage Intermediate	Tail	786	13.6	1.67	8.765	7:32	Extender. Accelerator, Dispersant
Production	Tail	837	13.2	1.38	6.686	3:49	Retarder, Dispersant, Fluid Loss Control, Extender

Contingency Proposal (dual stage cement job with DV tool)

Casing String	Top of Lead (ft)	Bottom of Lead (ft)	Top of Tail (ft)	Bottom of Tail (ft)	% Excess Lead	% Excess Tail
Surface	N/A	N/A	0	475	N/A	100%
1st Stage Intermediate	3185	8775	8775	9775	20%	20%
2nd Stage Intermediate	N/A	N/A	0	3285	N/A	100%
Production	N/A	N/A	9275	20808	N/A	20%

3. Mud Program

¥

Depth					
From (ft)	To (ft)	Туре	Weight (ppg)	Viscosity	Water Loss
0	475	Water-Based Mud	8.6-8.8	40-60	N/C
475	9775	Saturated Brine-Based or Oil-Based Mud	8.0-10.0	35-45	N/C
9775	20808	Water-Based or Oil- Based Mud	9.5-12.0	38-50	N/C

Drilling Contact – Brendan Flores – 713-985-6360(O) – 512-964-0965 (C)