

District I

1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Ave., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO.

30 005 63251

5. Indicate Type of Lease

STATE ☒ FEE ☐

6. State Oil & Gas Lease No.

25901

7. Lease Name or Unit Agreement Name

Willow Springs "34" State

8. Well Number

1

9. OGRID Number

149441

10. Pool name or Wildcat

Pecos Slope Abo

SUNDY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE APPLICATION FOR "PERMIT" (FORM C-101) FOR SUCH
PROPOSALS.)

1. Type of Well:

Oil Well ☐ Gas Well ☒ Other

2. Name of Operator

Reliance Energy, Inc.

3. Address of Operator

6 Dista Drive, Ste 5500, Midland TX 79705

4. Well Location

Unit Letter F : 1980 feet from the north line and 1980 feet from the west line

Section 34 Township 4S Range 25E NMPM Chaves County

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

3786

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒

TEMPORARILY ABANDON ☐ CHANGE PLANS ☐

PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐

CASING TEST AND CEMENT JOB ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

- ① Set CIBP @ 3600' top with 10' cmt
② Spot 100' 1450-1850' of csq. @ 1964'- place 100' of cmt inside: outside
③ Spot 100' 800-900' of csq. 1864'- 1964'- TAG
④ 50' plug at surface. of csq. 1730'- place 100' of cmt. inside: outside
60' plug at surface. of csq. 1630'- 1730'- (Glorieta Plug)
Perf csq @ 970'. Place 100' of cmt. inside: outside
of csq. 870'- 970'- TAG
Perf. csq @ 60'. Place 60' of cmt. inside: outside
of csq. 0'-60'. WOC 24 HRS - TAG
- Salt gel mud consisting of 10#
Brine W/25# of gel per bbl
must be placed between each plug
- Notify OED 24 hrs prior to any work done

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Laura Clepper

TITLE Regulatory Analyst

DATE 7-11-2003

Type or print name Laura Clepper

E-mail address: lclepper@reim.d.com

Telephone No. 683 4816

APPROVED BY [Signature]


TITLE Field Rep ID

DATE 7-21-03

Conditions of approval, if any:

WELL NAME AND NUMBER Willow Springs "34" State No. 1LOCATION 1980' FNL & 1980' FWL, Section 34, T4S, R25E, Chaves County NMOPERATOR Reliance Energy, Inc.DRILLING CONTRACTOR United Drilling, Inc.

The undersigned hereby certifies that he is an authorized representative of the drilling contractor who drilled the above described well and had conducted deviation tests and obtained the following results:

Degrees @ Depth1-3/4° 653'3° 1870'2-1/2° 2499'3° 3970'Degrees @ DepthDegrees @ DepthDrilling Contractor United Drilling, Inc.By: George A. Aho

George Aho

Title: Business ManagerSubscribed and sworn to before me this 21st day of July2000Karna Taborley
Notary PublicMy Commission Expires: 9-25-00Chaves NM
County State

OPERATOR: Reliance Energy Inc		API# 30-005-63251	
WELL: Willow Springs "34" State # 1		LOCATION: F-34-4-25	
SURFACE CSG-	HOLE SIZE "	CSG. SIZE 11 3/4"	SET @ 970'
			SX. CMT.
			TOC. Circ
INT.CSG-	HOLE SIZE	CSG. SIZE 8 5/8"	SET @ 1914'
			SX. CMT.
			TOC. Circ.
LONG STRING-	HOLE SIZE "	CSG. SIZE 5.5"	SET @ 3975'
			SX. CMT.
			TOC. 3232'
OTHER-			

