		UNITED STATES PARTMENT OF THE D UREAU OF LAND MANA	NTERIOR OOD A	ntesia O Exp	ORM APPROVED MB NO. 1004-0137 ires: January 31, 2018	
	SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals. SUBMIT IN TRIPLICATE - Other instructions on page 2			J. Lease Serial	 Lease Serial No. NMLC029342C If Indian, Allottee or Tribe Name If Unit or CA/Agreement, Name and/or No. 	
				6. If Indian, All		
				7. If Unit or CA		
	1. Type of Well Gas Well Other			8. Well Name and No. W D MCINTYRE C 1		
ы.	2. Name of Operator Contact: DELILAH FLORES COG OPERATING LLC E-Mail: dflores2@concho.com				9. API Well No. 30-015-04236-00-S1	
	3a. Address 600 W ILLINOIS AVENUE MIDLAND, TX 79701		3b. Phone No. (include area code Ph: 575-748-6946) 10. Field and Po GRAYBUF	ool or Exploratory Area RG	
	4. Location of Well (Footage, Sec., T	C, R., M., or Survey Description)	11. County or F	arish, State	
	Sec 21 T17S R30E NWNW 33	30FNL 990FWL		EDDY CO	UNTY, NM	
÷,	12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE			F NOTICE, REPORT, OR	OTHER DATA	
	TYPE OF SUBMISSION TYPE OF ACTION			FACTION	· · · · · · · · · · · · · · · · · · ·	
	☐ Notice of Intent	🗖 Acidize	Deepen	Production (Start/Resum	ne) 🔲 Water Shut-Off	
	Subsequent Report	Alter Casing	Hydraulic Fracturing	Reclamation	Well Integrity	
		Casing Repair	New Construction	Recomplete	Other	
	Final Abandonment Notice	 Change Plans Convert to Injection 	Plug and Abandon Plug Back	 Temporarily Abandon Water Disposal 		
	testing has been completion of the involved testing has been completed. Final Ab determined that the site is ready for fi 03/20/19 MIRU Plugging Equi head NU BOP POH w/ tho	k will be performed or provide operations. If the operation re- andonment Notices must be fil- inal inspection. pment. Removed horse's 13/21/19 RIH w/ the open	the Bond No. on file with BLM/BL/ sults in a multiple completion or rece ed only after all requirements, include head. POH w/ rods & pump.	ompletion in a new interval, a For ling reclamation, have been comp Dug out cellar. ND Well	nust be filed within 30 days m 3160-4 must be filed once leted and the operator has	
	testing has been completed. Final Ab determined that the site is ready for fi	k will be performed or provide operations. If the operation re- andonment Notices must be fil inal inspection. 3/21/19 RIH w/ tbg open 2% CACL @ 2744-2325'. 3/22/19 Tagged plug @ 2 WOC. Tagged plug @ 2 WOC. Tagged plug @ 2 Rigged down & moved of chase Messer w/ BLM ckfilled cellar, cut off dead	the Bond No. on file with BLM/BL/ sults in a multiple completion or rece ed only after all requirements, include neaded. POH w/ rods & pump. ended to 2744'. Circulated hot <u>WOC. No Tag.</u> Re- <u>Spotted 5</u> 276'. Circulated hole w/ MLE 351'. ND BOP. <u>Spotted 100 s</u> ff. 03/26/19 Moved in backhot verified cement to surface. W men, cleaned location, and r	A. Required subsequent reports m completion in a new interval, a For ling reclamation, have been comp Dug out cellar. ND Well ble w/ Fresh H20. <u>0 sx class C cnt w/ 2%</u> <u>. Spotted 30 sx class C x class C cmt @ 565' &</u> lie and welder, dug Velded on "Below moved off.	nust be filed within 30 days m 3160-4 must be filed once leted and the operator has RECLAMATION PROCED ATTACHED	
	testing has been completed. Final Ab determined that the site is ready for fi 03/20/19 MIRU Plugging Equi head, NU BOP. POH w/ tbg. 0 <u>Spotted 50 sx class C cmt w/ 2</u> <u>CACL @ 2744-2325</u> . WOCIO cmt w/ 2% CACL @ 1060-851 <u>circulated to surface</u> . 03/25/19 out cellar, cut off well head, an	k will be performed or provide operations. If the operation re- andonment Notices must be fil inal inspection. 3/21/19 RIH w/ tbg open 2% CACL @ 2744-2325'. 3/22/19 Tagged plug @ 2 WOC. Tagged plug @ 2 WOC. Tagged plug @ 2 Rigged down & moved of chase Messer w/ BLM ckfilled cellar, cut off dead	the Bond No. on file with BLM/BIA sults in a multiple completion or rece ed only after all requirements, includ head. POH w/ rods & pump. ended to 2744'. Circulated hoc <u>WOC. No Tag. Re-Spotted 5</u> 2276'. Circulated hole w/ MLF <u>351</u> '. ND BOP. <u>Spotted 100.5</u> ff. 03/26/19 Moved in backho verified cement to surface. W	A. Required subsequent reports m completion in a new interval, a For ling reclamation, have been comp Dug out cellar. ND Well ole w/ Fresh H20. <u>0 sx class C cnt w/ 2%</u> <u>. Spotted 30 sx class C</u> <u>x class C cmt @ 565' &</u> <u>w</u> e and welder, dug Velded on "Below noved off. REC	uist be filed within 30 days m 3160-4 must be filed once oleted and the operator has RECLAMATION PROCED ATTACHED RECLAMATIO DUE_9-12-19 EIVED	
	testing has been completed. Final Ab determined that the site is ready for fi 03/20/19 MIRU Plugging Equi head, NU BOP. POH w/ tbg. 0 <u>Spotted 50 sx class C cmt w/ 2</u> CACL @ 2744-2325 [*] . WOCIO cmt w/ 2% CACL @ 1060-851 <u>circulated to surface</u> . 03/25/19 out cellar, cut off well head, an Ground Dry Hole Marker". Bac	k will be performed or provide operations. If the operation re- andonment Notices must be fil nal inspection. pment. Removed horse's 3/21/19 RIH w/ tbg open 2% CACL @ 2744-2325'. 3/22/19 Tagged plug @ 2 WOC. Tagged plug @ 2	the Bond No. on file with BLM/BL/ sults in a multiple completion or rece ed only after all requirements, include neaded. POH w/ rods & pump. ended to 2744'. Circulated hot <u>WOC. No Tag.</u> Re- <u>Spotted 5</u> 276'. Circulated hole w/ MLE 351'. ND BOP. <u>Spotted 100 s</u> ff. 03/26/19 Moved in backhot verified cement to surface. W men, cleaned location, and r	A. Required subsequent reports m completion in a new interval, a For ling reclamation, have been comp Dug out cellar. ND Well ole w/ Fresh H20. <u>0 sx class C cnt w/ 2%</u> <u>. Spotted 30 sx class C</u> <u>x class C cmt @ 565' &</u> <u>w</u> e and welder, dug Velded on "Below noved off. REC	ust be filed within 30 days m 3160-4 must be filed once leted and the operator has RECLAMATION PROCEDI ATTACHED RECLAMATIO DUF 9-32-19	
	 following completion of the involved testing has been completed. Final Ab determined that the site is ready for fi 03/20/19 MIRU Plugging Equiphead, NU BOP. POH w/ tbg. 0 Spotted 50 sx class C cmt w/ CACL @ 2744-2325. WOCI @ cmt w/ 2% CACL @ 1060-851 circulated to surface. 03/25/19 out cellar, cut off well head, an Ground Dry Hole Marker". Bac 	k will be performed or provide operations. If the operation re- nandomment Notices must be fil inal inspection. pment. Removed horse's (3/21/19 RIH w/ tbg open 2% CACL @ 2744-2325'. (3/22/19) Ragged plug @ 2 WOC. Tagged	the Bond No. on file with BLM/BLA sults in a multiple completion or rece ed only after all requirements, includ head. POH w/ rods & pump. ended to 2744'. Circulated hole <u>WOC. No Tag. Re-Spotted 5</u> 276'. Circulated hole w/ MLE. <u>351</u> '. ND BOP. <u>Spotted 100 s</u> off. 03/26/19 Moved in backho verified cement to surface. W imen, cleaned location, and r c y/3 p/ 9 cpted for record NMOCD apprend for record NMOCD	A. Required subsequent reports mompletion in a new interval, a For impletion in a new interval, a For Dug out cellar. ND Well ole w/ Fresh H20. <u>0 sx class C cnt w/ 2%</u> <u>x class C cnt w/ 2%</u> <u>x class C cmt @ 565' &</u> the and welder, dug /elded on "Below noved off. APR APR Il Information DISTRICT II-/ arlsbad on 04/16/2019 (19JA0021SE	<pre>ust be filed within 30 days m 3160-4 must be filed once ileted and the operator has RECLAMATION PROCEDI ATTACHED RECLAMATIO DUE_9-12-19 EIVED 2 5 2019 ARTESIA O.C.D.</pre>	
	following completion of the involved testing has been completed. Final Ab determined that the site is ready for fi 03/20/19 MIRU Plugging Equip head, NU BOP. POH w/ tbg. 0 Spotted 50 sx class C cmt w/ CACL @ 2744-2325'. WOCIO cmt w/ 2% CACL @ 1060-851 circulated to surface. 03/25/19 out cellar, cut off well head, an Ground Dry Hole Marker". Bac 14. I hereby certify that the foregoing is Comm	k will be performed or provide operations. If the operation re- nandonment Notices must be fil nal inspection. pment. Removed horse's (3/21/19 RIH w/ tbg open 2% CACL @ 2744-2325'. (3/22/19) Tagged plug @ 2 WOC. Tagged plug @ 2 Novel to the tot the tot tot tot tot tot tot tot tot tot to	the Bond No. on file with BLM/BLA sults in a multiple completion or rece ed only after all requirements, includ head. POH w/ rods & pump. ended to 2744'. Circulated hole <u>WOC. No Tag. Re-Spotted 5</u> 276'. Circulated hole w/ MLE. <u>351</u> '. ND BOP. <u>Spotted 100 s</u> off. 03/26/19 Moved in backho verified cement to surface. W imen, cleaned location, and r c y/3 p/ 9 cpted for record NMOCD apprend for record NMOCD	A. Required subsequent reports mompletion in a new interval, a For ing reclamation, have been comp Dug out cellar. ND Well ole w/ Fresh H20. <u>0 sx class C cnt w/ 2%</u> . Spotted 30 sx class C x class C cmt @ 565' & ie and welder, dug /elded on "Below noved off. REC APR II Information SystemCT II-/ arlsbad on 04/16/2019 (19JA0021SE ATORY TECHNICIAN	<pre>ust be filed within 30 days m 3160-4 must be filed once ileted and the operator has RECLAMATION PROCEDI ATTACHED RECLAMATIO DUE_9-12-19 EIVED 2 5 2019 ARTESIA O.C.D.</pre>	
• • • • • • • • • • • • • • • • • • •	 following completion of the involved testing has been completed. Final Ab determined that the site is ready for fit 03/20/19 MIRU Plugging Equiphead, NU BOP. POH w/ tbg. 0 Spotted 50 sx class C cmt w/ 2 CACL @ 2744-2325'. WOCI @ cmt w/ 2% CACL @ 1060-851 circulated to surface. 03/25/19 out cellar, cut off well head, an Ground Dry Hole Marker". Bac 14. I hereby certify that the foregoing is Name (Printed/Typed) DELILAH I 	k will be performed or provide operations. If the operation re- inandomment Notices must be fil inal inspection. pment. Removed horse's 3/21/19 RIH w/ tbg open 2% CACL @ 2744-2325'. 3/22/19 Tagged plug @ 2 WOC. Tagged p	the Bond No. on file with BLM/BI/ sults in a multiple completion or rece ed only after all requirements, include head. POH w/ rods & pump. ended to 2744'. Circulated hour <u>WOC. No Tag. Re-Spotted 5</u> 276'. Circulated hole w/ MLF. 351'. ND BOP. Spotted 100 s. ff. 03/26/19 Moved in backho verified cement to surface. W men, cleaned location, and r c y/3 / 9 cpted for record NMOCD Provide for record NMOCD Provide for record NMOCD Provide for record NMOCD Title REGUL	A. Required subsequent reports mompletion in a new interval, a For impletion in a new interval, a For impletion in a new interval, a For Dug out cellar. ND Well ole w/ Fresh H20. <u>0 sx class C cnt w/ 2%</u> . Spotted 30 sx class C x class C cmt @ 565' & re and welder, dug /elded on "Below noved off. APR II Information DistraCT II-/ arlsbad on 04/16/2019 (19JA0021SE ATORY TECHNICIAN ACCEPTEI 019	nust be filed within 30 days m 3160-4 must be filed once oleted and the operator has RECLAMATION PROCEDI ATTACHED RECLAMATIO DUE 9-12-19 EIVED 2 5 2019 ARTESIA O.C.D.	
.	following completion of the involved testing has been completed. Final Ab determined that the site is ready for fit 03/20/19 MIRU Plugging Equiphead, NU BOP. POH w/ tbg. 0 Spotted 50 sx class C cmt w/ CACL @ 2744-2325; WOCID cmt w/ 2% CACL @ 1060-851 circulated to surface. 03/25/19 out cellar, cut off well head, an Ground Dry Hole Marker". Bac 14. I hereby certify that the foregoing is Name (Printed/Typed) DELILAH for Signature (Electronic S	k will be performed or provide operations. If the operation re- inandomment Notices must be fil inal inspection. pment. Removed horse's 3/21/19 RIH w/ tbg open 2% CACL @ 2744-2325'. 3/22/19 Tagged plug @ 2 WOC. Tagged p	the Bond No. on file with BLM/BL/ sults in a multiple completion or rece ed only after all requirements, includ head. POH w/ rods & pump. ended to 2744'. Circulated hot <u>WOC. No Tag.</u> Re-Spotted 5 276'. Circulated hole w/ MLF 351'. ND BOP. Spotted 100 st ff. 03/26/19 Moved in backho verified cement to surface. W lmen, cleaned location, and r <i>L Y J J J J G G</i> spred for record NMOCD PERATING LLC, sent to the Ci sing by DEBORAH MCKINNEY Title REGUL Date 04/16/2 DR FEDERAL OR STATE	A. Required subsequent reports mompletion in a new interval, a For ing reclamation, have been comp Dug out cellar. ND Well ole w/ Fresh H20. 0 sx class C cnt w/ 2% . Spotted 30 sx class C x class C cmt @ 565' & re and welder, dug Velded on "Below noved off. REC APR II Information DistraCT II-/ arlsbad on 04/16/2019 (19JA0021SE ATORY TECHNICIAN ACCEPTEL 019 OFFICE USE	hust be filed within 30 days m 3160-4 must be filed once obted and the operator has RECLAMATION PROCEDI ATTACHED RECLAMATIO DUE 9-32-19 EIVED 2 5 2019 ARTESIA O.C.D.) DFOR RECORD 1 7 2019	
	following completion of the involved testing has been completed. Final Ab determined that the site is ready for fi 03/20/19 MIRU Plugging Equip head, NU BOP. POH w/ tbg. 0 Spotted 50 sx class C cmt w/. CACL @ 2744-2325'. WOCU cmt w/ 2% CACL @ 1060-851 circulated to surface. 03/25/19 out cellar, cut off well head, an Ground Dry Hole Marker". Bac 14. I hereby certify that the foregoing is Name (Printed/Typed) DELILAH fi Signature (Electronic S Approved By Conditions of approval, if any, are attached certify that the applicant holds legal or equiparts	k will be performed or provide operations. If the operation re- nandonment Notices must be fil inal inspection. pment. Removed horse's 3/21/19 RIH w/ tbg open 2% CACL @ 2744-2325'. 3/22/19 Tagged plug @ 2 WOC. Tagged pl	the Bond No. on file with BLM/BL/ sults in a multiple completion or rece ed only after all requirements, includ head. POH w/ rods & pump. ended to 2744'. Circulated hot <u>WOC. No Tag.</u> Re-Spotted 5 276'. Circulated hole w/ MLE 351'. ND BOP. Spotted 100 st ff. 03/26/19 Moved in backho verified cement to surface. W men, cleaned location, and r c 4/3 0/99 cpted for record NMOCD PERATING LLC, sent to the Ca sing by DEBORAH MCKINNEY Title REGUL Date 04/16/2 Date 04/16/2 Date 04/16/2	A. Required subsequent reports mompletion in a new interval, a For ing reclamation, have been comp Dug out cellar. ND Well ole w/ Fresh H20. 0 sx class C cnt w/ 2% . Spotted 30 sx class C x class C cmt @ 565' & be and welder, dug /elded on "Below noved off. REC APR II Information DistraCT II- arlsbad on 04/16/2019 (19JA0021SE ATORY TECHNICIAN ACCEPTEL 019 OFFICE USE BUREAU OF	hust be filed within 30 days m 3160-4 must be filed once obted and the operator has RECLAMATION PROCEDI ATTACHED RECLAMATIO DUE 9-22-19 EIVED 2 5 2019 ARTESIA O.C.D.) DFOR RECORD 1 7 2019	
	following completion of the involved testing has been completed. Final Ab determined that the site is ready for fi 03/20/19 MIRU Plugging Equip head, NU BOP. POH w/ tbg. 0 Spotted 50 sx class C cmt w/.2 CACL @ 2744-2325'. WOCLD cmt w/ 2% CACL @ 1060-851 circulated to surface. 03/25/19 out cellar, cut off well head, an Ground Dry Hole Marker". Bac 14. I hereby certify that the foregoing is Name (Printed/Typed) DELILAH I Signature (Electronic S Approved By Conditions of approval, if any, are attached certify that the applicant holds legal or equ which would entitle the applicant to conduct Title 18 U.S.C. Section 1001 and Title 43 U	k will be performed or provide operations. If the operation re- andonment Notices must be fil inal inspection. pment. Removed horse's 3/21/19 RIH w/ tbg open 2% CACL @ 2744-2325' 3/22/19 Tagged plug @ 2 WOC. Tagged plug	the Bond No. on file with BLM/BL/ sults in a multiple completion or rece ed only after all requirements, includ head. POH w/ rods & pump. ended to 2744'. Circulated hot <u>WOC. No Tag.</u> Re-Spotted 5 276'. Circulated hole w/ MLE 351'. ND BOP. Spotted 100 st ff. 03/26/19 Moved in backho verified cement to surface. W men, cleaned location, and r <i>C</i> 4/3 0/9 cpted for record NMOCD after record NMOCD PERATING LLC, sent to the C sing by DEBORAH MCKINNEY Title REGUL Date 04/16/2 DR FEDERAL OR STATE	A. Required subsequent reports mompletion in a new interval, a For impletion in a new interval, a For impletion in a new interval, a For Dug out cellar. ND Well ole w/ Fresh H20. <u>0 sx class C cnt w/ 2%</u> . Spotted 30 sx class C x class C cmt @ 565' & ise and welder, dug Velded on "Below noved off. REC APR II Information DistraCT II- arlsbad on 04/16/2019 (19JA0021SE ATORY TECHNICIAN ACCEPTEL 019 OFFICE USE BUREAU OF I CARLSBA	ARTESIA O.C.D. 1 7 2019 1 7 2019 1 7 2019 AND MANAGEMENT D FIELD OFFICE	
	following completion of the involved testing has been completed. Final Ab determined that the site is ready for fit 03/20/19 MIRU Plugging Equip head, NU BOP. POH w/ tbg. 0 Spotted 50 sx class C cmt w/ 2 CACL @ 2744-2325 WOCID cmt w/ 2& CACL @ 1060-851 circulated to surface. 03/25/19 out cellar, cut off well head, an Ground Dry Hole Marker". Bac 14. I hereby certify that the foregoing is Name (Printed/Typed) DELILAH I Signature (Electronic S)	k will be performed or provide operations. If the operation re- andonment Notices must be fil inal inspection. pment. Removed horse's 3/21/19 RIH w/ tbg open 2% CACL @ 2744-2325'. 3/22/19 Tagged plug @ 2 WOC. Tagged plu	the Bond No. on file with BLM/BL/ sults in a multiple completion or rece ed only after all requirements, includ head. POH w/ rods & pump. ended to 2744'. Circulated hot <u>WOC. No Tag.</u> Re-Spotted 5 276'. Circulated hole w/ MLE 351'. ND BOP. Spotted 100 st ff. 03/26/19 Moved in backho verified cement to surface. W men, cleaned location, and r <i>C</i> 4/3 0/99 cpted for record NMOCD to great for record NMOCD PERATING LLC, sent to the C sing by DEBORAH MCKINNEY Title REGUL Date 04/16/2 DR FEDERAL OR STATE	A. Required subsequent reports mompletion in a new interval, a For ing reclamation, have been comp Dug out cellar. ND Well ole w/ Fresh H20. 0 sx class C cnt w/ 2% . Spotted 30 sx class C x class C cmt @ 565' & be and welder, dug /elded on "Below noved off. REC APR II Information DistraCT II- arlsbad on 04/16/2019 (19JA0021SE ATORY TECHNICIAN ACCEPTEL 019 OFFICE USE BUREAU OF I CARLSB/ willfully to make to any departm	nust be filed within 30 days m 3160-4 must be filed once obted and the operator has RECLAMATION PROCEDI ATTACHED RECLAMATIO PROCEDA 2 5 2019 ARTESIA O.C.D.) DFOR RECORD 1 7 2019 ARTESIA O.C.D.	
	following completion of the involved testing has been completed. Final Ab determined that the site is ready for fit 03/20/19 MIRU Plugging Equip head, NU BOP. POH w/ tbg. 0 Spotted 50 sx class C cmt w/ 2 CACL @ 2744-2325 WOCID cmt w/ 2& CACL @ 1060-851 circulated to surface. 03/25/19 out cellar, cut off well head, an Ground Dry Hole Marker". Bac 14. I hereby certify that the foregoing is Name (Printed/Typed) DELILAH I Signature (Electronic S)	k will be performed or provide operations. If the operation re- andonment Notices must be fil inal inspection. pment. Removed horse's 3/21/19 RIH w/ tbg open 2% CACL @ 2744-2325'. 3/22/19 Tagged plug @ 2 WOC. Tagged plu	the Bond No. on file with BLM/BL/ sults in a multiple completion or rece ed only after all requirements, includ head. POH w/ rods & pump. ended to 2744'. Circulated hot <u>WOC. No Tag.</u> Re-Spotted 5 276'. Circulated hole w/ MLE 351'. ND BOP. Spotted 100 st ff. 03/26/19 Moved in backho verified cement to surface. W men, cleaned location, and r <i>C</i> 4/3 0/9 cpted for record NMOCD after record NMOCD PERATING LLC, sent to the C sing by DEBORAH MCKINNEY Title REGUL Date 04/16/2 DR FEDERAL OR STATE	A. Required subsequent reports mompletion in a new interval, a For ing reclamation, have been comp Dug out cellar. ND Well ole w/ Fresh H20. 0 sx class C cnt w/ 2% . Spotted 30 sx class C x class C cmt @ 565' & be and welder, dug /elded on "Below noved off. REC APR II Information DistraCT II- arlsbad on 04/16/2019 (19JA0021SE ATORY TECHNICIAN ACCEPTEL 019 OFFICE USE BUREAU OF I CARLSB/ willfully to make to any departm	nust be filed within 30 days m 3160-4 must be filed once obted and the operator has RECLAMATION PROCEDI ATTACHED RECLAMATIO DUE 9-22-19 EIVED 2 5 2019 ARTESIA O.C.D.) DFOR RECORD 1 7 2019 DFOR RECORD 1 7 2019 DFOR RECORD 1 7 2019 DFOR RECORD 1 7 2019 DFOR RECORD DFOR R	




BUREAU OF LAND MANAGEMENT Carlsbad Field Office 620 E. Greene St. Carlsbad, New Mexico 88220-6292 www.blm.gov/nm

TAKE PRIDE

INAMERICA

-111 1111 1111



Reclamation Objectives and Procedures

Reclamation Objective: Oil and gas development is one of many uses of the public lands and resources. While development may have a short- or long-term effect on the land, successful reclamation can ensure the effect is not permanent. During the life of the development, all disturbed areas not needed for active support of production operations should undergo "interim" reclamation in order to minimize the environmental impacts of development on other resources and uses. At final abandonment, well locations, production facilities, and access roads must undergo "final" reclamation so that the character and productivity of the land and water are restored.

The long-term objective of final reclamation is to set the course for eventual ecosystem restoration, including the restoration of the natural vegetation community, hydrology, and wildlife habitats. In most cases this means returning the land to a condition approximating or equal to that which existed prior to the disturbance. The final goal of reclamation is to restore the character of the land and water to its predisturbance condition. The operator is generally not responsible for achieving full ecological restoration of the site. Instead, the operator must achieve the short-term stability, visual, hydrological, and productivity objectives of the surface management agency and take steps necessary to ensure that long-term objectives will be reached through natural processes.

To achieve these objectives, remove any and all contaminants, scrap/trash, equipment, pipelines and powerlines (Contact service companies, allowing plenty of time to have the risers and power lines and poles removed prior to reclamation, don't wait till the last day and try to get them to remove infrastructure). Strip and remove caliche, contour the location to blend with the surrounding landscape, re-distribute the native soils, provide erosion control as needed, rip and seed as specified in the original APD COA. This will apply to well pads, facilities, and access roads. Barricade access road at the starting point. If reserve pits have not reclaimed due to salts or other contaminants, submit a plan for approval, as to how you propose to provide adequate restoration of the pit area.

- 1 The Application for Permit to Drill or Reenter (APD, Form 3160-3), Surface Use Plan of Operations must include adequate measures for stabilization and reclamation of disturbed lands. Oil and Gas operators must plan for reclamation, both interim and final, up front in the APD process as per Onshore Oil and Gas Order No. 1
- 2. For wells and/or access roads not having an approved plan, or an inadequate plan for surface reclamation (either interim or final reclamation), the operator must submit a proposal describing the procedures for reclamation. For interim reclamation, the appropriate time for submittal would be when filing the Well Completion or Recompletion Report and Log (Form 3160-4). For final reclamation, the appropriate time for submittal would be when filing the Notice of Intent, or the Subsequent Report of Abandonment, Sundry Notices and Reports on Wells (Form 3160-5). Interim reclamation is to be completed within 6 months of well completion, and final reclamation is to be completed within 6 months.
- 3 The operator must file a Subsequent Report Plug and Abandonment (Form 3160-5) following the plugging of a well.
- 4. Previous instruction had you waiting for a BLM specialist to inspect the location and provide you with reclamation requirements. If you have an approved Surface Use Plan of Operation and/or an approved Sundry Notice, you are free to proceed with reclamation as per approved APD. If you

have issues or concerns, contact a BLM specialist to assist you. It would be in your interest to have a BLM specialist look at the location and access road prior to the removal of reclamation equipment to ensure that it meets BLM objectives. Upon conclusion submit a Form 3160-5, Subsequent Report of Reclamation. This will prompt a specialist to inspect the location to verify work was completed as per approved plans.

5. The approved Subsequent Report of Reclamation will be your notice that the native soils, contour and seedbed have been reestablished. If the BLM objectives have not been met the operator will be notified and corrective actions may be required.

6. It is the responsibility of the operator to monitor these locations and/or access roads until such time as the operator feels that the BLM objective has been met. If after two growing seasons the location and/or access roads are not showing the potential for successful revegetation, additional actions may be needed. When you feel the BLM objectives have been met submit a Final Abandonment Notice (FAN), Form 3160-5, stating that all reclamation requirements have been achieved and the location and/or access road is ready for a final abandonment inspection.

7 At this time the BLM specialist will inspect the location and/or access road. If the native soils and contour have been restored, and the revegetation is successful, the FAN will be approved, releasing the operator of any further liability of the location and/or access road. If the location and/or access road have not achieved the objective, you will be notified as to additional work needed or additional time being needed to achieve the objective.

If there are any questions, please feel free to contact any of the following specialists:

Jim Amos

Supervisory Petroleum Engineering Tech 575-234-5909, 575-361-2648 (Cell)

Arthur Arias Environmental Protection Specialist 575-234-6230

Crystal Weaver Environmental Protection Specialist 575-234-5943

Melissa Horn Environmental Protection Specialist 575-234-5951

Kelsey Wade Environmental Protection Specialist 575-234-5996

Trishia Bad Bear, Hobbs Field Station Natural Resource Specialist 575-393-3612