	∖ BU	UNITED STATES PARTMENT OF THE I JREAU OF LAND MANA	NTERIOR GEMENT	OCD Arte		Expires: J . Lease Serial No.	O. 1004-0137 anuary 31, 2018	
S Do n	SUNDRY I	NOTICES AND REPO s form for proposals to l. Use form 3160-3 (AP	RTS ON WELL drill or to re-ent	S ter an		NMNM046525		
abano	doned wel	I. Use form 3160-3 (AP	D) for such prop	osals.	6	. If Indian, Allottee of	or Tribe Name	
SUBMIT IN TRIPLICATE - Other instructions on page 2					7	7. If Unit or CA/Agreement, Name and/or N		
1. Type of Well ☑ Oil Well □ Gas Well □ Other					8. Well Name and No. COTTON DRAW UNIT 153H			
2. Name of Operator Contact: DENISE MENO DEVON ENERGY PRODUCTION CON Ail: Denise.Menoud@dvn.com				JD	9	9. API Well No. 30-015-38535-00-S1		
333 WEST SHERIDAN AVENUE Ph: 575-74 OKLAHOMA, OK 73102			3b. Phone No. (inc Ph: 575-746-5		. 1	10. Field and Pool or Exploratory Area COTTON DRAW		
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)			n)		1	1. County or Parish,	State	
Sec 3 T25S R31E Lot 2 0200FNL 1980FEL				EDI		EDDY COUNT	DDY COUNTY, NM	
12. CHEC	K THE AP	PROPRIATE BOX(ES)	TO INDICATE	NATURE OI	F NOTICE, R	EPORT, OR OT	HER DATA	
TYPE OF SUBMISS	SION	······································	<u></u>	TYPE OF	ACTION		<u> </u>	
□ Notice of Intent		Acidize	🗖 Deepen		Production	n (Start/Resume)	U Water Shut-O	
Subsequent Report		Alter Casing	-	ic Fracturing	🔀 Reclamati	on	U Well Integrity	
		Casing Repair	🗖 New Co		Recomple		Other	
Final Abandonmen	nt Notice	Change Plans Convert to Injection	Plug and Plug Bac		<ul> <li>Temporari</li> <li>Water Dis</li> </ul>			
following completion of testing has been complet determined that the site i Devon Energy respi	the involved ted. Final Ab is ready for fin ectfully req	operations. If the operation re andonment Notices must be fi nal inspection.	sults in a multiple con led only after all requi	mpletion or reco irements, includ	mpletion in a nev ing reclamation, l	v interval, a Form 310 have been completed	60-4 multities and context 50-4 must be filed once and the operator has	
following completion of testing has been complet determined that the site i Devon Energy resp pad due to the activ Please see the attac	the involved ted. Final Ab is ready for fu ectfully req ve battery o	operations. If the operation re andonment Notices must be fi nal inspection.	sults in a multiple con led only after all requi m Reclamation of	mpletion or reco irements, includ n the Cotton I	mpletion in a nev ing reclamation, l	v interval, a Form 316 nave been completed 33H	50-4 must be filed once	
following completion of testing has been complet determined that the site i Devon Energy respi pad due to the activ	the involved ted. Final Ab is ready for fu ectfully req ve battery o	operations. If the operation re andonment Notices must be final inspection.	sults in a multiple con led only after all requi m Reclamation or on and surroundin	mpletion or reco irements, includ: n the Cotton I ng area.	mpletion in a nev ing reclamation, l Draw Unit #15	v interval, a Form 316 nave been completed 33H	50-4 must be filed once and the operator has	
following completion of testing has been complet determined that the site i Devon Energy resp pad due to the activ Please see the attac	the involved ted. Final Ab is ready for fu ectfully req ve battery o	operations. If the operation re andonment Notices must be final inspection.	sults in a multiple con led only after all requi m Reclamation of	mpletion or reco irements, includ: n the Cotton I ng area.	mpletion in a nev ing reclamation, l Draw Unit #15	v interval, a Form 316 nave been completed 33H [	Solution for the operator has and the operator has RECEIVED PR 2 5 2019	
following completion of testing has been complet determined that the site i Devon Energy resp pad due to the activ Please see the attac Thank you.	the involved ted. Final Ab is ready for fin ectfully req ve battery o ched GIS ir	operations. If the operation re andonment Notices must be fi nal inspection. Uests deferment of-Interi n location. mage of the entire location	sults in a multiple con led only after all requi m Reclamation or on and surroundin	mpletion or reco irements, includ: n the Cotton I ng area.	mpletion in a nev ing reclamation, l Draw Unit #15	v interval, a Form 316 nave been completed 33H [	Solution for the operator has and the operator has RECEIVED PR 2 5 2019	
following completion of testing has been complet determined that the site i Devon Energy resp pad due to the activ Please see the attac	the involved ted. Final Ab is ready for fu ectfully req e battery o ched GIS ir	operations. If the operation re andonment Notices must be final inspection. PH4 uests deferment of Interion n location. mage of the entire location	sults in a multiple con led only after all require m Reclamation on on and surroundin Accepted for T	mpletion or reco irements, includ: n the Cotton I ng area. 3 - // 9 	mpletion in a new ing reclamation, I Draw Unit #15	v interval, a Form 316 nave been completed 33H ( DISTRIC bystem d	Solution for the operator has and the operator has RECEIVED PR 2 5 2019	
following completion of testing has been complet determined that the site i Devon Energy resp pad due to the activ Please see the attac Thank you.	the involved ted. Final Ab is ready for fu ectfully req e battery o ched GIS ir	operations. If the operation re andonment Notices must be final inspection. Uests deferment of Interin n location. mage of the entire location mage of the entire location true and correct. Electronic Submission # For DEVON ENERG tted to AFMSS for process	sults in a multiple con led only after all require m Reclamation on on and surroundin Accepted for T	mpletion or reco irements, include n the Cotton I ng area.	mpletion in a new ing reclamation, I Draw Unit #15 <b>)CD</b> I Information S to the Carlsba on 09/28/2018 (1	v interval, a Form 316 nave been completed 33H ( DISTRIC bystem d	50-4 must be filed once and the operator has	
following completion of testing has been complet determined that the site i Devon Energy resp pad due to the activ Please see the attac Thank you.	the involved ted. Final Ab is ready for fu ectfully req 'e battery o ched GIS ir ched GIS is ched GIS ir	true and correct. Electronic Submission # For DEVON ENERG text of AFMSS for process ENOUD	sults in a multiple con led only after all require m Reclamation on on and surroundin G G G G Accepted for Accepted for Y PRODUCTION C sing by DEBORAH	mpletion or reco irements, include in the Cotton I ag area.	mpletion in a new ing reclamation, I Draw Unit #15 )CD I Information S to the Carlsba on 09/28/2018 ( RIZED REPR	v interval, a Form 316 nave been completed 33H DISTRIC Vystem d 18DLM0760SE)	Solution for the operator has and the operator has a solution of the operator has a solution	
following completion of testing has been complet determined that the site i Devon Energy resp pad due to the activ Please see the attac Thank you.	the involved ted. Final Ab is ready for fu ectfully req 'e battery o ched GIS ir ched GIS ir ched SIS in ched SIS in	true and correct. Electronic Submission # For DEVON ENERG text of AFMSS for process ENOUD	sults in a multiple con led only after all requires m Reclamation of on and surroundin Accepted for re 437522 verified by Y PRODUCTION C sing by DEBORAH Tit Da	mpletion or reco irements, include in the Cotton I ing area.	mpletion in a new ing reclamation, I Draw Unit #15 Draw Un	v interval, a Form 316 nave been completed 3H DISTRIC DISTRIC system d 18DLM0760SE) ESENTATIVE	Solution for the operator has and the operator has RECEIVED PR 2 5 2019	
following completion of testing has been complet determined that the site i Devon Energy resp pad due to the activ Please see the attac Thank you.	the involved ted. Final Ab is ready for fu ectfully req 'e battery o ched GIS ir ched GIS ir ched SIS in ched SIS in	operations. If the operation re andonment Notices must be fi nal inspection.	sults in a multiple con led only after all requires m Reclamation of on and surroundin G G G G Accepted for T 437522 verified by T PRODUCTION C sing by DEBORAH Tit Da	mpletion or reco irements, include in the Cotton I ing area.	mpletion in a new ing reclamation, I Draw Unit #15 Draw Un	v interval, a Form 316 nave been completed 3H DISTRIC DISTRIC system d 18DLM0760SE) ESENTATIVE	Solution for the operator has and the operator has RECEIVED PR 2 5 2019	
following completion of testing has been complet determined that the site i Devon Energy resp pad due to the activ Please see the attac Thank you. 14. I hereby certify that the Name ( <i>Printed/Typed</i> ) Signature Approved By Conditions of approval, if any	the involved ted. Final Ab is ready for fur ectfully req re battery o ched GIS ir ched GIS ir ched GIS ir DENISE M (Electronic Si commit dent commit dent commit d	operations. If the operation re andonment Notices must be final inspection. Uests deferment of Interin n location. mage of the entire location mage of the entire location true and correct. Electronic Submission # For DEVON ENERG tted to AFMSS for process IENOUD Ubmission) THIS SPACE FO	sults in a multiple con- led only after all requires m Reclamation of on and surroundin G G G G Accepted for re- 437522 verified by FY PRODUCTION C sing by DEBORAH Tit Da DR FEDERAL C	mpletion or reco irements, include in the Cotton I ing area.	mpletion in a new ing reclamation, I Draw Unit #15 Draw Un	v interval, a Form 316 nave been completed 3H DISTRIC DISTRIC system d 18DLM0760SE) ESENTATIVE	50-4 must be filed once and the operator has RECEIVED PR 2 5 2019 FII-ARTESIA O.C	
following completion of testing has been complet determined that the site i Devon Energy resp pad due to the activ Please see the attac Thank you. 14. I hereby certify that the Name ( <i>Printed/Typed</i> ) Signature Approved By Conditions of approval, if any certify that the applicant hold which would entife the applic Title 18 U.S.C. Section 1001	the involved ted. Final Ab is ready for fu ectfully req 'e battery o ched GIS ir ched GIS ir beforegoing is <b>Commit</b> DENISE M (Electronic S)	operations. If the operation re andonment Notices must be final inspection. Uests deferment of Interin n location. mage of the entire location mage of the entire location true and correct. Electronic Submission # For DEVON ENERG tted to AFMSS for process IENOUD Ubmission) THIS SPACE FO	sults in a multiple con- led only after all requires only after all requires on and surroundin on and	mpletion or reco irements, include in the Cotton I ag area.	mpletion in a new ing reclamation, I Draw Unit #15 <b>CD</b> I Information S to the Carlsba on 09/28/2018 ( RIZED REPR 018 <b>DFFICE USE</b>	v interval, a Form 316 nave been completed 3H Al DISTRIC ystem d 18DLM0760SE) ESENTATIVE	So-4 must be filed once and the operator has RECEIVED PR 2 5 2019 TII-ARTESIA O.C.	
following completion of testing has been complet determined that the site is Devon Energy respondent pad due to the activ Please see the attact Thank you. 14. I hereby certify that the Name ( <i>Printed/Typed</i> ) Signature Approved By Conditions of approval, if any certify that the applicant hold: which would entitle the applic Title 18 U.S.C. Section 1001 States any false, fictitious on	the involved ted. Final Ab is ready for fur- ectfully req 'e battery o ched GIS in ched ched ched ched ched ched ched ched	operations. If the operation re andonment Notices must be final inspection. Uests deferment of Interin n location. mage of the entire location mage of the entire location true and correct. Electronic Submission # For DEVON ENERG tted to AFMSS for process IENOUD ubmission) THIS SPACE FO	sults in a multiple con- led only after all requires and surroundin on and surroundi	mpletion or reco irements, include in the Cotton I ing area.	mpletion in a new ing reclamation, I Draw Unit #15 CD I Information S to the Carlsba on 09/28/2018 ( RIZED REPR 018 DFFICE USE	v interval, a Form 316 nave been completed 3H (Al DISTRIC vystem d 18DLM0760SE) ESENTATIVE	50-4 must be filed once         and the operator has         RECEIVED         PR 2 5 2019 <b>TII-ARTESIA O.C.</b> gragency of the United	

