NM OIL CONSERVATION

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe. NM 87505

State of New Mexico

Energy, Minerals and Natural Resources Departmen MAY 1 4 2019 to Appropriate

Office

Office

Office

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

RECEIVED

GAS CAPTURE PLAN

| X Original       | Operator & OGRID No.: | CHEVRON USA INC (4323) |   |
|------------------|-----------------------|------------------------|---|
| ☐ Amended Reason | n for Amendment:      | Date: 04/30/2019       | _ |
|                  |                       |                        |   |

This Gas Capture Plan outlines actions to be taken by the Operator to reduce well/production facility flaring/venting for new completion (new drill, recomplete to new zone, re-frac) activity.

Note: A C-129 must be submitted and approved prior to exceeding 60 days allowed by Rule 19.15.18.12.A

## Well(s)/Production Facility -HHNM Section 9 CTB

The well(s) that will be located at the production facility are shown in the table below.

| Well Name                            | API     | Well<br>Location             | Footages                | Expected MCF/D | Flared or<br>Vented | Comments |
|--------------------------------------|---------|------------------------------|-------------------------|----------------|---------------------|----------|
| HH SO 8 5 FED 004 1H<br>(Wolfcamp D) | Pending | UL: B, Sec. 17,<br>T26S-R27E | 783' FNL,<br>1,584' FEL | 5500           | 0                   |          |
| HH SO 8 5 FED 004 2H<br>(Wolfcamp A) | Pending | UL: B, Sec. 17,<br>T26S-R27E | 783' FNL,<br>1,559' FEL | 2500           | 0                   |          |
| HH SO 8 5 FED 004 3H<br>(Wolfcamp C) | Pending | UL: B, Sec. 17,<br>T26S-R27E | 783' FNL,<br>1,534' FEL | 5500           | 0                   |          |
| HH SO 8 5 FED 004 4H<br>(Wolfcamp D) | Pending | UL: B, Sec. 17,<br>T26S-R27E | 783' FNL,<br>1,509' FEL | 5500           | 0                   |          |
| HH SO 8 5 FED 004 5H<br>(Wolfcamp A) | Pending | UL: B, Sec. 17,<br>T26S-R27E | 783' FNL,<br>1,484' FEL | 2500           | 0                   |          |
| HH SO 8 5 FED 004 6H<br>(Wolfcamp C) | Pending | UL: B, Sec. 17,<br>T26S-R27E | 783' FNL,<br>1,459' FEL | 5500           | 0                   |          |

## **Gathering System and Pipeline Notification**

These wells will be connected to Chevron's HHNM Section 9 CTB production facility located in Section 9, T24S – R31E, Eddy County, New Mexico during flowback and production.

Gas produced from the production facility is dedicated to Enterprise GC, LLC (Enterprise) and will be connected to Enterprise's high pressure gathering system located in Eddy County, New Mexico. Produced gas will be processed at Enterprise's Orla, Texas gas plant located in Abstract 3895476, T&P RR Co Survey No. 30, Block 56 T2, Reeves County, Texas. Chevron periodically provides Enterprise a drilling, completion and estimated first production date for wells that are scheduled to be drilled in the foreseeable future. In addition, Chevron and Enterprise have periodic conference calls to discuss changes to the drilling and completion schedules.

## Flowback Strategy

After the fracture treatment/completion operations, wells will be turned to permanent production facilities. Wells will have temporary sand catchers (separators) that will be installed at the well location to prevent sand from getting into the flowlines. These sand separators will be blown down periodically which will result in minimal venting of gas. Gas sales will start as soon as the wells start flowing through the production facilities unless there are operational issues with Enterprise's system at that time. Based on current information, it is Chevron's belief the system can take this gas upon completion of the well(s).

Safety requirements during cleanout operations from the use of underbalanced air cleanout systems may necessitate that sand and non-pipeline quality gas be vented and/or flared rather than sold on a temporary basis.

## **Alternatives to Reduce Flaring**

Below are alternatives considered from a conceptual standpoint to reduce the amount of gas flared.

- NGL Removal On lease and trucked or piped from condensate tanks
  - o Plants are expensive and uneconomical to operate when gas volume declines.
  - o Any residue gas that results in the future may be flared.