

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENTFORM APPROVED  
OMB NO. 1004-0137  
Expires: January 31, 2018**SUNDRY NOTICES AND REPORTS ON WELLS**  
*Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.*5. Lease Serial No.  
NMNM118108

6. If Indian, Allottee or Tribe Name

**SUBMIT IN TRIPLICATE - Other instructions on page 2**7. If Unit or CA/Agreement, Name and/or No.  
NMNM1386188. Well Name and No.  
HH SO 17 20 FED 001 2H9. API Well No.  
30-015-45101-00-X110. Field and Pool or Exploratory Area  
PURPLE SAGE-WOLFCAMP (GAS)11. County or Parish, State  
EDDY COUNTY, NM**12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA**

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	Drilling Operations
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleate horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleation in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

8/27/18 - Tested 13-3/8" surf casing to 1,920 psi for 30 min, good test.

11/10/18-11/21/18 - Drilled 12-1/4" intermediate hole to 9,164'.

11/22/18 - Notified Omar Alomer @ BLM of intent to run casing. Ran 9-5/8" 43.50#, HCL-80 LTC interm casing to 9,155'; float collar @ 9,110', DV Tool @ 2,148', float shoe @ 9,155'.

11/23/18 - Notified Omar @ BLM of intent to cement csg. Cemented csg in place w/Lead: 1,711 sks, Class C, Yld:2.44cuft/sk, Dens: 11.90#/gal &amp; Tail: 694 sks, Class C, Yld:1.32cuft/sk, Dens:14.80#/gal. Lost returns on 1st stage 495 bbls into displacement, 35 bbls to surface on 2nd stage.

GC 5/15/19  
Accepted for record - NMOCNM OIL CONSERVATION  
ARTESIA DISTRICT

MAY 14 2019

RECEIVED

14. I hereby certify that the foregoing is true and correct.	
Electronic Submission #464479 verified by the BLM Well Information System For CHEVRON USA INCORPORATED, sent to the Carlsbad Committed to AFMSS for processing by PRISCILLA PEREZ on 05/07/2019 (19PP1967SE)	
Name (Printed/Typed) LAURA BECERRA	Title REGULATORY SPECIALIST
Signature (Electronic Submission)	Date 05/07/2019

**THIS SPACE FOR FEDERAL OR STATE OFFICE USE**

Approved By <b>ACCEPTED</b>	JONATHON SHEPARD Title PETROLEUM ENGINEER	Date 05/07/2019
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.		Office Carlsbad

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

**\*\* BLM REVISED \*\* BLM REVISED \*\* BLM REVISED \*\* BLM REVISED \*\* BLM REVISED \*\***

**Additional data for EC transaction #464479 that would not fit on the form**

**32. Additional remarks, continued**

11/24/18 - Tested to 6650 psi for 15 min, good test. Released rig.

1/7/19-1/26/19 - Tested 9-5/8" interm casing to 3,820 psi for 30 min, good test. Drilled 8-1/2" production hole to 20,234

1/26/19 - Reached 20,234 TD

1/28/19 - Notified Chase Messer @ BLM of intent to run & cement prod csg.

1/29/19 - Ran 5-1/2" 20#, P-110 TXP-BTC prod casing to 20,214'; float collar @ 20,173', float shoe @ 20,214'.

1/31/19 - Cemented csg in place w/Lead: 3,739 sks, Class H, Yld: 1.19cuft/sk, Dens: 15.60#/gal & Tail: 186 sks, Class H, Yld: 1.90cuft/sk, Dens: 16.00#/gal, 28 bbls to surface, full returns throughout job.

-Released rig

## Revisions to Operator-Submitted EC Data for Sundry Notice #464479

	Operator Submitted	BLM Revised (AFMSS)
Sundry Type:	DRG SR	DRG SR
Lease:	NMNM118108	NMNM118108
Agreement:	NMNM138618	NMNM138618 (NMNM138618)
Operator:	CHEVRON USA INC 6301 DEAUVILLE BLVD MIDLAND, TX 79706 Ph: 432-687-7665	CHEVRON USA INCORPORATED 6301 DEAUVILLE BLVD MIDLAND, TX 79706 Ph: 432 687 7100
Admin Contact:	LAURA BECERRA REGULATORY SPECIALIST E-Mail: LBECERRA@CHEVRON.COM  Ph: 432-687-7655	LAURA BECERRA REGULATORY SPECIALIST E-Mail: LBECERRA@CHEVRON.COM  Ph: 432-687-7655
Tech Contact:	LAURA BECERRA REGULATORY SPECIALIST E-Mail: LBECERRA@CHEVRON.COM  Ph: 432-687-7655	LAURA BECERRA REGULATORY SPECIALIST E-Mail: LBECERRA@CHEVRON.COM  Ph: 432-687-7655
Location: State: County:	NM EDDY	NM EDDY
Field/Pool:	PURPLE SAGE;WOLFCAMP (GAS	PURPLE SAGE-WOLFCAMP (GAS)
Well/Facility:	HH SO 17 20 FED 001 2H Sec 8 T26S R27E Mer NMP SESW 305FSL 1873FWL	HH SO 17 20 FED 001 2H Sec 8 T26S R27E SESW 305FSL 1873FWL 32.050606 N Lat, 104.214859 W Lon