Form 3160-5 (June 2015)

## UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB NO. 1004-0137
Expires: January 31, 2018

5. Lease Serial No.
NMNM43744

Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.					6. If Indian, Allottee or Tribe Name	
1. Type of Well  ☑ Oil Well ☐ Gas Well ☐ Other					8. Well Name and No. PLATINUM MDP1 34-3 FEDERAL COM 7H	
2. Name of Operator Contact: SARAH CHAPMAN OXY USA INCORPORATED E-Mail: SARAH_CHAPMAN@OXY.COM					9. API Well No. 30-015-45250-00-X1	
3a. Address 5 GREENWAY PLAZA SUITE HOUSTON, TX 77046-0521	(include area code )-4997	)	10. Field and Pool or Exploratory Area COTTON DRAW-BONE SPRING			
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)					11. County or Parish, State	
Sec 34 T23S R31E NENW 220FNL 2592FWL 32.267582 N Lat, 103.765823 W Lon					EDDY COUNTY, NM	
12. CHECK THE A	PPROPRIATE BOX(ES)	TO INDICA	TE NATURE C	F NOTICE,	REPORT, OR OTH	ER DATA
TYPE OF SUBMISSION	TYPE OF ACTION					
☐ Notice of Intent	☐ Acidize	☐ Acidize ☐ Deepen		☐ Production (Start/Resume)		■ Water Shut-Off
Notice of filterit	☐ Alter Casing	☐ Alter Casing ☐ Hydraulic Fractur		☐ Reclamation		☐ Well Integrity
Subsequent Report	☐ Casing Repair	□ New	Construction		plete	<b>⊠</b> Other
☐ Final Abandonment Notice	☐ Change Plans ☐ Plu		and Abandon	☐ Temporarily Abandon		Drilling Operations
	☐ Convert to Injection ☐ Plug F		Back	☐ Water Disposal		
determined that the site is ready for for form 12/12/18 RU BOP, test to 500 good test. RIH & drill new form 12/15/18 Drill 12-1/4" hole to 4 tuned spacer then cmt w/ 119 167sxs (41bbl) class C cmt w/ 406sxs (130bbl) cmt to surfac 9-5/8" csg to 1500# for 30 mir test to EMW=9.2ppg 1170psi, FJ csg @ 9717', pump 40bbl syield, no returns throughout jo (138bbl) class C cmt w/ additional control of the form of the for	0# high 250# low, good tenation to 664', perform FI74500'. RIH & set 9-5/8" 4350sx (383bbl) class C cmt additives 14.8ppg 1.33 yie. WOC. 12/18/18 RU Boutes, good test. RIH and good test. Drill 8-1/2" holespacer then cmt w/ 161sx b, Perform 2nd stage cmt	Fest to EMW. 5# L-80 BTC t w/ additives ield, full return P, test to 500 drill new form e to 9727'. RI s (44bbl) clas squeeze thro	=19.4ppg 315# csg @ 4490', r 12.9ppg 1.71 yi ss throughout jo 0# high 250# lo ation to 4510', r 1 & set 7-5/8" 2 s C cmt w/ addi ugh bradenhea	, good test. ump 80 bbl eld followed b, circ w, good tes' oerform FIT 6.4# L-80 S tives 13.2pp d w/ 433sxs	by t. Test F & g 1.6	
14. I hereby certify that the foregoing is true and correct.  Electronic Submission #451380 verified by the BLM Well Information System  For OXY USA INCORPORATED, sent to the Carlsbad  Committed to AFMSS for processing by PRISCILLA PEREZ on 01/29/2019 (19PP0801SE)						
Name (Printed/Typed) DAVID ST	Title REGUL	ATORY AD	VISOR			
Signature (Electronic S	Submission)		Date 01/22/2	019		
	THIS SPACE FO	R FEDERA	L OR STATE	OFFICE U	SE	t
Approved By ACCEPTED			JONATHO TitlePETROLE	N SHEPAR UM ENGIN		Date 02/01/2019
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.			Office Carlsba	d		
Title 18 U.S.C. Section 1001 and Title 43 States any false, fictitious or fraudulent					ake to any department or a	gency of the United

## Additional data for EC transaction #451380 that would not fit on the form

## 32. Additional remarks, continued

12/25/18 RIH and drill new formation to 9737', perform FIT test to EMW=9.2ppg 960#, good test. Drill 6-3/4" hole to 20549'M/10281'V. RIH & set 5-1/2" 20# P110 DQX csg from 20555-20513' then run 5-1/2" 20# P110 SF TORQ from 20513'-surface. 1/1/19 pump 10bbl spacer then cmt w/ 834sxs (211bbl) class C w/ additives 13.2ppg 1.37 yield. Full returns throughout job, est TOC @ 9207'. 1/11/18 RD and rig release.

## Revisions to Operator-Submitted EC Data for Sundry Notice #451380

**Operator Submitted** 

**BLM Revised (AFMSS)** 

Sundry Type:

DRG SR

Lease: NMNM43744 DRG SR

NMNM43744

Agreement:

Operator:

OXY USA INC P.O. BOX 4294 HOUSTON, TX 77210 Ph: 713-350-4997

OXY USA INCORPORATED 5 GREENWAY PLAZA SUITE 110 HOUSTON, TX 77046-0521 Ph: 713.350.4816

Admin Contact:

SARAH CHAPMAN REGULATORY SPECIALIST E-Mail: SARAH CHAPMAN@OXY.COM Cell: 281-642-5503 Ph: 713-350-4997

SARAH CHAPMAN

SARAH CHAPWAN REGULATORY SPECIALIST E-Maii: SARAH CHAPMAN@OXY.COM Cell: 281-642-5503 Ph: 713-350-4997

Tech Contact:

DAVID STEWART SR REGULATORY ADVISOR E-Mail: DAVID\_STEWART@OXY.COM

Ph: 432-685-5717

DAVID STEWART REGULATORY ADVISOR E-Mail: david\_stewart@oxy.com

Ph: 432.685.5717

Location:

State: County:

NM EDDY

NM EDDY

Field/Pool:

COTTON DRAW BONE SPRING

COTTON DRAW-BONE SPRING

Well/Facility:

PLATINUM MDP1 34-3 FED COM 7H Sec 34 T23S R31E NENW 220FNL 2592FWL 32.267582 N Lat, 103.765823 W Lon

PLATINUM MDP1 34-3 FEDERAL COM 7H Sec 34 T23S R31E NENW 220FNL 2592FWL 32.267582 N Lat, 103.765823 W Lon