(	ITTE 3160-5 UNITED STATES DEPARTMENT OF THE INTERIOR					FORM APPROVED OMB NO. 1004-0137			
	BUREAU OF LAND MANAGEMENT 5. Lease Serial No.					, 2018			
		NOTICES AND REPO s form for proposals to				NMLC055264			
a	bandoned wel	I. Use form 3160-3 (AP	PD) for such p	roposals.		6. If Indian, Allottee of	r Tribe N	ame	
,	SUBMIT IN T	RIPLICATE - Other ins	tructions on	bage 2		7. If Unit or CA/Agree	ement, Na	ime and/or No	
1. Type of Well	Gas Well 🔲 Oth	er				8. Well Name and No. GB JACKSON SA 38			
2. Name of Operator BURNETT OIL	COMPANY IN		TINA HUERT			<ul> <li>9. API Well No.</li> <li>30-015-04130-00-D2</li> <li>10. Field and Pool or Exploratory Area GRAYBURG</li> </ul>			
	STREET UNIT 9 1, TX 76102-68		3b. Phone No. Ph: 575-74	(include area code) 8-4168					
4. Location of Well	(Footage, Sec., T.	, R., M., or Survey Description	n)			11. County or Parish,	State		
Sec 12 T17S R	R30E NENE 660	OFNL 660FEL				EDDY COUNT	Y, NM		
12. Cl	HECK THE AF	PROPRIATE BOX(ES)	) TO INDICA	TE NATURE O	F NOTICE,	REPORT, OR OTI	HER DA	TA	
TYPE OF SUE	BMISSION			TYPE OF	ACTION				
Notice of Inte	ent	🗖 Acidize	🗖 Deep	ben .	Product	ion (Start/Resume)		ater Shut-Of	
		Alter Casing	🗖 Hyd	raulic Fracturing	🗖 Reclam	ation	DWG	ell Integrity	
🗖 Subsequent R	eport	Casing Repair	. —	Construction	🗖 Recomp		🗖 Otl	her	
Final Abando	nment Notice	Change Plans Convert to Injection		and Abandon	Tempor Water D	arily Abandon			
If the proposal is t Attach the Bond u following complet testing has been co	to deepen directional inder which the wor tion of the involved ompleted. Final Ab	ally or recomplete horizontally will be performed or provid operations. If the operation r bandonment Notices must be f	, give subsurface le the Bond No. or results in a multipl	locations and measu file with BLM/BIA completion or reco	red and true ve Required sub moletion in a r	bsequent reports must be new interval, a Form 316	ent mark filed with 0-4 must	ers and zones hin 30 days be filed once	
If the proposal is t Attach the Bond u following complet testing has been co determined that th EOG Y Resour	to deepen directiona inder which the wor tion of the involved ompleted. Final Ab he site is ready for fi rces, Inc. plans	ally or recomplete horizontally rk will be performed or provid operations. If the operation r bandonment Notices must be f inal inspection. to plug and abandon this	y, give subsurface the Bond No. or esults in a multiplied only after all s well as follow	locations and measu file with BLM/BIA e completion or reco requirements, includ	red and true ve Required sub mpletion in a 1 ing reclamation	rtical depths of all perti sequent reports must be new interval, a Form 316 n, have been completed	nent marke filed with 50-4 must and the op	ers and zones hin 30 days be filed once	
If the proposal is t Attach the Bond u following complet testing has been co determined that th EOG Y Resour 1. MIRU all saf 2. RIH with GF	to deepen directiona inder which the wor tion of the involved ompleted. Final At he site is ready for fi rces, Inc. plans fety equipment a R/JB to 2840 ft.	Illy or recomplete horizontally k will be performed or provid operations. If the operation r andonment Notices must be f inal inspection. to plug and abandon this as needed. POOH with	y, give subsurface le the Bond No. or esults in a multipl iled only after all s well as follow production equ	locations and measu file with BLM/BIA e completion or reco requirements, includ vs:	red and true ve Required sul mpletion in a r ing reclamation	rtical depths of all pertin sequent reports must be new interval, a Form 310 n, have been completed	nent marke filed with 50-4 must and the op	ers and zones hin 30 days be filed once	
If the proposal is t Attach the Bond u following complet testing has been c determined that th EOG Y Resour 1. MIRU all sat 2. RIH with GF 3. Set a CIBP over the open	to deepen directiona inder which the wor tion of the involved ompleted. Final Ab resite is ready for fir rces, Inc. plans fety equipment a R/JB to 2840 ft. at 2820 ft with 3 perforations.	ally or recomplete horizontally k will be performed or provid operations. If the operation r andonment Notices must be f inal inspection. to plug and abandon this as needed. POOH with 55 ft Class C cement. Pr	y, give subsurface le the Bond No. or esults in a multipl iled only after all s well as follow production equ	locations and measu file with BLM/BIA e completion or reco requirements, includ vs:	red and true ve Required sul mpletion in a r ing reclamation	rtical depths of all pertin sequent reports must be new interval, a Form 310 n, have been completed ield Offie Artesia	nent marke filed with 50-4 must and the op	ers and zones hin 30 days be filed once berator has	
If the proposal is t Attach the Bond u following complet testing has been co determined that th EOG Y Resour 1. MIRU all saf 2. RIH with GR 3. Set a CIBP 3. Set a CIBP a over the open 4. Run Gyro St 5. Tag TOC ar 6. Perforate 5-	to deepen directiona inder which the wor tion of the involved ompleted. Final Ab is site is ready for fir rces, Inc. plans fety equipment a R/JB to 2840 ft. at 2820 ft with 3 perforations. urvey from CIBF nd load the hole of inch casing at	Illy or recomplete horizontally k will be performed or provid operations. If the operation r andonment Notices must be f inal inspection. to plug and abandon this as needed. POOH with 5 ft Class C cement. Pr P up to Surface. with plugging mud. t 1320 ft.	y, give subsurface le the Bond No. or esults in a multipl iled only after all s well as follow production equ ressure test ca	locations and measu file with BLM/BIA e completion or reco requirements, includ /s: uipment sing. This will pl	red and true ve Required sul mpletion in a r ing reclamation	rtical depths of all pertin sequent reports must be new interval, a Form 310 n, have been completed ield Offie Artesia	nent marke filed with 50-4 must and the op	ers and zones hin 30 days be filed once berator has	
If the proposal is t Attach the Bond u following complet testing has been or determined that th EOG Y Resour 1. MIRU all saf 2. RIH with GF 3. Set a CIBP 3. Set a CIBP 4. Run Gyro St 5. Tag TOC ar 6. Perforate 5- 7. Squeeze a 5 8. Perforate 5-	to deepen directiona inder which the wor tion of the involved ompleted. Final At he site is ready for fir rces, Inc. plans fety equipment a R/JB to 2840 ft. at 2820 ft with 3 perforations. urvey from CIBF nd load the hole of the casing at 55 sx Class C in 2 inch casing at	Illy or recomplete horizontally rk will be performed or provid operations. If the operation r andonment Notices must be f inal inspection. to plug and abandon this as needed. POOH with 5 ft Class C cement. Pr P up to Surface. with plugging mud. t 1320 ft. iside/outside cement plu	y, give subsurface le the Bond No. or esults in a multipl iled only after all s well as follow production equ ressure test ca	locations and measu file with BLM/BIA e completion or reco requirements, includ rs: uipment sing. This will pl - 1320 ft.	red and true ve Required sul mpletion in a r ing reclamation	rtical depths of all perti sequent reports must be new interval, a Form 310 n, have been completed Field Offi Artesia	rent mark r filed with 00-4 must and the op CC ECENE ECENE N 2.5	ers and zones hin 30 days be filed once berator has	
If the proposal is t Attach the Bond u following complet testing has been or determined that th EOG Y Resour 1. MIRU all saf 2. RIH with GF 3. Set a CIBP 3. Set a CIBP 4. Run Gyro Si 5. Tag TOC ar 6. Perforate 5- 7. Squeeze a 5 8. Perforate 5- 9. Squeeze a 5	to deepen directiona ander which the wor tion of the involved ompleted. Final Ab e site is ready for fi rces, Inc. plans fety equipment a R/JB to 2840 ft. at 2820 ft with 3 perforations. urvey from CIBF doad the hole ? inch casing at 55 sx Class C ir ? inch casing at 310 sx Class C	Illy or recomplete horizontally rk will be performed or provid operations. If the operation r andonment Notices must be f inal inspection. to plug and abandon this as needed. POOH with 85 ft Class C cement. Pr P up to Surface. with plugging mud. t 1320 ft. inside/outside cement plu 590 ft. inside/outside cement plu	y, give subsurface le the Bond No. or esults in a multipl iled only after all s well as follow production equ ressure test ca	locations and measu file with BLM/BIA e completion or reco requirements, includ rs: uipment sing. This will pl - 1320 ft.	red and true ve Required sul mpletion in a r ing reclamation	rtical depths of all perti sequent reports must be new interval, a Form 310 n, have been completed Field Offi Artesia	rent mark r filed with 00-4 must and the op CC ECENE ECENE N 2.5	ers and zones hin 30 days be filed once berator has	
If the proposal is t Attach the Bond u following complet testing has been or determined that th EOG Y Resour 1. MIRU all saf 2. RIH with GF 3. Set a CIBP 3. Set a CIBP 4. Run Gyro St 5. Tag TOC ar 6. Perforate 5- 7. Squeeze a 5 8. Perforate 5-	to deepen directiona inder which the wor tion of the involved ompleted. Final Ab the site is ready for fir rces, Inc. plans fety equipment a R/JB to 2840 ft. at 2820 ft with 3 perforations. urvey from CIBF nd load the hole ? inch casing at 310 sx Class C	Illy or recomplete horizontally k will be performed or provid operations. If the operation r andonment Notices must be f inal inspection. to plug and abandon this as needed. POOH with B5 ft Class C cement. Pr P up to Surface. with plugging mud. t 1320 ft. hside/outside cement plu t 590 ft. inside/outside cement plu t function ft. Electronic Submission	<pre>/, give subsurface le the Bond No. or esults in a multipl iled only after all s well as follow production equ ressure test ca i ug from 1220 ft lug from 590 ft #437341 verifie T OIL COMPAN</pre>	locations and measu file with BLM/BIA e completion or reco requirements, includ rs: lipment 'IS sing. This will pl - 1320 ft. up to surface. d by the BLM Wei Y INC, sent to th	red and true ve Required sul impletion in a r ing reclamation	rtical depths of all pertinsequent reports must be new interval, a Form 310, n, have been completed <b>ield Offfi</b> Artesia Barrier State Sta	rent mark r filed with 00-4 must and the op CC ECENE ECENE N 2.5	ers and zones hin 30 days be filed once berator has	
If the proposal is t Attach the Bond u following complet testing has been or determined that th EOG Y Resour 1. MIRU all saf 2. RIH with GF 3. Set a CIBP 3. Set a CIBP 4. Run Gyro St 5. Tag TOC ar 6. Perforate 5- 7. Squeeze a 5 8. Perforate 5- 9. Squeeze a 5	to deepen directiona inder which the wor tion of the involved ompleted. Final Ab the site is ready for fir rces, Inc. plans fety equipment a R/JB to 2840 ft. at 2820 ft with 3 perforations. urvey from CIBF nd load the hole ? inch casing at 310 sx Class C	Illy or recomplete horizontally k will be performed or provid operations. If the operation r andonment Notices must be f inal inspection. to plug and abandon this as needed. POOH with as needed. POOH with 35 ft Class C cement. Pr P up to Surface. with plugging mud. t 1320 ft. inside/outside cement plu t 590 ft. inside/outside cement plu t function correct. Electronic Submission For BURNET itted to AFMSS for proces	<pre>/, give subsurface le the Bond No. or esults in a multipl iled only after all s well as follow production equ ressure test ca i ug from 1220 ft lug from 590 ft #437341 verifie T OIL COMPAN</pre>	locations and measu file with BLM/BIA e completion or reco requirements, includ rs: upment 'IS sing. This will pl - 1320 ft. up to surface. d by the BLM Wel Y INC, sent to the RAH MCKINNEY of	red and true ve Required sul impletion in a r ing reclamation	rtical depths of all pertinsequent reports must be new interval, a Form 310, n, have been completed <b>ield Offfie</b>	rent mark r filed with 00-4 must and the op CC ECENE ECENE N 2.5	ers and zones hin 30 days be filed once berator has	
If the proposal is t Attach the Bond u following complet testing has been or determined that th EOG Y Resour 1. MIRU all saf 2. RIH with GF 3. Set a CIBP 3. Set a CIBP 4. Run Gyro St 5. Tag TOC ar 6. Perforate 5- 7. Squeeze a 5 8. Perforate 5- 9. Squeeze a 5	to deepen directiona inder which the wor tion of the involved ompleted. Final At he site is ready for fir rces, Inc. plans fety equipment a R/JB to 2840 ft. at 2820 ft with 3 perforations. urvey from CIBF nd load the hole of six Class C ir for casing at 310 sx Class C that the foregoing is Comm	Illy or recomplete horizontally k will be performed or provid operations. If the operation r andonment Notices must be f inal inspection. to plug and abandon this as needed. POOH with 35 ft Class C cement. Pr P up to Surface. with plugging mud. t 1320 ft. iside/outside cement plut t 590 ft. inside/outside cement plut t stue and correct. Electronic Submission For BURNET itted to AFMSS for process ERTA Submission)	7, give subsurface le the Bond No. or esults in a multiplied only after all s well as follow production equination ressure test ca in ressure test ca in the from 1220 ft lug from 590 ft #437341 verifie T OIL COMPAN ssing by DEBO	locations and measu file with BLM/BIA e completion or reco requirements, includ rs: upment - 1320 ft. up to surface. d by the BLM Wei Y INC, sent to th RAH MCKINNEY of Title REGUL Date 09/27/2	red and true ve Required sul impletion in a 1 ing reclamation <b>Dad</b> If <b>COP</b> I <b>COP</b> I	rtical depths of all pertinsequent reports must be new interval, a Form 310, n, have been completed <b>ield Office Artesia</b> <b>ield Offi</b>	rent mark r filed with 00-4 must and the op CC ECENE ECENE N 2.5	ers and zones hin 30 days be filed once berator has	
If the proposal is t Attach the Bond u following complet testing has been or determined that th EOG Y Resour 1. MIRU all saf 2. RIH with GF 3. Set a CIBP 3. Set a CIBP 4. Run Gyro St 5. Tag TOC ar 6. Perforate 5- 7. Squeeze a 5- 9. Squeeze 3- 9. Squeeze 3- 9. Squeeze 3- 9. Squeeze 3- 9. Squeeze 3- 9. Squeeze 3- 9. Sq	to deepen directiona inder which the wor tion of the involved ompleted. Final At he site is ready for fi- rces, Inc. plans fety equipment : R/JB to 2840 ft. at 2820 ft with 3 perforations. urvey from CIBF nd load the hole c? inch casing at 355 sx Class C ir c? inch casing at 310 sx Class C that the foregoing is comm (ped) TINA HUE	Illy or recomplete horizontally k will be performed or provid operations. If the operation r andonment Notices must be f inal inspection. to plug and abandon this as needed. POOH with B5 ft Class C cement. Pr P up to Surface. with plugging mud. t 1320 ft. Inside/outside cement plu t 590 ft. inside/outside cement plu t 590 ft. Electronic Submission For BURNET itted to AFMSS for process ERTA	7, give subsurface le the Bond No. or esults in a multiplied only after all s well as follow production equination ressure test ca in ressure test ca in the from 1220 ft lug from 590 ft #437341 verifie T OIL COMPAN ssing by DEBO	locations and measu file with BLM/BIA e completion or reco requirements, includ rs: upment - 1320 ft. up to surface. d by the BLM Wei Y INC, sent to th RAH MCKINNEY of Title REGUL Date 09/27/2	red and true ve Required sul impletion in a 1 ing reclamation <b>Dad</b> If <b>COP</b> I <b>COP</b> I	rtical depths of all pertinsequent reports must be new interval, a Form 310, n, have been completed <b>ield Office Artesia</b> <b>ield Offi</b>	rent mark r filed with 00-4 must and the op CC ECENE ECENE N 2.5	ers and zones hin 30 days be filed once berator has	
If the proposal is t Attach the Bond u following complet testing has been or determined that th EOG Y Resour 1. MIRU all saf 2. RIH with GR 3. Set a CIBP 3. Set a CIBP 3. Set a CIBP 4. Run Gyro St 5. Tag TOC ar 6. Perforate 5- 7. Squeeze a 5- 9. Squeeze a 3 14. Thereby certify t Name ( <i>Printed/Ty</i> )	to deepen directiona ander which the wor tion of the involved ompleted. Final At he site is ready for fi rces, Inc. plans fety equipment a R/JB to 2840 ft. at 2820 ft with 3 perforations. urvey from CIBF nd load the hole ? inch casing at 310 sx Class C ir ? inch casing at 310 sx Class C that the foregoing is (Electronic S	Illy or recomplete horizontally is will be performed or provid operations. If the operation r andonment Notices must be f inal inspection. to plug and abandon this as needed. POOH with as needed. POOH with 5 ft Class C cement. Pr P up to Surface. with plugging mud. t 1320 ft. inside/outside cement plut t 590 ft. Electronic Submission i For BURNET itted to AFMSS for process ERTA Submission) THIS SPACE F	7, give subsurface le the Bond No. or esults in a multiplied only after all s well as follow production equination ressure test ca in ressure test ca in the from 1220 ft lug from 590 ft #437341 verifie T OIL COMPAN ssing by DEBO	locations and measu file with BLM/BIA e completion or reco requirements, includ rs: hipment <b>//S</b> sing. This will pl - 1320 ft. up to surface. d by the BLM Wel Y INC, sent to the RAH MCKINNEY of Title REGUL Date 09/27/2 L OR STATE	red and true ve Required sul impletion in a 1 ing reclamation <b>Dad F</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Correlation</b> <b>Cor</b>	rtical depths of all pertinsequent reports must be new interval, a Form 310, n, have been completed <b>ield Office Artesia</b> <b>ield Offi</b>	rent mark r filed with 00-4 must and the op CC ECEIVE N 2.5 FILAET	ers and zones hin 30 days be filed once berator has	
If the proposal is t Attach the Bond u following complet testing has been or determined that th EOG Y Resour 1. MIRU all saf 2. RIH with GF 3. Set a CIBP 3. Set a CIBP 3. Set a CIBP 4. Run Gyro Si 5. Tag TOC an 6. Perforate 5- 7. Squeeze a 5 8. Perforate 5- 9. Squeeze a 3 14. Thereby certify t Name ( <i>Printed/Ty</i> , Signature 	to deepen directiona ander which the wor tion of the involved ompleted. Final At a site is ready for fi rces, Inc. plans fety equipment a R/JB to 2840 ft. at 2820 ft with 3 perforations. urvey from CIBF nd load the hole ? inch casing at 55 sx Class C in ?? inch casing at 310 sx Class C that the foregoing is <b>Comm</b> <i>sped</i> ) TINA HUE (Electronic S <b>CORAH_MCKINM</b> I, if any, are attache in holds legal or equi	ally or recomplete horizontally is will be performed or provid operations. If the operation r andonment Notices must be f inal inspection. to plug and abandon this as needed. POOH with as nee	v, give subsurface le the Bond No. or esults in a multiplied only after all s well as follow production equi- ressure test ca in the subscript of the ressure test ca in the subscript of the ressure test ca in the subscript of the subscript of the subscript of the subscript of the subscript of the subscript o	locations and measu file with BLM/BIA e completion or reco requirements, includ rs: hipment <b>//S</b> sing. This will pl - 1320 ft. up to surface. d by the BLM Wel Y INC, sent to the RAH MCKINNEY of Title REGUL Date 09/27/2 L OR STATE	red and true ve Required sul impletion in a 1 ing reclamation <b>Dad</b> If <b>Dad</b> If <b>Dad</b> If <b>Dad</b> If <b>Dad</b> If <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corpering</b> <b>Corper</b>	rtical depths of all pertinsequent reports must be new interval, a Form 316 n, have been completed <b>Field Office Artesia</b>	rent mark r filed with 00-4 must and the op CC ECEIVE N 2.5 FILAET	ers and zones hin 30 days be filed once perator has 2019 ESIAO.C.	

## Additional data for EC transaction #437341 that would not fit on the form

## 32. Additional remarks, continued

10. Cut off wellhead. Install below ground level Dry Hole Marker. Clean location as per regulated.

Wellbore schematics attached

## Revisions to Operator-Submitted EC Data for Sundry Notice #437341

Ĵ.

	Operator Submitted	BL
	operator Submitted	
Sundry Type:	ABD NOI	AB NO
Lease:	NMLC055264	NM
Agreement:		
Operator:	EOG Y RESOURCES, INC. 104 SOUTH FOURTH STREET ARTESIA, NM 88210 Ph: 575-748-1471	BU 801 FO Ph
Admin Contact:	TINA HUERTA REGULATORY SPECIALIST E-Mail: tina_huerta@eogresources.com	TIN RE E-N
	Ph: 575-748-4168	Ph
Tech Contact:	TINA HUERTA REGULATORY SPECIALIST E-Mail: tina_huerta@eogresources.com	TIN RE E-N
	Ph: 575-748-4168	Ph
Location:	1	
State: County:	NM EDDY	NN ED
Field/Pool:	SQUARE LAKE;GB-SAN ANDRES	GF
Well/Facility:	GRAYBURG JACKSON S A UNIT 38 Sec 12 T17S R30E NENE 660FNL 660FEL	GE Se

3LM Revised (AFMSS)

ABD NOI

NMLC055264

BURNETT OIL COMPANY INC 801 CHERRY STREET UNIT 9 SUITE 1500 FORT WORTH, TX 76102-6881 Ph: 817.332.5108

TINA HUERTA REGULATORY SPECIALIST E-Mail: tina\_huerta@eogresources.com

Ph: 575-748-4168

TINA HUERTA REGULATORY SPECIALIST E-Mail: tina\_huerta@eogresources.com

Ph: 575-748-4168

NM EDDY

**GRAYBURG**<sup>1</sup>

GB JACKSON SA 38 Sec 12 T17S R30E NENE 660FNL 660FEL