						, ř												
Submit To Approp Two Copies	riate Distri	ct Office	:	State of New Mexico								Form C-105						
District I 1625 N. French Dr	., Hobbs, N	JM 8824	0	En	ergy,]	Minerals and	d Na	tural	Res	sources	+	Revised April 3, 2017						
District II 811 S. First St., Ar			·								1. WELL API NO. 30-015-45749							
District III 1000 Rio Brazos R	,		10	Oil Conservation Division							2. Type of Lease							
District IV	. ,			1220 South St. Francis Dr. Santa Fe, NM 87505							3. State Oil & Gas Lease No. VO-4801							
1220 S. St. Francis Dr., Santa Fe, NM 87505 Santa Fe, NM 87505 WELL COMPLETION OR RECOMPLETION REPORT AND LOG										5. State Off & Gas Lease 140, VO-4601								
											5. Lease Name or Unit Agreement Name: Rumble State							
												6. Well Number:						
7. Type of Com	oletion:										1				- UU:		.1911ML	
NEW WELL WORKOVER DEEPENING PLUGBACK DIFFERENT RESERVOIR 8. Name of Operator											OIR	9. OGRID 7377						
EOG Resources 10. Address of O	perator										-+	11. Pool name or Wildcat Penasco Draw; Permo Penn						
104 South Fourth	Street A	rtesia, N	NM 88210															
12.Location	Unit Ltr	S	ection	Town	ship	Range Lot		Fee		Feet from th	he	N/S Line	Feet from the		e E/W Line		County	
Surface:	D	28		18S		25E	1		860			North	150		West		Eddy	
BH:	A	2		18S		25E				860		North	330		East		Eddy	
13. Date Spudde 2-21-19	3-12-	19	. Reached	15. Date Rig Releas 3-14-19						6. Date Completed -24-19		(Ready to Pro	duce)		7. Elevati RT, GR, et		and RKB,	
18. Total Measur 12,084				19. Plug Back Measured Depth 12,022				20. Was Directional Yes			I Survey Made? 21. Type Elec N/A		pe Electric	c and O	her Logs Run			
22. Producing Int 7544' – 12,01		of this c	completion	- Тор, Во														
23.						ING REC	ORI				ing			r				
CASING SI 20"	ZE		EIGHT LB Conduct			DEPTH SET 120'		HOLE SIZE				CEMENTING RECORD AMOUNT PULLED 432 sx Redi-mix to surface						
9-5/8"		36# K55						12-1/4"				780 sx (circ) C						
5-1/2"			20# HCPIIC		2	12,062'		8-1/2"			2345 sx (circ) H							
		<u>.</u>															- KY	
24.			T _D	BOTTOM		LINER RECORD				25.			IG REC		DAOK			
SIZE	TOP	BOTTOM			SACKS CEMENT				SIZ 2-7	. <u>e</u> 7/8"			•1	PACK	ER SET			
		_																
26. Perforation	record (i	nterval,	size, and n	umber)							FR/	ACTURE, CI						
7544' – 12,018'				DEPTH INTERVAL 7,544'-12,018'						AMOUNT AND KIND MATERIAL USED Acidized with 27,510 gal acid								
							Frac with 8,941,338 lbs proppant and											
						<u></u>						169,808 b	,808 bbls water					
28. Data First Bradus	tion		D 1	ation M.	had /r					ION		W HO	+ (P	1 C ¹	4 4 - 2			
								Well Status (Prod. or Shut-in) Prod										
Date of Test 5/28/19						Prod'n For Test Period	Oil - Bi 100		Bbl	Gas 116		- MCF 2	Wa	iter - Bbl 14	I.	Gas - C N/A	Dil Ratio	
Flow Tubing Press. 406	Casin 1172	g Press		alculated our Rate			MCF	, 	Water - Bbl.	Oil Gravity - A N/A		avity - AP	I - (Cor	r.)				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold										30. Test Witnessed By Jesus Martinez								
31. List Attachmo N/A	ents																	
32. If a temporary	y pit was	used at 1	the well, at	ach a pla	t with th	e location of the	tempo	orary pi	it.				33. R	g Releas	se Date:			
34. If an on-site burial was used at the well, report the exact location of the on-site burial:																		
I hereby certij	fy that t	he info	ormation	shown	on both	Latitude In sides of this	form	i is tri	ue ar	nd comple	ete i	Longitude to the best of	of mv	knowle	dge and		D83	
Signature	5	"1 4	<u>s</u>		l	Printed Jame	(H _r ,	~~5	S _{Titl}	e Ĩ	Rey. S	per	•	<u> </u>	-	7/9/19	
E-mail Addre	ss Jer	eny-	haass	<u>@eog</u>	roson	nises.com	ר	•										
	- 0			- •	-													

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southe	asterr	New Mexico	Northwestern New Mexico					
T. Anhy		T. Canyon	T. Ojo Alamo	T. Penn A"				
T. Salt		T. Strawn	T. Kirtland	T. Penn. "B"				
B. Salt		T. Atoka	T. Fruitland	T. Penn. "C"				
T. Yates		T. Miss	T. Pictured Cliffs	T. Penn. "D"				
T. 7 Rivers		T. Devonian	T. Cliff House	T. Leadville				
T. Queen		T. Silurian	T. Menefee	T. Madison				
T. Grayburg		T. Montoya	T. Point Lookout	T. Elbert				
T. San Andres	740	T. Simpson	T. Mancos	T. McCracken				
T. Glorieta	2112	T. McKee	T. Gallup	T. Ignacio Otzte				
	2407	T. Ellenburger	Base Greenhorn	T.Granite				
T. Blinebry	2531	T. Gr. Wash	T. Dakota					
T.Tubb	3530	T. Delaware Sand	T. Morrison					
T. Drinkard		T. Bone Springs	T.Todilto					
T. Abo	4163	Т	T. Entrada					
T. Wolfcamp	5504	Т	T. Wingate					
T. Penn		Т.	T. Chinle					
T. Cisco 6	6545	Т.	T. Permian					

OIL OR GAS SANDS OR ZONES

No. 1, from	No. 3, fromtoto
No. 2, from	

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

Sec. 18

1 10, 1, 110111	feet
	feet
	feet

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	То	Thickness In Feet	Lithology	From	То	Thickness In Feet	Lithology