

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

Carlsbad Field Office
OCD Artesia
FORM APPROVED
OMB NO. 1004-0137
Expires: January 31, 2018

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instructions on page 2

1. Type of Well ☒ Oil Well ☐ Gas Well ☐ Other		5. Lease No. Multiple--See Attached
2. Name of Operator BURNETT OIL COMPANY INC Contact: LESLIE GARVIS E-Mail: LGARVIS@BURNETTOIL.COM		6. If Indian, Allottee or Tribe Name
3a. Address 801 CHERRY STREET UNIT 9 SUITE 1500 FORT WORTH, TX 76102-6881	3b. Phone No. (include area code) Ph: 817-583-8730 Fx: 817-332-8438	7. If Unit or CA/Agreement, Name and/or No. Multiple--See Attached
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Multiple--See Attached		8. Well Name and No. Multiple--See Attached
		9. API Well No. Multiple--See Attached
		10. Field and Pool or Exploratory Area Multiple--See Attached
		11. County or Parish, State EDDY COUNTY, NM

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
☒ Notice of Intent	☐ Acidize	☐ Deepen	☐ Production (Start/Resume)	☐ Water Shut-Off
☐ Subsequent Report	☐ Alter Casing	☐ Hydraulic Fracturing	☐ Reclamation	☐ Well Integrity
☐ Final Abandonment Notice	☐ Casing Repair	☐ New Construction	☐ Recomplete	☒ Other
	☐ Change Plans	☐ Plug and Abandon	☐ Temporarily Abandon	Surface Commingling
	☐ Convert to Injection	☐ Plug Back	☐ Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomple horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

Burnett is requesting approval for surface commingling, off lease measurement and off lease storage at the Gissler B2 Battery.

The Gissler B2 battery is located at:
T17S, R 30 E, SECTION 23, UNIT J, NWSE
1943' FSL, 1323' FEL
LEASE: NMNM-2748

The following wells are associated with this battery:
GISSLER B 2 #30-015-04308 (NMNM-074939)
GISSLER B 5 #30-015-04300 (NMNM-2748)
GISSLER B 12 #30-015-04302 (NMNM-2748)

NM OIL CONSERVATION
ARTESIA DISTRICT

SEP 23 2019

RECEIVED

14. I hereby certify that the foregoing is true and correct. Electronic Submission #440919 verified by the BLM Well Information System For BURNETT OIL COMPANY INC, sent to the Carlsbad Committed to AFMSS for processing by PRISCILLA PEREZ on 10/25/2018 (19PP0222SE)	
Name (Printed/Typed) LESLIE GARVIS	Title REGULATORY MANAGER
Signature (Electronic Submission)	Date 10/23/2018

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By (BLM Approver Not Specified) <i>Dylan Rossmann</i>	Title <i>PE</i>	Date 09/10/2019
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.		Office Carlsbad

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

**** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ****

RUP 10-30-19

Additional data for EC transaction #440919 that would not fit on the form

5. Lease Serial No., continued

NMNM074939
NMNM2748

Wells/Facilities, continued

Agreement	Lease	Well/Fac Name, Number	API Number	Location
NMNM2748	NMNM2748	GISSLER B 12	30-015-04302-00-S1	Sec 23 T17S R30E NESE 1950FSL 990FEL
NMNM2748	NMNM2748	GISSLER B 100	30-015-41800-00-S1	Sec 23 T17S R30E SWNE 1680FNL 1500FEL
NMNM2748	NMNM2748	GISSLER B 104	30-015-41801-00-S1	32.822504 N Lat, 103.938371 W Lon Sec 23 T17S R30E NENW 1680FNL 1210FEL
NMNM2748	NMNM2748	GISSLER B 29	30-015-26985-00-S1	32.822504 N Lat, 103.937427 W Lon Sec 23 T17S R30E SENE 2310FNL 660FEL
NMNM2748	NMNM2748	GISSLER B 30	30-015-27922-00-S1	Sec 23 T17S R30E SWNE 2230FNL 1680FEL
NMNM2748	NMNM2748	GISSLER B 5	30-015-04300-00-S1	Sec 23 T17S R30E NWSE 1980FSL 1980FEL
NMNM074939	NMNM074939	GISSLER B 2	30-015-04308-00-S2	Sec 24 T17S R30E NWNW 660FNL 660FWL
NMNM074939	NMNM074939	GISSLER B 95	30-015-41176-00-S1	Sec 24 T17S R30E NWNW 990FNL 330FWL

10. Field and Pool, continued

LOCO HILLS-GLORIETA-YESO

32. Additional remarks, continued

GISSLER B 29 #30-015-26985 (NMNM-2748)
GISSLER B 30 #30-015-27922 (NMNM-2748)
GISSLER B 95 #30-015-41176 (NMNM-074939)
GISSLER B 100 #30-015-41800 (NMNM-2748)
GISSLER B 104 #30-015-41801 (NMNM-2748)

See attached detailed commingling information, facility diagram and lease map.

**APPLICATION FOR COMMINGLING
GISSLER B 2 CENTRAL TANK BATTERY**

I. Royalty

A. Federal Lease NMNM-074939

Royalty Rate: 12 1/2 % - 33 1/3 % Sliding Scale D 14 wells @ ~ 11 bbl/d / well

B. Federal Lease NMNM-2748

Royalty Rate: 12.1/2%

C. The BLM royalty rate for both leases is currently at 12.5% based in past 8 months production. The Sliding Scale D lease produces an average daily production of less than 20 barrels a day therefore meeting the commingling criteria. (See attached production)

D. The commingling of this production is the most effective economical means of producing the reserves and will not result in reduced royalty or improper measurement of production. The proposed commingling will reduce operating expenses as well as reduce the surface facility footprint and overall emissions.

II. Oil & Gas Process Flow, Metering & Testing:

The Gissler B 2 central tank battery is located at Sec. 23 NWSE, T17S, R30E on federal lease NMNM-2748 in Eddy County, New Mexico. The production from all wells will come to a common production header equipped with an isolation line. From this point each well can individually be put on test and its production routed through the test equipment train while the remaining wells are routed to the production equipment train.

All wells at this battery will utilize two (2) 500 bbl oil tanks and two (2) 500 bbl produced water tanks. The battery has a common gas sales meter (DCP Delivery Point Totalflow meter #723338-00) which is located west of the battery (see attached facility diagram). Oil, gas and water volumes from each well producing to this battery will be determined using a test heater treater at the proposed facility. Each well associated with this battery will run through the testing equipment a minimum of 24 hours once a month.

The well which is producing on test flows to the test heater treater, gas goes to the gas test meter (Totalflow meter #74649005) and combined liquids go to the test heater treater (HT) where oil, water and any remaining gas are separated. This gas is also routed to the gas test meter. The oil is routed to an isolated 500 bbl oil tank designated for testing and is measured daily. All other oil is routed to an isolated 500 bbl oil tank designated for production. Water is metered using a turbine meter and then flows to one of the two 500 bbl produced water tanks, along with the water from the production train wells.

**APPLICATION FOR COMMINGLING
GISSLER B 2 CENTRAL TANK BATTERY**

Oil, gas and water production will be allocated daily based on each well's most recent well test. Oil sales and production allocation are based on the ~~test oil turbine meter~~ and total daily oil production calculated using tank measurements and sales through the LACT meter located downstream of the oil tanks. The LACT meter will be proven monthly, as per API, NMOCD, and BLM specifications. The factor obtained will be used to allocate the production and sales volumes.

The gas production from the production equipment train and the test gas meter will commingle and flow through the DCP Gas sales Totalflow meter (#723338-00) located west of the facility. Production train gas will be calculated on a daily basis based on the subtraction method. The Well Test Totalflow meter (#7469005) volume is subtracted from the DCP Gas sales meter (#723338-00), to arrive at the Production Train gas sales volume which is then allocated to each well based on the well's most recent well test. The total gas volume will be the sum of the DCP sales meter, the flare volume meter and lease fuel. Both meters will be calibrated on a regular basis per API, NMOCD and BLM specifications. The BLM and OCD will be notified of any future changes in the facilities. Test Tank will be gauged on a daily basis. A tank Strapping Table for the oil test tank will be provided. *Attached*

The flow of production is shown in detail on enclosed facility diagram and map which shows the lease boundaries.

IV. Additional Right of Ways

Burnett Oil Co. Inc. understands the requested approval will not constitute the granting of any right-of-way or construction rights not granted by the lease instrument. We will apply for separate ROW approval, as appropriate.

V. Interest Owner Notice

Working, royalty, and overriding interest owners have been notified of this proposal via certified mail. See attached list of parties notified.

Signed: _____
Printed Name: Leslie Garvis
Title: Regulatory & Government Affairs Manager
Date: 05 February 2018 (revised 09 August 2019)

APPLICATION FOR COMMINGLING AT GISSLER B 2 CENTRAL TANK BATTERY

Battery Location: T 17S, R 30E, SEC 23, UNIT J, NWSE
1943' FSL, 1323' FEL
EDDY CO N.M.
LEASE: NMNM-2748

Federal Lease: NMNM-074939 Sch "D" < 200 bbl/d/well 14 wells @ ~11 bbl/d/well

Well Name	Location	API#	Pool Code	Pool Name	Oil BOPD	Gravity	Gas MCFPD	BTU
Gissler B 2	D-24-17S-30E	30-015-04308	28509	GRAYBURG JACKSON;SR-Q-G-SA	0.46	40	11.88	1344.5878
Gissler B 95	D-24-17S-30E	30-015-41176	96831	CEDAR LAKE; GLORIETA-YESO	15.15	40	66.53	1344.5878

Federal Lease: NMNM-2748 12.5%


Well Name	Location	API#	Pool Code	Pool	Oil BOPD	Gravity	Gas MCFPD	BTU
Gissler B 5	J-23-17S-30E	30-015-04300	28509	GRAYBURG JACKSON;SR-Q-G-SA	3.4	40	0.96	1344.5878
Gissler B 12	I-23-17S-30E	30-015-04302	28509	GRAYBURG JACKSON;SR-Q-G-SA	2.37	40	0.94	1344.5878
Gissler B 29	H-23-17S-30E	30-015-26985	28509	GRAYBURG JACKSON;SR-Q-G-SA	0.09	40	0.99	1344.5878
Gissler B 30	G-23-17S-30E	30-015-27922	28509	GRAYBURG JACKSON;SR-Q-G-SA	2.3	40	0.95	1344.5878
Gissler B 100	G-23-17S-30E	30-015-41800	96718	LOCO HILLS; GLORIETA-YESO	29.34	40	118.75	1344.5878
Gissler B 104	H-23-17S-30E	30-015-41801	96718	LOCO HILLS; GLORIETA-YESO	29.48	40	108.81	1344.5878

Gissler B 2 Battery
T17S, R30E
Federal Leases:
NMNM-074939
NMNM-2748



BURNETT OIL CO.
 Gissler B #2
 T 17S, R 30E, SEC 23, UNIT J, NWSE
 1943' FSL, 1323' FEL
 EDDY CO N.M.
 LEASE: NMNM-2748
 API # 30-015-04302
 Gissler B 12

UPDATED: 8/8/19



BURNETT OIL CO.
 Gissler B # 2
 T 17S, R 30E, SEC 23, UNIT J, NWSE
 1943' FSL, 1323' FEL
 EDDY CO N.M.
 LEASE: NMNM-2748

ATTACHMENT TO SITE FACILITY DIAGRAM
 General sealing of valves, sales by tank guage

Production Phase:

Load Line Valves sealed closed. Fill valve to tank that is in production will be open.
 Equalizer valve to tank that is in production will be open. Circulation valves will be opened as necessary, then resealed.
 BS&W Load Line valve will be sealed at all times, unless cleaning tanks, then resealed once tank maintenance is complete.

Sales Phase:

The tank from which sales are being made will be isolated by sealing closed the fill line valve, circulating valve, and the equalizer valve during sales and opening the sales valve. Upon completion of the sale, the sales valve will be resealed.
 Sales by truck will be by tank gauge.

Gissler B2 BATTERY

Gissler B 2
 Gissler B 5
 Gissler B 11
 Gissler B 12
 Gissler B 29
 Gissler B 30
 Gissler B 95
 Gissler B 100
 Gissler B 104

	<u>VALVE</u>	<u>PRODUCTION PHASE</u>	<u>SALES PHASE</u>	<u>CIRCULATING</u>	<u>NOTE</u>
1	LOAD LINE VALVE	CLOSED	OPEN	CLOSED	
2	PRODUCTION FILL LINE VALVE	OPEN OR CLOSED	CLOSED	CLOSED OR OPEN	FILL VALVE TO PRODUCTION AND TEST TANKS WILL BE OPEN, WITH ISOLATION VALVE BETWEEN.
3	EQUALIZER LINE VALVE	OPEN	CLOSED	CLOSED OR OPEN	VALVES TO TANKS ON EQUALIZER LINE ARE CLOSED.
4	CIRCULATING LINE VALVE	OPEN OR CLOSED	CLOSED	OPEN	RE-SEALED ONCE CIRCULATING IS COMPLETE
5	BS&W LOAD LINE VALVE	CLOSED	CLOSED	CLOSED	OPEN FOR TANK MAINTENANCE, RESEALED ONCE MAINTENANCE IS COMPLETE
6	WATER LINE VALVE	OPEN	NA	NA	WATER TANKS ARE ISOLATED FROM OIL PRODUCTION TANKS

35763**BARRELS OF 42 GALLONS**

BROCK & ASSOC.

Tank Table Service

Box 2283 Broken Arrow, Ok. 74013

Date 05/01/2013

Strapped By
NAVAJOOwner **BURNETT**Farm **GISSLER B-2 600+2073**1/4 Sec **Dist.**

Section

County **EDDY**State **NEW MEXICO**

Ft.	In	Qts	Factor
0	0	0	0.00000
3	0	2	0.69532
5	0	0	0.69383
15	11	3	0.69369

Total **532.31137**

RECEIVED

PAGE 1 OF 2 PAGES

JUL 19 2013

15 Ft.

0 Ft.		1 Ft.		2 Ft.		3 Ft.		4 Ft.		5 Ft.		6 Ft.		7 Ft.		8 Ft.		9 Ft.		10 Ft.		11 Ft.		12 Ft.		13 Ft.		14 Ft.	
0"	0.00	0"	33.38	0"	66.75	0"	100.13	0"	133.43	0"	166.74	0"	200.03	0"	233.33	0"	266.63	0"	299.93	0"	333.22	0"	366.52	0"	399.82	0"	433.11	0"	466.41
1/4	0.70	1/4	34.07	1/4	67.45	1/4	100.82	1/4	134.13	1/4	167.43	1/4	200.73	1/4	234.02	1/4	267.32	1/4	300.62	1/4	333.92	1/4	367.21	1/4	400.51	1/4	433.81	1/4	467.10
1/2	1.39	1/2	34.77	1/2	68.14	1/2	101.52	1/2	134.82	1/2	168.12	1/2	201.42	1/2	234.72	1/2	268.02	1/2	301.31	1/2	334.61	1/2	367.91	1/2	401.20	1/2	434.50	1/2	467.80
3/4	2.09	3/4	35.46	3/4	68.84	3/4	102.21	3/4	135.51	3/4	168.82	3/4	202.11	3/4	235.41	3/4	268.71	3/4	302.01	3/4	335.30	3/4	368.60	3/4	401.90	3/4	435.19	3/4	468.49
1"	2.78	1"	36.16	1"	69.53	1"	102.90	1"	136.21	1"	169.51	1"	202.81	1"	236.11	1"	269.40	1"	302.70	1"	336.00	1"	369.29	1"	402.59	1"	435.89	1"	469.19
1 1/4	3.48	1 1/4	36.85	1 1/4	70.23	1 1/4	103.60	1 1/4	136.90	1 1/4	170.21	1 1/4	203.50	1 1/4	236.80	1 1/4	270.10	1 1/4	303.39	1 1/4	336.69	1 1/4	369.99	1 1/4	403.29	1 1/4	436.58	1 1/4	469.88
1 1/2	4.17	1 1/2	37.55	1 1/2	70.92	1 1/2	104.29	1 1/2	137.60	1 1/2	170.90	1 1/2	204.20	1 1/2	237.49	1 1/2	270.79	1 1/2	304.09	1 1/2	337.38	1 1/2	370.68	1 1/2	403.98	1 1/2	437.28	1 1/2	470.57
1 3/4	4.87	1 3/4	38.24	1 3/4	71.62	1 3/4	104.99	1 3/4	138.29	1 3/4	171.59	1 3/4	204.89	1 3/4	238.19	1 3/4	271.48	1 3/4	304.78	1 3/4	338.08	1 3/4	371.38	1 3/4	404.67	1 3/4	437.97	1 3/4	471.27
2"	5.56	2"	38.94	2"	72.31	2"	105.68	2"	138.98	2"	172.29	2"	205.58	2"	238.88	2"	272.18	2"	305.47	2"	338.77	2"	372.07	2"	405.37	2"	438.66	2"	471.96
1 1/4	6.26	1 1/4	39.63	1 1/4	73.01	1 1/4	106.37	1 1/4	139.68	1 1/4	172.98	1 1/4	206.28	1 1/4	239.57	1 1/4	272.87	1 1/4	306.17	1 1/4	339.47	1 1/4	372.76	1 1/4	406.06	1 1/4	439.36	1 1/4	472.65
1 1/2	6.95	1 1/2	40.33	1 1/2	73.70	1 1/2	107.07	1 1/2	140.37	1 1/2	173.67	1 1/2	206.97	1 1/2	240.27	1 1/2	273.57	1 1/2	306.86	1 1/2	340.16	1 1/2	373.46	1 1/2	406.75	1 1/2	440.05	1 1/2	473.35
1 3/4	7.65	1 3/4	41.02	1 3/4	74.40	1 3/4	107.76	1 3/4	141.07	1 3/4	174.37	1 3/4	207.66	1 3/4	240.96	1 3/4	274.26	1 3/4	307.56	1 3/4	340.85	1 3/4	374.15	1 3/4	407.45	1 3/4	440.74	1 3/4	474.04
3"	8.34	3"	41.72	3"	75.09	3"	108.46	3"	141.76	3"	175.06	3"	208.36	3"	241.66	3"	274.95	3"	308.25	3"	341.55	3"	374.84	3"	408.14	3"	441.44	3"	474.74
1 1/4	9.04	1 1/4	42.41	1 1/4	75.79	1 1/4	109.15	1 1/4	142.45	1 1/4	175.75	1 1/4	209.05	1 1/4	242.35	1 1/4	275.65	1 1/4	308.94	1 1/4	342.24	1 1/4	375.54	1 1/4	408.83	1 1/4	442.13	1 1/4	475.43
1 1/2	9.73	1 1/2	43.11	1 1/2	76.49	1 1/2	109.84	1 1/2	143.15	1 1/2	176.45	1 1/2	209.75	1 1/2	243.04	1 1/2	276.34	1 1/2	309.64	1 1/2	342.93	1 1/2	376.23	1 1/2	409.53	1 1/2	442.83	1 1/2	476.12
1 3/4	10.43	1 3/4	43.81	1 3/4	77.18	1 3/4	110.54	1 3/4	143.84	1 3/4	177.14	1 3/4	210.44	1 3/4	243.74	1 3/4	277.03	1 3/4	310.33	1 3/4	343.63	1 3/4	376.92	1 3/4	410.22	1 3/4	443.52	1 3/4	476.82
4"	11.13	4"	44.50	4"	77.88	4"	111.23	4"	144.53	4"	177.83	4"	211.13	4"	244.43	4"	277.73	4"	311.02	4"	344.32	4"	377.62	4"	410.92	4"	444.21	4"	477.51
1 1/4	11.82	1 1/4	45.20	1 1/4	78.57	1 1/4	111.92	1 1/4	145.23	1 1/4	178.53	1 1/4	211.83	1 1/4	245.12	1 1/4	278.42	1 1/4	311.72	1 1/4	345.02	1 1/4	378.31	1 1/4	411.61	1 1/4	444.91	1 1/4	478.20
1 1/2	12.52	1 1/2	45.89	1 1/2	79.27	1 1/2	112.62	1 1/2	145.92	1 1/2	179.22	1 1/2	212.52	1 1/2	245.82	1 1/2	279.11	1 1/2	312.41	1 1/2	345.71	1 1/2	379.01	1 1/2	412.30	1 1/2	445.60	1 1/2	478.90
1 3/4	13.21	1 3/4	46.59	1 3/4	79.96	1 3/4	113.31	1 3/4	146.62	1 3/4	179.92	1 3/4	213.21	1 3/4	246.51	1 3/4	279.81	1 3/4	313.11	1 3/4	346.40	1 3/4	379.70	1 3/4	413.00	1 3/4	446.29	1 3/4	479.59
5"	13.91	5"	47.28	5"	80.66	5"	114.01	5"	147.31	5"	180.61	5"	213.91	5"	247.20	5"	280.50	5"	313.80	5"	347.10	5"	380.39	5"	413.69	5"	446.99	5"	480.28
1 1/4	14.60	1 1/4	47.98	1 1/4	81.35	1 1/4	114.70	1 1/4	148.00	1 1/4	181.30	1 1/4	214.60	1 1/4	247.90	1 1/4	281.20	1 1/4	314.49	1 1/4	347.79	1 1/4	381.09	1 1/4	414.38	1 1/4	447.68	1 1/4	480.98
1 1/2	15.30	1 1/2	48.67	1 1/2	82.05	1 1/2	115.39	1 1/2	148.70	1 1/2	182.00	1 1/2	215.30	1 1/2	248.59	1 1/2	281.89	1 1/2	315.19	1 1/2	348.48	1 1/2	381.78	1 1/2	415.08	1 1/2	448.37	1 1/2	481.67
1 3/4	15.99	1 3/4	49.37	1 3/4	82.74	1 3/4	116.09	1 3/4	149.39	1 3/4	182.69	1 3/4	216.99	1 3/4	249.29	1 3/4	282.58	1 3/4	315.88	1 3/4	349.18	1 3/4	382.47	1 3/4	415.77	1 3/4	449.07	1 3/4	482.37
6"	16.69	6"	50.06	6"	83.44	6"	116.78	6"	150.08	6"	183.39	6"	216.68	6"	249.98	6"	283.28	6"	316.57	6"	349.87	6"	383.17	6"	416.47	6"	449.76	6"	483.06
1 1/4	17.38	1 1/4	50.76	1 1/4	84.13	1 1/4	117.47	1 1/4	150.78	1 1/4	184.08	1 1/4	217.38	1 1/4	250.67	1 1/4	283.97	1 1/4	317.27	1 1/4	350.56	1 1/4	383.86	1 1/4	417.16	1 1/4	450.46	1 1/4	483.75
1 1/2	18.08	1 1/2	51.45	1 1/2	84.83	1 1/2	118.17	1 1/2	151.47	1 1/2	184.77	1 1/2	218.07	1 1/2	251.37	1 1/2	284.66	1 1/2	317.96	1 1/2	351.25	1 1/2	384.55	1 1/2	417.85	1 1/2	451.15	1 1/2	484.45
1 3/4	18.77	1 3/4	52.15	1 3/4	85.52	1 3/4	118.86	1 3/4	152.17	1 3/4	185.47	1 3/4	218.76	1 3/4	252.06	1 3/4	285.36	1 3/4	318.65	1 3/4	351.95	1 3/4	385.25	1 3/4	418.55	1 3/4	451.84	1 3/4	484.14
7"	19.47	7"	52.84	7"	86.22	7"	119.56	7"	152.86	7"	186.16	7"	219.46	7"	252.75	7"	286.05	7"	319.35	7"	352.65	7"	385.94	7"	419.24	7"	452.54	7"	485.83
1 1/4	20.16	1 1/4	53.54	1 1/4	86.91	1 1/4	120.25	1 1/4	153.55	1 1/4	186.85	1 1/4	220.15	1 1/4	253.45	1 1/4	286.75	1 1/4	320.04	1 1/4	353.34	1 1/4	386.64	1 1/4	419.93	1 1/4	453.23	1 1/4	486.53
1 1/2	20.86	1 1/2	54.23	1 1/2	87.61	1 1/2	120.94	1 1/2	154.25	1 1/2	187.55	1 1/2	220.84	1 1/2	254.14	1 1/2	287.44	1 1/2	320.74	1 1/2	354.03	1 1/2	387.33	1 1/2	420.63	1 1/2	453.92	1 1/2	487.22
1 3/4	21.55	1 3/4	54.93	1 3/4	88.31	1 3/4	121.64	1 3/4	154.94	1 3/4	188.24	1 3/4	221.54	1 3/4	254.84	1 3/4	288.13	1 3/4	321.43	1 3/4	354.73	1 3/4	388.02	1 3/4	421.32	1 3/4	454.62	1 3/4	487.92
8"	22.25	8"	55.63	8"	89.00	8"	122.33	8"	155.64	8"	188.93	8"	222.23	8"	255.53	8"	288.83	8"	322.12	8"	355.42	8"	388.72	8"	422.01	8"	455.31	8"	488.61
1 1/4	22.95	1 1/4	56.32	1 1/4	89.70	1 1/4	123.03	1 1/4	156.33	1 1/4	189.63	1 1/4	222.93	1 1/4	256.22	1 1/4	289.52	1 1/4	322.82	1 1/4	356.11	1 1/4	389.41	1 1/4	422.71	1 1/4	456.01	1 1/4	489.30
1 1/2	23.64	1 1/2	57.02	1 1/2	90.39	1 1/2	123.72	1 1/2	157.02	1 1/2	190.32	1 1/2	223.62	1 1/2	256.92	1 1/2	290.21	1 1/2	323.51	1 1/2	356.81	1 1/2	390.10	1 1/2	423.40	1 1/2	456.70	1 1/2	490.00
1 3/4	24.34	1 3/4	57.71	1 3/4	91.09	1 3/4	124.41	1 3/4	157.72	1 3/4	191.02	1 3/4	224.31	1 3/4	257.61	1 3/4	290.91	1 3/4	324.20	1 3/4	357.50	1 3/4	390.80	1 3/4	424.10	1 3/4	457.39	1 3/4	490.69
9"	25.03	9"	58.41	9"	91.78	9"	125.11	9"	158.41	9"	191.71	9"	225.01	9"	258.30	9"	291.60	9"	324.90	9"	358.20	9"	391.49	9"	424.79	9"	458.09	9"	491.38
1 1/4	25.73	1 1/4	59.10	1 1/4	92.48	1 1/4	125.80	1 1/4	159.10	1 1/4	192.40	1 1/4	225.70	1 1/4	259.00	1 1/4	292.29	1 1/4	325.59	1 1/4	358.89	1 1/4							

35764															PAGE 1 OF 2 PAGES		15 Ft.												
BARRELS OF 42 GALLONS																	0"												
BROCK & ASSOC.																	1/4"												
Tank Table Service																	1/2"												
Box 2283 Broken Arrow, Ok. 74013																	3/4"												
Date 05/01/2013																	1"												
Strapped By NAVAJO																	1 1/2"												
Owner BURNETT OIL & GAS																	2"												
Farm GISSLER B-2 42075 60014274																	2 1/2"												
1/4 Sec. Disl.																	3"												
Section																	3 1/2"												
County EDDY State NEW MEXICO																	4"												
Total 532.26480																	4 1/2"												
0 Ft.		1 Ft.		2 Ft.		3 Ft.		4 Ft.		5 Ft.		6 Ft.		7 Ft.		8 Ft.		9 Ft.		10 Ft.		11 Ft.		12 Ft.		13 Ft.		14 Ft.	
0"	0.00	0"	33.37	0"	66.74	0"	100.11	0"	133.41	0"	166.71	0"	200.00	0"	233.30	0"	266.59	0"	299.88	0"	333.18	0"	366.47	0"	399.77	0"	433.07	0"	466.36
1/4	0.70	1/4	34.07	1/4	67.44	1/4	100.81	1/4	134.10	1/4	167.40	1/4	200.70	1/4	233.99	1/4	267.28	1/4	300.58	1/4	333.87	1/4	367.17	1/4	400.46	1/4	433.76	1/4	467.06
1/2	1.39	1/2	34.76	1/2	68.13	1/2	101.50	1/2	134.80	1/2	168.09	1/2	201.39	1/2	234.68	1/2	267.98	1/2	301.27	1/2	334.57	1/2	367.86	1/2	401.16	1/2	434.45	1/2	467.75
3/4	2.09	3/4	35.46	3/4	68.83	3/4	102.19	3/4	135.49	3/4	168.79	3/4	202.08	3/4	235.38	3/4	268.67	3/4	301.97	3/4	335.26	3/4	368.55	3/4	401.85	3/4	435.15	3/4	468.45
1"	2.78	1"	36.15	1"	69.52	1"	102.89	1"	136.19	1"	169.48	1"	202.78	1"	236.07	1"	269.36	1"	302.66	1"	335.95	1"	369.25	1"	402.54	1"	435.84	1"	469.14
1 1/4	3.48	1 1/4	36.85	1 1/4	70.22	1 1/4	103.58	1 1/4	136.88	1 1/4	170.18	1 1/4	203.47	1 1/4	236.76	1 1/4	270.06	1 1/4	303.35	1 1/4	336.65	1 1/4	369.94	1 1/4	403.24	1 1/4	436.54	1 1/4	469.83
1 1/2	4.17	1 1/2	37.54	1 1/2	70.91	1 1/2	104.28	1 1/2	137.57	1 1/2	170.87	1 1/2	204.16	1 1/2	237.46	1 1/2	270.75	1 1/2	304.05	1 1/2	337.34	1 1/2	370.64	1 1/2	403.93	1 1/2	437.23	1 1/2	470.53
3 1/4	4.87	3 1/4	38.24	3 1/4	71.61	3 1/4	104.97	3 1/4	138.27	3 1/4	171.56	3 1/4	204.86	3 1/4	238.15	3 1/4	271.45	3 1/4	304.74	3 1/4	338.03	3 1/4	371.33	3 1/4	404.63	3 1/4	437.92	3 1/4	471.22
2"	5.56	2"	38.93	2"	72.30	2"	105.66	2"	138.96	2"	172.26	2"	205.55	2"	238.84	2"	272.14	2"	305.43	2"	338.73	2"	372.02	2"	405.32	2"	438.62	2"	471.91
1 1/4	6.26	1 1/4	39.63	1 1/4	73.00	1 1/4	106.36	1 1/4	139.65	1 1/4	172.95	1 1/4	206.24	1 1/4	239.54	1 1/4	272.83	1 1/4	306.13	1 1/4	339.42	1 1/4	372.72	1 1/4	406.01	1 1/4	439.31	1 1/4	472.61
1 1/2	6.95	1 1/2	40.32	1 1/2	73.69	1 1/2	107.05	1 1/2	140.35	1 1/2	173.64	1 1/2	206.94	1 1/2	240.23	1 1/2	273.53	1 1/2	306.82	1 1/2	340.11	1 1/2	373.41	1 1/2	406.71	1 1/2	440.00	1 1/2	473.30
3 1/4	7.65	3 1/4	41.02	3 1/4	74.39	3 1/4	107.74	3 1/4	141.04	3 1/4	174.34	3 1/4	207.63	3 1/4	240.93	3 1/4	274.22	3 1/4	307.51	3 1/4	340.81	3 1/4	374.10	3 1/4	407.40	3 1/4	440.70	3 1/4	473.99
3"	8.34	3"	41.71	3"	75.08	3"	108.44	3"	141.73	3"	175.03	3"	208.33	3"	241.62	3"	274.91	3"	308.21	3"	341.50	3"	374.80	3"	408.09	3"	441.39	3"	474.69
1 1/4	9.04	1 1/4	42.41	1 1/4	75.78	1 1/4	109.13	1 1/4	142.43	1 1/4	175.72	1 1/4	209.02	1 1/4	242.31	1 1/4	275.61	1 1/4	308.90	1 1/4	342.20	1 1/4	375.49	1 1/4	408.79	1 1/4	442.09	1 1/4	475.39
1 1/2	9.73	1 1/2	43.10	1 1/2	76.47	1 1/2	109.82	1 1/2	143.12	1 1/2	176.42	1 1/2	209.71	1 1/2	243.01	1 1/2	276.30	1 1/2	309.60	1 1/2	342.89	1 1/2	376.18	1 1/2	409.48	1 1/2	442.78	1 1/2	476.08
3 1/4	10.43	3 1/4	43.80	3 1/4	77.17	3 1/4	110.52	3 1/4	143.82	3 1/4	177.11	3 1/4	210.41	3 1/4	243.70	3 1/4	276.99	3 1/4	310.29	3 1/4	343.58	3 1/4	376.88	3 1/4	410.18	3 1/4	443.47	3 1/4	476.77
4"	11.12	4"	44.49	4"	77.86	4"	111.21	4"	144.51	4"	177.81	4"	211.10	4"	244.39	4"	277.69	4"	310.98	4"	344.28	4"	377.57	4"	410.87	4"	444.17	4"	477.46
1 1/4	11.82	1 1/4	45.19	1 1/4	78.56	1 1/4	111.91	1 1/4	145.20	1 1/4	178.50	1 1/4	211.79	1 1/4	245.09	1 1/4	278.38	1 1/4	311.68	1 1/4	344.97	1 1/4	378.27	1 1/4	411.56	1 1/4	444.86	1 1/4	478.16
1 1/2	12.51	1 1/2	45.88	1 1/2	79.26	1 1/2	112.60	1 1/2	145.90	1 1/2	179.19	1 1/2	212.49	1 1/2	245.78	1 1/2	279.08	1 1/2	312.37	1 1/2	345.66	1 1/2	378.96	1 1/2	412.26	1 1/2	445.55	1 1/2	478.85
3 1/4	13.21	3 1/4	46.58	3 1/4	79.95	3 1/4	113.29	3 1/4	146.59	3 1/4	179.89	3 1/4	213.18	3 1/4	246.47	3 1/4	279.77	3 1/4	313.06	3 1/4	346.36	3 1/4	379.65	3 1/4	412.95	3 1/4	446.25	3 1/4	479.54
5"	13.90	5"	47.27	5"	80.65	5"	113.99	5"	147.28	5"	180.58	5"	213.87	5"	247.17	5"	280.46	5"	313.76	5"	347.05	5"	380.35	5"	413.64	5"	446.94	5"	480.24
1 1/4	14.60	1 1/4	47.97	1 1/4	81.34	1 1/4	114.68	1 1/4	147.98	1 1/4	181.27	1 1/4	214.57	1 1/4	247.86	1 1/4	281.16	1 1/4	314.45	1 1/4	347.74	1 1/4	381.04	1 1/4	414.34	1 1/4	447.63	1 1/4	480.93
1 1/2	15.29	1 1/2	48.67	1 1/2	82.04	1 1/2	115.37	1 1/2	148.67	1 1/2	181.97	1 1/2	215.26	1 1/2	248.56	1 1/2	281.85	1 1/2	315.14	1 1/2	348.44	1 1/2	381.73	1 1/2	415.03	1 1/2	448.33	1 1/2	481.63
3 1/4	15.99	3 1/4	49.36	3 1/4	82.73	3 1/4	116.07	3 1/4	149.37	3 1/4	182.66	3 1/4	215.96	3 1/4	249.25	3 1/4	282.54	3 1/4	315.84	3 1/4	349.13	3 1/4	382.43	3 1/4	415.72	3 1/4	449.02	3 1/4	482.32
6"	16.69	6"	50.06	6"	83.43	6"	116.76	6"	150.06	6"	183.35	6"	216.65	6"	249.94	6"	283.24	6"	316.53	6"	349.83	6"	383.12	6"	416.42	6"	449.72	6"	483.01
1 1/4	17.38	1 1/4	50.75	1 1/4	84.12	1 1/4	117.46	1 1/4	150.75	1 1/4	184.05	1 1/4	217.34	1 1/4	250.64	1 1/4	283.93	1 1/4	317.23	1 1/4	350.52	1 1/4	383.82	1 1/4	417.11	1 1/4	450.41	1 1/4	483.71
1 1/2	18.08	1 1/2	51.45	1 1/2	84.82	1 1/2	118.15	1 1/2	151.45	1 1/2	184.74	1 1/2	218.04	1 1/2	251.33	1 1/2	284.62	1 1/2	317.92	1 1/2	351.21	1 1/2	384.51	1 1/2	417.81	1 1/2	451.10	1 1/2	484.40
3 1/4	18.77	3 1/4	52.14	3 1/4	85.51	3 1/4	118.84	3 1/4	152.14	3 1/4	185.44	3 1/4	218.73	3 1/4	252.02	3 1/4	285.32	3 1/4	318.61	3 1/4	351.91	3 1/4	385.20	3 1/4	418.50	3 1/4	451.80	3 1/4	485.09
7"	19.47	7"	52.84	7"	86.21	7"	119.54	7"	152.83	7"	186.13	7"	219.42	7"	252.72	7"	286.01	7"	319.31	7"	352.60	7"	385.90	7"	419.19	7"	452.49	7"	485.79
1 1/4	20.16	1 1/4	53.53	1 1/4	86.90	1 1/4	120.23	1 1/4	153.53	1 1/4	186.82	1 1/4	220.12	1 1/4	253.41	1 1/4	286.71	1 1/4	320.00	1 1/4	353.29	1 1/4	386.59	1 1/4	419.89	1 1/4	453.18	1 1/4	486.48
1 1/2	20.86	1 1/2	54.23	1 1/2	87.60	1 1/2	120.92	1 1/2	154.22	1 1/2	187.52	1 1/2	220.81	1 1/2	254.10	1 1/2	287.40	1 1/2	320.69	1 1/2	353.99	1 1/2	387.28	1 1/2	420.58	1 1/2	453.88	1 1/2	487.17
3 1/4	21.55	3 1/4	54.92	3 1/4	88.29	3 1/4	121.62	3 1/4	154.91	3 1/4	188.21	3 1/4	221.50	3 1/4	254.80	3 1/4	288.09	3 1/4	321.39	3 1/4	354.68	3 1/4	387.98	3 1/4	421.27	3 1/4	454.57	3 1/4	487.87
8"	22.25	8"	55.62	8"	88.99	8"	122.31	8"	155.61	8"	188.90	8"	222.20	8"	255.49	8"	288.79	8"	322.08	8"	355.37	8"	388.67	8"	421.97	8"	455.27	8"	488.56
1 1/4	22.94	1 1/4	56.31	1 1/4	89.68	1 1/4	123.00	1 1/4	156.30	1 1/4	189.60	1 1/4	222.89	1 1/4	256.19	1 1/4	289.48	1 1/4	322.77	1 1/4	356.07	1 1/4	389.36	1 1/4	422.66	1 1/4	455.96	1 1/4	489.26
1 1/2	23.64	1 1/2	57.01	1 1/2	90.38	1 1/2	123.70	1 1/2	157.00	1 1/2	190.29	1 1/2	223.59	1 1/2	256.88	1 1/2	290.17	1 1/2	323.47	1 1/2	356.76	1 1/2	390.06	1 1/2	423.36	1 1/2	456.65	1 1/2	489.95
3 1/4	24.33	3 1/4	57.70	3 1/4	91.07	3 1/4	124.39	3 1/4	157.69	3 1/4	190.98	3 1/4	224.28	3 1/4	257.57	3 1/4	290.87	3 1/4	324.16	3 1/4	357.46	3 1/4	390.75	3 1/4	424.05	3 1/4	457.35	3 1/4	490.64
9"	25.03	9"	58.40	9"	91.77	9"	125.09	9"	158.38	9"	191.68	9"	224.97	9"	258.27	9"	291.56	9"	324.86	9"	358.15	9"	391.45	9"	424.74	9"	458.04	9"	491.34
1 1/4	25.72	1 1/4	59.09	1 1/4	92.46	1 1/4	125.78	1 1/4	159.08	1 1/4	192.37	1 1/4	225.67	1 1/4	258.96	1 1/4	292.25	1 1/4	325.55	1 1/4	358.84	1 1/4	392.14	1 1/4	425.44	1 1/4	458.73	1 1/4	492.03
1 1/2	26.42	1 1/2	59.79	1 1/2	93.16	1 1/2	126.47	1 1/2	159.77	1 1/2	193.07	1 1/2	226.36	1 1/2	259.65	1 1/2	292.95	1 1/2	326.24	1 1/2	359.54	1 1/2	392.83	1 1/2	426.13	1 1/2	459.43	1 1/2	492.72
3 1/4	27.11	3 1/4	60.48	3 1/4	93.85	3 1/4																							

DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
CASE RECORDATION
(MASS) Serial Register Page

Run Date/Time: 1/26/2018 7:59 AM

Page 1 Of 3

01 02-25-1920;041STAT0437;30USC226
Case Type 310781: O&G RENEWAL LEASE - PD
Commodity 459: OIL & GAS
Case Disposition: AUTHORIZED

Total Acres:
240.000

Serial Number
NMNM 0074939

						Serial Number: NMNM-- 0 074939	
Name & Address						Int Rel	% Interest
BURNETT OIL CO	801 CHERRY ST #1500 UNIT #9	FORT WORTH	TX	761026881	OPERATING RIGHTS		0.000000000
EOG M RESOURCES INC	105 S 4TH ST	ARTESIA	NM	882102177	OPERATING RIGHTS		0.000000000
EOG M RESOURCES INC	105 S 4TH ST	ARTESIA	NM	882102177	LESSEE		3.094300000
EOG A RESOURCES INC	105 S 4TH ST	ARTESIA	NM	882102177	OPERATING RIGHTS		0.000000000
WINDFOHR ANNE B	801 CHERRY ST #1500	FORT WORTH	TX	76102	LESSEE		2.475400000
R F WINDFOHR ESTATE	801 CHERRY ST #1500	FORT WORTH	TX	761026869	LESSEE		7.797500000
OXY Y-1 COMPANY	PO BOX 27570	HOUSTON	TX	772277570	LESSEE		3.094400000
EOG A RESOURCES INC	105 S 4TH ST	ARTESIA	NM	882102177	LESSEE		3.094300000
EOG Y RESOURCES INC	105 S 4TH ST	ARTESIA	NM	882102177	LESSEE		18.055600000
EOG Y RESOURCES INC	105 S 4TH ST	ARTESIA	NM	882102177	OPERATING RIGHTS		0.000000000
TANDY ANNE B ESTATE	PO BOX E	ARTESIA	NM	88210	LESSEE		27.314700000
OLLIE L BURNETT TRUST	PO BOX E	ARTESIA	NM	88211	LESSEE		5.198300000
EOG RESOURCES INC	PO BOX 4362	HOUSTON	TX	772104362	LESSEE		29.875500000
EOG RESOURCES INC	PO BOX 4362	HOUSTON	TX	772104362	OPERATING RIGHTS		0.000000000

								Serial Number: NMNM-- 0 074939		
Mer	Twp	Rng	Sec	SType	Nr	Suff	Subdivision	District/ Field Office	County	Mgmt Agency
23	0170S	0300E	012	ALIQ			N2SW;	CARLSBAD FIELD OFFICE	EDDY	BUREAU OF LAND MGMT
23	0170S	0300E	014	ALIQ			NWSW,S2NW;	CARLSBAD FIELD OFFICE	EDDY	BUREAU OF LAND MGMT
23	0170S	0300E	024	ALIQ			NWNW;	CARLSBAD FIELD OFFICE	EDDY	BUREAU OF LAND MGMT

Relinquished/Withdrawn Lands

Relinquished/Withdrawn Lands							Serial Number: NMNM-- 0 074939		
23	0170S	0300E	708	FF	E2NW,SWNW,S2,SEGR;	PECOS DISTRICT OFFICE	EDDY	BUREAU OF LAND MGMT	
23	0170S	0300E	711	FF	W2,W2NE,N2SE,SEGR;	PECOS DISTRICT OFFICE	EDDY	BUREAU OF LAND MGMT	
23	0170S	0300E	712	FF	E2NW,SEGR;	PECOS DISTRICT OFFICE	EDDY	BUREAU OF LAND MGMT	
23	0170S	0300E	714	FF	N2NW,SEGR;	PECOS DISTRICT OFFICE	EDDY	BUREAU OF LAND MGMT	
23	0170S	0300E	723	FF	N2SE,S2NE,SEGR;	PECOS DISTRICT OFFICE	EDDY	BUREAU OF LAND MGMT	

NO WARRANTY IS MADE BY BLM FOR USE OF THE DATA FOR PURPOSES NOT INTENDED BY BLM

DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
CASE RECORDATION
(MASS) Serial Register Page

Run Date/Time: 1/26/2018 7:59 AM

Page 2 Of 3

Serial Number: NMNM-- 0 074939

Act Date	Act Code	Action Txt	Action Remarks	Pending Off
06/12/1936	387	CASE ESTABLISHED		
06/12/1936	496	FUND CODE	05;145003	
06/12/1936	868	EFFECTIVE DATE		
03/06/1959	643	PRODUCTION DETERMINATION	/1/	
03/06/1959	650	HELD BY PROD - ACTUAL	/1/	
03/06/1959	658	MEMO OF 1ST PROD-ACTUAL	/1/	
11/20/1959	209	CASE CREATED BY SEGR	OUT OF NMNM05067;	
06/01/1966	242	LEASE RENEWED	THRU 05/31/76;	
06/01/1966	534	RLTY RATE-SLIDING-SCH D		
06/01/1966	868	EFFECTIVE DATE	LAST RENEWAL;	
07/05/1967	700	LEASE SEGREGATED	INTO NMNM2748;	
08/01/1967	232	LEASE COMMITTED TO UNIT	NMNM70957X;GRAYBURG J	
08/01/1967	501	REFERENCE NUMBER	UA-14-08-0001-8867;	
02/27/1976	314	RENEWAL APLN FILED		
07/28/1976	039	POST AUTH APLN DENIED	RENEWAL LSE APLN	
04/27/1981	940	NAME CHANGE RECOGNIZED	ALLIED CHEMICAL/CORP	
03/18/1982	140	ASGN FILED		
03/15/1984	909	BOND ACCEPTED	EFF 02/09/84;NM0509	
05/06/1987	974	AUTOMATED RECORD VERIF	SP	
05/07/1987	139	ASGN APPROVED	EFF 04/01/82;	
05/29/1987	963	CASE MICROFILMED/SCANNED	CNUM 102,087 DS	
10/05/1990	974	AUTOMATED RECORD VERIF	GG	
10/08/1991	140	ASGN FILED	UNION TX/MERIDIAN	
03/01/1992	139	ASGN APPROVED	EFF 11/01/91;	
03/01/1992	974	AUTOMATED RECORD VERIF	AR/AMR	
03/23/1992	940	NAME CHANGE RECOGNIZED	PHILLIPS/WINDFOHR	
04/22/1992	974	AUTOMATED RECORD VERIF	BC/JS	
07/13/1992	974	AUTOMATED RECORD VERIF	AMR/JS	
10/01/1992	621	RLTY RED-STRIPPER WELL	2.9%;/2/	
11/12/1992	974	AUTOMATED RECORD VERIF	ANN/KRP	
01/15/1993	625	RLTY REDUCTION APPV	/2/	
02/01/1994	974	AUTOMATED RECORD VERIF	MV/MV	
07/18/1994	932	TRF OPER RGTS FILED	MERIDIAN/BURNETT OIL	
11/23/1994	933	TRF OPER RGTS APPROVED	EFF 08/01/94;	
11/23/1994	974	AUTOMATED RECORD VERIF	JLV	
05/20/1996	817	MERGER RECOGNIZED	EL PASO PROD/MERIDIAN	
05/20/1996	817	MERGER RECOGNIZED	MERIDIAN PRO/MERIDIAN	
05/20/1996	817	MERGER RECOGNIZED	SOUTHLAND/MERIDIAN	
05/20/1996	974	AUTOMATED RECORD VERIF	BTM	

NO WARRANTY IS MADE BY BLM FOR USE OF THE DATA FOR PURPOSES NOT INTENDED BY BLM

DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
CASE RECORDATION
(MASS) Serial Register Page

Run Date/Time: 1/26/2018 7:59 AM

Page 3 Of 3

Serial Number: NMNM-- 0 074939

Act Date	Act Code	Action Txt	Action Remarks	Pending Off
09/18/1996	940	NAME CHANGE RECOGNIZED	MERIDIAN/BURLINGTON	
07/07/1997	974	AUTOMATED RECORD VERIF	TF/TF	
07/24/1998	140	ASGN FILED	BURLINGTON/ENRON	
07/24/1998	932	TRF OPER RGTS FILED	BURLINGTON/ENRON	
08/07/1998	139	ASGN APPROVED	EFF 08/01/98;	
08/07/1998	933	TRF OPER RGTS APPROVED	EFF 08/01/98;	
08/07/1998	974	AUTOMATED RECORD VERIF	LR	
08/30/1999	817	MERGER RECOGNIZED	EOG RES/ENRON O&G CO	
08/30/1999	940	NAME CHANGE RECOGNIZED	ENRON O&G CO/EOG RES	
07/23/2007	246	LEASE COMMITTED TO CA	NMNM119072;	
09/17/2007	643	PRODUCTION DETERMINATION	/3/	
09/17/2007	658	MEMO OF 1ST PROD-ACTUAL	/3/NMNM119072;	
02/01/2011	246	LEASE COMMITTED TO CA	NMNM128072;	
05/12/2011	940	NAME CHANGE RECOGNIZED	YATES DRL CO/OXY Y-1	
11/02/2015	932	TRF OPER RGTS FILED	YATES PET/GLENROCK;1	
12/14/2015	933	TRF OPER RGTS APPROVED	EFF 12/01/15;	
12/14/2015	974	AUTOMATED RECORD VERIF	LBO	
07/11/2016	932	TRF OPER RGTS FILED	GLENROCK/YATES PET;1	
08/12/2016	933	TRF OPER RGTS APPROVED	EFF 087/01/16;	
08/12/2016	974	AUTOMATED RECORD VERIF	LBO	
12/01/2016	940	NAME CHANGE RECOGNIZED	YATES PETRO/EOG Y RES	
12/01/2016	940	NAME CHANGE RECOGNIZED	MYCO INDUST/EOG M RES	
12/01/2016	940	NAME CHANGE RECOGNIZED	ABO PETRO/EOG A RESOU	

Line Number	Remark Text	Serial Number: NMNM-- 0 074939
0002	NMNM70957X;GRAYBURG JACKSON SAN ANDRES UNIT	

DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
CASE RECORDATION
(MASS) Serial Register Page

Run Date/Time: 1/26/2018 8:00 AM

Page 1 Of 3

01 02-25-1920;041STAT0437;30USC226
Case Type 310781: O&G RENEWAL LEASE - PD
Commodity 459: OIL & GAS
Case Disposition: AUTHORIZED

Total Acres:
1,240.000

Serial Number
NMNM 002748

Serial Number: NMNM-- 002748

Name & Address						Int Rel	% Interest
TANDY ANNE B ESTATE	801 CHERRY ST STE 1500	FORT WORTH	TX	761026815	LESSEE		27.315000000
BURNETT OIL CO	801 CHERRY ST #1500 UNIT #9	FORT WORTH	TX	761026881	OPERATING RIGHTS		0.000000000
EOG M RESOURCES INC	105 S 4TH ST	ARTESIA	NM	882102177	LESSEE		3.094000000
EOG A RESOURCES INC	105 S 4TH ST	ARTESIA	NM	882102177	LESSEE		3.094000000
EOG Y RESOURCES INC	105 S 4TH ST	ARTESIA	NM	882102177	LESSEE		18.056000000
OXY Y-1 COMPANY	PO BOX 27570	HOUSTON	TX	772277570	LESSEE		3.094000000
OLLIE L BURNETT TRUST	801 CHERRY ST #1500	FORT WORTH	TX	761026869	LESSEE		5.198000000
WINDFOHR ANNE B	801 CHERRY ST #1500	FORT WORTH	TX	761026869	LESSEE		2.475000000
R F WINDFOHR TRUST	801 CHERRY ST #1500	FORT WORTH	TX	761026869	LESSEE		7.798000000
EOG RESOURCES INC	PO BOX 4362	HOUSTON	TX	772104362	LESSEE		29.876000000
EOG RESOURCES INC	PO BOX 4362	HOUSTON	TX	772104362	OPERATING RIGHTS		0.000000000

Serial Number: NMNM-- 002748

Mer	Twp	Rng	Sec	S Type	Nr	Suff	Subdivision	District/ Field Office	County	Mgmt Agency
23	0170S	0300E	008	ALIQ			E2NW,S2NW,S2;	CARLSBAD FIELD OFFICE	EDDY	BUREAU OF LAND MGMT
23	0170S	0300E	011	ALIQ			W2NE,W2,N2SE;	CARLSBAD FIELD OFFICE	EDDY	BUREAU OF LAND MGMT
23	0170S	0300E	012	ALIQ			E2NW;	CARLSBAD FIELD OFFICE	EDDY	BUREAU OF LAND MGMT
23	0170S	0300E	014	ALIQ			N2NW;	CARLSBAD FIELD OFFICE	EDDY	BUREAU OF LAND MGMT
23	0170S	0300E	023	ALIQ			S2NE,N2SE;	CARLSBAD FIELD OFFICE	EDDY	BUREAU OF LAND MGMT

Relinquished/Withdrawn Lands

Serial Number: NMNM-- 002748

Serial Number: NMNM-- 002748

Act Date	Act Code	Action Txt	Action Remarks	Pending Off
06/12/1936	387	CASE ESTABLISHED		
06/12/1936	496	FUND CODE	05,145003	
06/12/1936	868	EFFECTIVE DATE		
06/01/1966	650	HELD BY PROD - ACTUAL		
06/01/1966	658	MEMO OF 1ST PROD-ACTUAL		

NO WARRANTY IS MADE BY BLM FOR USE OF THE DATA FOR PURPOSES NOT INTENDED BY BLM

DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
CASE RECORDATION
(MASS) Serial Register Page

Run Date/Time: 1/26/2018 8:00 AM

Page 2 Of 3

Serial Number: NMNM-- 002748

Act Date	Act Code	Action Txt	Action Remarks	Pending Off
08/01/1967	209	CASE CREATED BY SEGR	OUT OF NMNM074939;	
09/07/1967	102	NOTICE SENT-PROD STATUS		
06/01/1976	242	LEASE RENEWED	THRU 05/31/86;	
05/27/1982	140	ASGN FILED	ALLIED CORP/UNION TX	
01/24/1983	269	ASGN DENIED	ALLIED CORP/UNION TX	
03/15/1984	909	BOND ACCEPTED	EFF 02/09/84;NM0509	
05/15/1985	140	ASGN FILED	ALLIED CORP/UNION TX	
07/03/1985	963	CASE MICROFILMED/SCANNED	CNUM 102,901 AC	
07/30/1985	139	ASGN APPROVED	EFF 06/01/85;	
03/31/1986	314	RENEWAL APLN FILED		
06/01/1986	242	LEASE RENEWED	THRU 05/31/96;	
07/26/1988	974	AUTOMATED RECORD VERIF	MLO/SG	
10/08/1991	140	ASGN FILED	UNION TX/MERIDIAN	
02/03/1992	139	ASGN APPROVED	EFF 11/01/91;	
02/03/1992	974	AUTOMATED RECORD VERIF	AR/JLV	
03/09/1992	575	APD FILED	BURNETT OIL CO CE	
04/06/1992	576	APD APPROVED	GISSLER B FED NO 29	
07/07/1992	974	AUTOMATED RECORD VERIF	LO/MV	
10/01/1992	621	RLTY RED-STRIPPER WELL	3.7%/1/	
11/18/1992	974	AUTOMATED RECORD VERIF	ANN	
01/15/1993	625	RLTY REDUCTION APPV	/1/	
02/01/1994	974	AUTOMATED RECORD VERIF	MV/MV	
02/14/1994	575	APD FILED	BURNETT OIL CO INC	
04/18/1994	576	APD APPROVED	30 GISSLER B	
07/18/1994	932	TRF OPER RGTS FILED	MERIDIAN/BURNETT OIL	
11/23/1994	933	TRF OPER RGTS APPROVED	EFF 08/01/94;	
11/23/1994	974	AUTOMATED RECORD VERIF	JLV	
02/27/1996	314	RENEWAL APLN FILED		
05/20/1996	817	MERGER RECOGNIZED	EL PASO PROD/MERIDIAN.	
05/20/1996	817	MERGER RECOGNIZED	MERIDIAN PRO/MERIDIAN	
05/20/1996	817	MERGER RECOGNIZED	SOUTHLAND/MERIDIAN	
05/20/1996	974	AUTOMATED RECORD VERIF	BTM	
05/28/1996	974	AUTOMATED RECORD VERIF	AR	
06/01/1996	242	LEASE RENEWED	THRU 05/31/16;	
06/01/1996	530	RLTY RATE - 12 1/2%	/A/	
06/01/1996	868	EFFECTIVE DATE	LAST RENEWAL;	
09/18/1996	940	NAME CHANGE RECOGNIZED	MERIDIAN/BURLINGTON	
07/07/1997	974	AUTOMATED RECORD VERIF	TF/TF	
07/24/1998	932	TRF OPER RGTS FILED	BURLINGTON/ENRON	

NO WARRANTY IS MADE BY BLM FOR USE OF THE DATA FOR PURPOSES NOT INTENDED BY BLM

DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
CASE RECORDATION
(MASS) Serial Register Page

Run Date/Time: 1/26/2018 8:00 AM

Page 3 Of 3

Serial Number: NMNM-- 002748

Act Date	Act Code	Action Txt	Action Remarks	Pending Off
08/10/1998	933	TRF OPER RGTS APPROVED	EFF 08/01/98;	
08/10/1998	974	AUTOMATED RECORD VERIF	LR	
08/30/1999	817	MERGER RECOGNIZED	EOG RES/ENRON O&G CO	
08/30/1999	940	NAME CHANGE RECOGNIZED	ENRON O&G CO/EOG RES	
01/29/2001	140	ASGN FILED	BURLINGTON/EOG RES	
01/29/2001	932	TRF OPER RGTS FILED	BURLINGTON/EOG RES	
02/26/2001	933	TRF OPER RGTS APPROVED	EFF 02/01/01;	
02/26/2001	974	AUTOMATED RECORD VERIF	LR	
03/06/2001	139	ASGN APPROVED	EFF 02/01/01;	
03/06/2001	974	AUTOMATED RECORD VERIF	LR	
09/27/2007	246	LEASE COMMITTED TO CA	CA NM119958;	
06/07/2008	246	LEASE COMMITTED TO CA	CA-NM123022	
05/12/2011	940	NAME CHANGE RECOGNIZED	YATES DRL CO/OXY Y-1	
12/01/2016	940	NAME CHANGE RECOGNIZED	YATES PETRO/EOG Y RES	
12/01/2016	940	NAME CHANGE RECOGNIZED	MYCO INDUST/EOG M RES	
12/01/2016	940	NAME CHANGE RECOGNIZED	ABO PETRO/EOG A RESOU	

Line Number	Remark Text	Serial Number: NMNM-- 002748
0002	/A/AC 534 RLTY RATE SLIDING SCH D EFF 6/12/1936 THRU	
0003	5/31/1996. AC530 RLTY RATE 12.5% EFF 6/1/96 THRU	
0004	THE PRESENT.	
0005	BONDED OPERATOR - PER AFMSS	
0006	03/06/2001 - BURNETT OIL CO INC - NM2652 - S/W;	

**Bureau of Land Management
Carlsbad Field Office
620 East Greene Street
Carlsbad, New Mexico 88220
575-234-5972**

**Conditions of Approval
Off-Lease Storage and Lease Commingling of
Measurement and Sales of Production**

Burnett Oil Company Inc.

Gissler B2 Battery

Gissler B 2, 5, 12, 29, 30, 95, 100, 104

Leases: NMNM2748, NMNM074939

Approval of comingling measurement and sales is subject to the following conditions of approval:

1. This approval is subject to like approval by the New Mexico Oil Conservation Division.
2. This agency shall be notified of any spill or discharge as required by NTL-3A.
3. This agency reserves the right to modify or rescind approval whenever it determines continued use of the approved method may adversely affect the surface or subsurface environments.
4. This approval does not constitute a right-of-way approval for any off-lease. Within 30 days, an application for right-of-way approval must be submitted to the realty section if not already done.
5. Approval for combining production from various sources is a privilege which is granted to lessees for the purpose of aiding conservation and extending the economic life of leases. Applicants should be cognizant that failure to operate in accordance with the provisions outlined in the Authorized Officer's conditions of approval and/or subsequent stipulations or modifications will subject such approval to revocations.
6. Gas measurement for allocation must be measured as per Onshore Order #5 or 43 CFR 3175 and API requirements for sales meters, or as approved in this approval to commingle production.
7. Oil measurement for allocation must be measured as per Onshore Order #4 or 43 CFR 3174 and API requirements for oil measurement, or as approved in this approval to commingle production.
8. This agency shall be notified of any change in sales method or location of the sales point.
9. Additional wells and/or leases/CAs require additional comingling approvals.
10. Notify this office 24 hours prior to any meter proving to allow time for an inspector to witness.
11. This approval does not authorize any bypasses around any allocation meter or metering separator, this is to include the use of headers to divert production other production equipment other than the approved measurement points.

Special requirements:

12. While a well is on test, the test oil tank shall be isolated from any other source of production with all appropriate valves sealed. All seals must be recorded in the pumper's log.
13. Test oil measurements with time of gauge shall be recorded in the pumper's log and shall be an official record available upon request.

Lease NMNM2748 (100% Fed; 12.5%):

Gissler B 5	3001504300	Grayburg Jackson; SR-Q-G-SA
Gissler B 12	3001504302	Grayburg Jackson; SR-Q-G-SA
Gissler B 29	3001526985	Grayburg Jackson; SR-Q-G-SA
Gissler B 30	3001527922	Grayburg Jackson; SR-Q-G-SA
Gissler B 100	3001541800	Loco Hills; Glorieta-Yeso
Gissler B 104	3001541801	Loco Hills; Glorieta-Yeso

Lease NMNM074939 (100% Fed; Sch "D" @ 12.5%):

Gissler B 2	3001504308	Grayburg Jackson; SR-Q-G-SA
Gissler B 95	3001541176	Cedar Lake; Glorieta-Yeso

9/10/2019 DR