

Submit 1 Copy To Appropriate District Office  
District I - (575) 393-6161  
1625 N. French Dr., Hobbs, NM 88240  
District II - (575) 748-1283  
811 S. First St., Artesia, NM 88210  
District III - (505) 334-6178  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV - (505) 476-3460  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-103  
Revised July 18, 2013

<b>SUNDRY NOTICES AND REPORTS ON WELLS</b> (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-015-46628
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator SPUR ENERGY PARTNERS, LLC		6. State Oil & Gas Lease No.
3. Address of Operator 920 MEMORIAL CITY WAY, SUITE 1000, HOUSTON, TX 77024		7. Lease Name or Unit Agreement Name SHELBY 23
4. Well Location Unit Letter <u>A</u> : <u>836</u> feet from the <u>NORTH</u> line and <u>685</u> feet from the <u>EAST</u> line Section <u>26</u> <u>19S</u> Township <u>25E</u> Range <u>NMPM</u> <u>EDDY</u> County		8. Well Number <u>6H</u>
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3415' GR		9. OGRID Number <u>328947</u>
		10. Pool name or Wildcat N. SEVEN RIVERS; GLORIETA-YESO

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐  
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐  
DOWNHOLE COMMINGLE ☐  
CLOSED-LOOP SYSTEM ☐  
OTHER: ☒

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐  
COMMENCE DRILLING OPNS. ☐ P AND A ☐  
CASING/CEMENT JOB ☐  
OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

**BOP Break Testing Request**

Spur Energy Partners, LLC requests permission to adjust the BOP break testing requirements.

BOP break test under the following conditions:

- After a full BOP test is conducted
- When skidding to drill the production section where the surface casing is set into the third Bone Spring or shallower.
- When skidding to drill a production section that does not penetrate into the third Bone Spring or deeper.

If the kill line is broken prior to skid, two tests will be performed.

- 1) The void between the wellhead and the pipe rams
- 2) The kill lines and the choke manifold

If the kill line is not broken prior to skid, only one test will be performed.

- 1) The void between the wellhead and the pipe rams

Spud Date:

N/A

Rig Release Date:

N/A

Accepted for record - NMOCD

RECEIVED

JAN 28 2020

EMNRD-OCD ARTESIA

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

*Sarah Chapman*

TITLE REGULATORY DIRECTOR

DATE 01/27/2019

Type or print name SARAH CHAPMAN

E-mail address SCHAPMAN@SPUREPLLC.COM

PHONE: 832-930-8613

**For State Use Only**

APPROVED BY:

TITLE

Conditions of Approval (if any):

DATE

Gc  
1/28/20