# 30019 41670) RECEIVED

District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fc. NM 87505

State of New Mexico Energy, Minerals and Natural Resources Department 5 2020

Submit Original to Appropriate District Office

Oil Conservation DiviseMNRD-OCD ARTESIA 1220 South St. Francis Dr. Santa Fe, NM 87505

# GAS CAPTURE PLAN

Date: December 5. 2018

⊠ Original

Operator & OGRID No.: EOG Resources, Inc. 7377

Amended - Reason for Amendment:

This Gas Capture Plan outlines actions to be taken by the Operator to reduce well/production facility flaring/venting for new completion (new drill, recomplete to new zone, re-frac) activity.

Nole: Form C-129 must be subjutted and approved prior to exceeding 60 days allowed by Rule (Subsection A of 19.15.18.12 NMAC).

## Well(s)/Production Facility - Name of facility

The well(s) that will be located at the production facility are shown in the table below.

Well Name	API	Well Location (ULSTR)	Footages	Expected MCF/D	Flared or Vented	Çömments
Data Federal IH		11-17S-30E,	1289' FNL 651' FEL	500	0	
Data Federal 2H		11-17S-30E	1249' FNL 653' FEL	500	0	
Data Federal 3H		11-17S-30E	1209' FNL 654' FEL	500	0	
Bones Federal 4H		11-17S-30E	1284' FNL 501' FEL	500	0	
Bones Federal 5H		11-17S-30E	1244' FNL 503' FEL	500	0	
Bones Federal 6H		11-17S-30E	1204' FNL 504' FEL	500	0	
Mr. Scott Federal Com 1H		12–17S-30E	1567'FSL 2401' FEL	500	10	
La Forge Federal Com 2H	•	12–17S-30E	1591'FSL 2832' FEL	500	0	

#### **Gathering System and Pipeline Notification**

Well(s) will be connected to a production facility after flowback operations are complete, if gas transporter system is in place. The gas produced from production facility is dedicated to <u>DCP Midstream</u> and will be connected to <u>DCP Midstream</u> low pressure gathering system located in Eddy County, New Mexico. It will require 27' of pipeline to connect the facility to low/high pressure gathering system. <u>EOG</u> provides (periodically) to <u>DCP Midstream</u> a drilling, completion and estimated first production date for wells that are scheduled to be drilled in the foresecable future. In addition, <u>EOG</u> and <u>DCP Midstream</u> have periodic conference calls to discuss changes to drilling and completion schedules. Gas from these wells will be processed at <u>DCP Midstream</u> Processing Plant located in New Mexico. The actual flow of the gas will be based on compression operating parameters and gathering system pressures.

#### Flowback Strategy

After the fracture treatment/completion operations, well(s) will be produced to temporary production tanks and gas will be flared or vented. During flowback, the fluids and sand content will be monitored. When the produced fluids contain minimal sand, the wells will be turned to production facilities. Gas sales should start as soon as the wells start flowing through the production facilities, unless there are operational issues on <u>DCP Midstream</u> system at that time. Based on current information, it is <u>EOG's</u> belief the system can take this gas upon completion of the well(s).

Safety requirements during cleanout operations from the use of underbalanced air cleanout systems may necessitate that sand and non-pipeline quality gas be vented and/or flared rather than sold on a temporary basis.

### Alternatives to Reduce Flaring

Below are alternatives considered from a conceptual standpoint to reduce the amount of gas flared.

- Power Generation On lease
  - Only a portion of gas is consumed operating the generator, remainder of gas will be flared
- Compressed Natural Gas On lease
  - o Gas flared would be minimal, but might be uneconomical to operate when gas volume declines
- NGL Removal On lease
  - o Plants are expensive, residue gas is still flared, and uncconomical to operate when gas volume declines