

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTFORM APPROVED
OMB NO. 1004-0137
Expires: January 31, 2018**SUNDRY NOTICES AND REPORTS ON WELLS**
*Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.*5. Lease Serial No.
NMNM21640

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.
Multiple--See Attached9. API Well No.
Multiple--See Attached10. Field and Pool or Exploratory Area
Multiple--See Attached11. County or Parish, State
EDDY COUNTY, NM**SUBMIT IN TRIPLICATE - Other instructions on page 2**

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other2. Name of Operator
OXY USA INCORPORATEDContact: LESLIE REEVES
E-Mail: LESLIE_REEVES@OXY.COM

3a. Address

5 GREENWAY PLAZA SUITE 110
HOUSTON, TX 77046-05213b. Phone No. (include area code)
Ph: 713-497-24924. Location of Well (Footage, Sec., T., R., M., or Survey Description)
Multiple--See Attached**12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA**

TYPE OF SUBMISSION

TYPE OF ACTION

☒ Notice of Intent☐ Subsequent Report☐ Final Abandonment Notice☐ Acidize☐ Alter Casing☐ Casing Repair☐ Change Plans☐ Convert to Injection☐ Deepen☐ Hydraulic Fracturing☐ New Construction☐ Plug and Abandon☐ Plug Back☐ Production (Start/Resume)☐ Reclamation☐ Recomplete☐ Temporarily Abandon☐ Water Disposal☐ Water Shut-Off☐ Well Integrity☒ Other
Change to Original APD

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomple horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recomple in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

OXY USA INC. respectfully requests variances for BOP break-testing, offline cementing and to adjust the CBL requirement after bradenhead cement jobs for the below list of wells. Please see the attached drill plan revisions.

30-015-46373 Precious 30-18 Federal Com 1H (13480'TVD)
30-015-46375 Precious 30-18 Federal Com 7H (9874'TVD)
30-015-46523 Precious 30-18 Federal Com 9H (9720'TVD)
30-015-46464 Precious 30-18 Federal Com 4H (9835'TVD)
30-015-46448 Precious 30-18 Federal Com 5H (9783'TVD)
30-015-46465 Precious 30-18 Federal Com 6H (10153'TVD)
30-015-46463 Precious 30-18 Federal Com 10H (9943'TVD)

RECEIVED
FEB 26 2020

EMNRD-OCDARTESIA

14. I hereby certify that the foregoing is true and correct.

Electronic Submission #500404 verified by the BLM Well Information System
For OXY USA INCORPORATED, sent to the Carlsbad
Committed to AFMSS for processing by PRISCILLA PEREZ on 01/24/2020 (20PP1013SE)

Name (Printed/Typed) LESLIE REEVES

Title REGULATORY ADVISOR

Signature (Electronic Submission)

Date 01/23/2020

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By NDUNGU KAMAU

Title PETROLEUM ENGINEER

Date 02/24/2020

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office Carlsbad

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

**** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ****

FEB 26 2020

Additional data for EC transaction #500404 that would not fit on the form

Wells/Facilities, continued

Agreement	Lease	Well/Fac Name, Number	API Number	Location
NMNM21640	NMNM21640	PRECIOUS 30-18 FEDERAL COM	30-015-46373-00-X1	Sec 31 T23S R31E NWNW 570FNL 550FWL 32.266605 N Lat, 103.823860 W Lon
NMNM21640	NMNM21640	PRECIOUS 30-18 FEDERAL COM	30-015-46463-00-X1	Sec 31 T23S R31E NENE 520FNL 730FEL 32.266747 N Lat, 103.810715 W Lon
NMNM21640	NMNM21640	PRECIOUS 30-18 FEDERAL COM	30-015-46464-00-X1	Sec 31 T23S R31E NWNE 570FNL 2600FEL 32.266613 N Lat, 103.816765 W Lon
NMNM21640	NMNM21640	PRECIOUS 30-18 FEDERAL COM	30-015-46448-00-X1	Sec 31 T23S R31E NENE 520FNL 800FEL 32.266747 N Lat, 103.810944 W Lon
NMNM21640	NMNM21640	PRECIOUS 30-18 FEDERAL COM	30-015-46465-00-X1	Sec 31 T23S R31E NENE 520FNL 765FEL 32.266747 N Lat, 103.810829 W Lon
NMNM21640	NMNM21640	PRECIOUS 30-18 FEDERAL COM	30-015-46372-00-X1	Sec 31 T23S R31E NWNW 570FNL 620FWL 32.266605 N Lat, 103.823631 W Lon
NMNM21640	NMNM21640	PRECIOUS 30-18 FEDERAL COM	30-015-46523-00-X1	Sec 31 T23S R31E NENW 570FNL 2670FEL 32.266613 N Lat, 103.816994 W Lon
NMNM21640	NMNM21640	PRECIOUS 30-18 FEDERAL COM	30-015-46581-00-X1	Sec 31 T23S R31E NWNW 570FNL 880FWL 32.266609 N Lat, 103.822792 W Lon
NMNM21640	NMNM21640	PRECIOUS 30-18 FEDERAL COM	30-015-46582-00-X1	Sec 31 T23S R31E NWNW 570FNL 915FWL 32.266609 N Lat, 103.822678 W Lon
NMNM21640	NMNM21640	PRECIOUS 30-18 FEDERAL COM	30-015-46457-00-X1	Sec 31 T23S R31E NENE 520FNL 1065FEL 32.266747 N Lat, 103.811798 W Lon
NMNM21640	NMNM21640	PRECIOUS 30-18 FEDERAL COM	30-015-46462-00-X1	Sec 31 T23S R31E NENE 520FNL 1030FEL 32.266747 N Lat, 103.811684 W Lon

10. Field and Pool, continued

WOLFCAMP

32. Additional remarks, continued

30-015-46457 Precious 30-18 Federal Com 175H (11419'TVD)
 30-015-46462 Precious 30-18 Federal Com 176H (11416'TVD)
 30-015-46581 Precious 30-18 Federal Com 171H (11284'TVD)
 30-015-46582 Precious 30-18 Federal Com 172H (11410'TVD)

Revisions to Operator-Submitted EC Data for Sundry Notice #500404

	Operator Submitted	BLM Revised (AFMSS)
Sundry Type:	APDCH NOI	APDCH NOI
Lease:	NMNM0546732A	NMNM21640
Agreement:		
Operator:	OXY USA INC PO 4294 HOUSTON, TX 77210 Ph: 713-497-2492	OXY USA INCORPORATED 5 GREENWAY PLAZA SUITE 110 HOUSTON, TX 77046-0521 Ph: 713.350.4816
Admin Contact:	LESLIE REEVES REGULATORY ADVISOR E-Mail: LESLIE_REEVES@OXY.COM Cell: 281-733-0824 Ph: 713-497-2492	LESLIE REEVES REGULATORY ADVISOR E-Mail: LESLIE_REEVES@OXY.COM Cell: 281-733-0824 Ph: 713-497-2492
Tech Contact:	LESLIE REEVES REGULATORY ADVISOR E-Mail: LESLIE_REEVES@OXY.COM Cell: 281-733-0824 Ph: 713-497-2492	LESLIE REEVES REGULATORY ADVISOR E-Mail: LESLIE_REEVES@OXY.COM Cell: 281-733-0824 Ph: 713-497-2492
Location:		
State:	NM	NM
County:	EDDY	EDDY
Field/Pool:	INGLE WELLS; BONE SPRING	MESAVERDE WILDCAT WOLFCAMP
Well/Facility:	PRECIOUS 30-18 FEDERAL COM 1H Sec 31 T23S R31E Mer NMP NWNW 570FNL 550FWL 32.266070 N Lat, 103.823862 W Lon	PRECIOUS 30-18 FEDERAL COM 1H Sec 31 T23S R31E NWNW 570FNL 550FWL 32.266605 N Lat, 103.823860 W Lon PRECIOUS 30-18 FEDERAL COM 10H Sec 31 T23S R31E NENE 520FNL 730FEL 32.266747 N Lat, 103.810715 W Lon PRECIOUS 30-18 FEDERAL COM 4H Sec 31 T23S R31E NWNE 570FNL 2600FEL 32.266613 N Lat, 103.816765 W Lon PRECIOUS 30-18 FEDERAL COM 5H Sec 31 T23S R31E NENE 520FNL 800FEL 32.266747 N Lat, 103.810944 W Lon PRECIOUS 30-18 FEDERAL COM 6H Sec 31 T23S R31E NENE 520FNL 765FEL 32.266747 N Lat, 103.810829 W Lon PRECIOUS 30-18 FEDERAL COM 7H Sec 31 T23S R31E NWNW 570FNL 620FWL 32.266605 N Lat, 103.823631 W Lon PRECIOUS 30-18 FEDERAL COM 9H Sec 31 T23S R31E NENW 570FNL 2670FEL 32.266613 N Lat, 103.816994 W Lon PRECIOUS 30-18 FEDERAL COM 171H Sec 31 T23S R31E NWNW 570FNL 880FWL 32.266609 N Lat, 103.822792 W Lon PRECIOUS 30-18 FEDERAL COM 172H Sec 31 T23S R31E NWNW 570FNL 915FWL 32.266609 N Lat, 103.822678 W Lon PRECIOUS 30-18 FEDERAL COM 175H Sec 31 T23S R31E NENE 520FNL 1065FEL 32.266747 N Lat, 103.811798 W Lon PRECIOUS 30-18 FEDERAL COM 176H Sec 31 T23S R31E NENE 520FNL 1030FEL 32.266747 N Lat, 103.811684 W Lon

PECOS DISTRICT DRILLING CONDITIONS OF APPROVAL

OPERATOR'S NAME:	Oxy USA Incorporated
LEASE NO.:	NMNM021640
LOCATION:	Section 31, T.23 S., R.31 E., NMPM
COUNTY:	Eddy County, New Mexico
WELL NAME & NO.:	Precious 30-18 Federal Com 1H
SURFACE HOLE FOOTAGE:	570'/N & 550'/W
BOTTOM HOLE FOOTAGE:	2621'/S & 330'/W
WELL NAME & NO.:	Precious 30-18 Federal Com 4H
SURFACE HOLE FOOTAGE:	570'/N & 2600'/W
BOTTOM HOLE FOOTAGE:	2621'/S & 2200'/W
WELL NAME & NO.:	Precious 30-18 Federal Com 5H
SURFACE HOLE FOOTAGE:	570'/N & 800'/E
BOTTOM HOLE FOOTAGE:	2625'/S & 1310'/E
WELL NAME & NO.:	Precious 30-18 Federal Com 6H
SURFACE HOLE FOOTAGE:	570'/N & 765'/E
BOTTOM HOLE FOOTAGE:	2624'/S & 770'/E
WELL NAME & NO.:	Precious 30-18 Federal Com 7H
SURFACE HOLE FOOTAGE:	570'/N & 620'/W
BOTTOM HOLE FOOTAGE:	2621'/S & 1260'/W
WELL NAME & NO.:	Precious 30-18 Federal Com 9H
SURFACE HOLE FOOTAGE:	570'/N & 2670'/E
BOTTOM HOLE FOOTAGE:	2621'/S & 2200'/W
WELL NAME & NO.:	Precious 30-18 Federal Com 10H
SURFACE HOLE FOOTAGE:	570'/N & 550'/W
BOTTOM HOLE FOOTAGE:	2621'/S & 330'/W
WELL NAME & NO.:	Precious 30-18 Federal Com 171H
SURFACE HOLE FOOTAGE:	570'/N & 880'/W
BOTTOM HOLE FOOTAGE:	2620'/S & 330'/W
WELL NAME & NO.:	Precious 30-18 Federal Com 172H
SURFACE HOLE FOOTAGE:	570'/N & 915'/W
BOTTOM HOLE FOOTAGE:	2620'/S & 1210'/W

WELL NAME & NO.:	Precious 30-18 Federal Com 175H
SURFACE HOLE FOOTAGE:	520'/N & 1065'/E
BOTTOM HOLE FOOTAGE:	2624'/S & 1310'/E

WELL NAME & NO.:	Precious 30-18 Federal Com 176H
SURFACE HOLE FOOTAGE:	570'/N & 1030'/E
BOTTOM HOLE FOOTAGE:	2624'/S & 440'/E

ALL PREVIOUS COAs STILL APPLY.

A. SPECIAL REQUIREMENT (S)

BOP Break Testing Variance (Note: For 5M BOP or less)

- While in transfer between wells, the BOPE shall be secured by the hydraulic carrier or cradle.
- Any well control event while drilling require notification to the BLM Petroleum Engineer prior to the commencement of any BOP Break Testing operations.
- A full BOP test is required prior to drilling the first deep intermediate hole section. If any subsequent hole interval is deeper than the first, a full BOP test will be required.

Offline Cementing

Contact the BLM prior to the commencement of any offline cementing procedure.