Form 3 60-5 (June 2015)

UNITED STATES DEPARTMENT OF THE INTERIOR

MAR In & 2020

FORM APPROVED OMB NO. 1004-0137 Expires: January 31, 2018

, Bi	JREAU OF LAND MANA	GEMENT			inuary 51, 2016	
SUNDRY NOTICES AND REPORTS ON MELDS Do not use this form for proposals to drilled to be entered abandoned well. Use form 3160-3 (APD) for such proposals			CDA	5. Lease Serial No. NMNM88134 6. If Indian, Allottee o	r Tribe Name	
uzanconea wei	OSC 101111 0100-0 (A111	b) for such propose				
SUBMIT IN TRIPLICATE - Other instructions on page 2				7. If Unit or CA/Agree	ement, Name and/or No.	
Type of Well Gas Well □ Other Other				8. Well Name and No. H B 11 FEDERAL 7		
2. Name of Operator Contact: ERIN WORKMAN DEVON ENERGY PRODUCTION CON1-Mail: Erin.workman@dvn.com				9. API Well No. 30-015-32606-0	9. API Well No. 30-015-32606-00-S1	
3a. Address 333 WEST SHERIDAN AVEN OKLAHOMA CITY, OK 73102	3b. Phone No. (include Ph: 405-552-7970	area code) 10. Field and Pool or Exploratory Area PIERCE CROSSING-BONE SPR				
4. Location of Well (Footage, Sec., T.)		11. County or Parish,	State		
Sec 11 T24S R29E NESW 25			EDDY COUNTY	′, NM		
12. CHECK THE AF	PROPRIATE BOX(ES)	TO INDICATE NA	TURE OF	F NOTICE, REPORT, OR OTH	IER DATA	
TYPE OF SUBMISSION	TYPE OF ACTION					
	☐ Acidize	☐ Deepen	İ	☐ Production (Start/Resume)	■ Water Shut-Off	
Notice of Intent	☐ Alter Casing	☐ Hydraulic Fi	acturing	☐ Reclamation	■ Well Integrity	
☐ Subsequent Report 🗼	eport Casing Repair New Cons		action Recomplete Other			
☐ Final Abandonment Notice	☐ Change Plans				_	
_	☐ Convert to Injection	☐ Plug Back		☐ Water Disposal		
Attach the Bond under which the wor following completion of the involved testing has been completed. Final Abdetermined that the site is ready for final EVON ENERGY PRODUCT subject well. The well is sched 02/21/2020. Thanks.	ally or recomplete horizontally, k will be performed or provide operations. If the operation resondonment Notices must be fill nal inspection. ION COMPANY, LP respluted to be P&A'd this year	give subsurface locations the Bond No. on file with sults in a multiple comple ed only after all requirem sectfully requests and ar, but not by the time	and measur BLM/BIA tion or reco ents, includi	red and true vertical depths of all pertin. Required subsequent reports must be impletion in a new interval, a Form 316 ing reclamation, have been completed a to the approved TA for the	ent markers and zones. filed within 30 days 0-4 must be filed once	
14. I hereby certify that the foregoing is	true and correct			· · · · · · · · · · · · · · · · · · ·		
	Electronic Submission # For DEVON ENERG	Y PRODUCTION COM	LP, sent	l Information System to the Carlsbad ı 02/13/2020 (20PP1212SE)		
Name (Printed/Typed) ERIN WO	· ·	Title	,	ATORY COMPLIANCE PROF.		
Signature (Electronic S	Submission)	Date	02/11/20			
	THIS SPACE FO	OR FEDERAL OR	STATE	OFFICE USE		
	OI AGE I		~ y~ '	J IOE OVE		

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.



Date 02/18/20

_Approved By _JONATHON SHEPARD

which would entitle the applicant to conduct operations thereon.

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease

TitlePETROLEUM ENGINEER

Office Carlsbad

Revisions to Operator-Submitted EC Data for Sundry Notice #502808

Operator Submitted

Sundry Type:

TA NOI

Lease:

NMNM88134

Agreement:

Operator:

DEVON ENERGY PRODUCTION COMPAN 333 WEST SHERIDAN AVE OKC, OK 73102 Ph: 405-552-7970

Admin Contact:

ERIN WORKMAN

REGULATORY COMPLIANCE PROF. E-Mail: Erin.workman@dvn.com

Ph: 405-552-7970

Tech Contact:

ERIN WORKMAN REGULATORY COMPLIANCE PROF. E-Mail: Erin.workman@dvn.com

Ph: 405-552-7970

Location:

State: County: **EDDY**

Field/Pool:

PIERCE CROSSING, BS, EAST

Well/Facility:

HB 11 FEDERAL 7

Sec 11 T24S R29E Mer NMP NESW 2550FSL 1600FWL

BLM Revised (AFMSS)

NOI

NMNM88134

DEVON ENERGY PRODUCTION COM LP 333 WEST SHERIDAN AVENUE OKLAHOMA CITY, OK 73102 Ph: 405 552 6571

ERIN WORKMAN REGULATORY COMPLIANCE PROF. E-Mail: Erin.workman@dvn.com

Ph: 405-552-7970

ERIN WORKMAN

REGULATORY COMPLIANCE PROF.

E-Mail: Erin.workman@dvn.com

Ph: 405-552-7970

NM

EDDY

PIERCE CROSSING-BONE SPRING

H B 11 FEDERAL 7 Sec 11 T24S R29E NESW 2550FSL 1600FWL

BUREAU OF LAND MANAGEMENT

Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

Conditions of Approval for Temporary Abandonment of Wells

Definition: A temporarily abandoned well is a completion that is not capable of production in paying quantities, but which may have future value. Pursuant to 43 CFR 3162.3-4 (c), no well may be temporarily abandoned for more than 30 days without the prior approval of the authorized officer.

- 1. TA status will be effective for a period of up to one year from the date of sundry approval and can be renewed annually thereafter per IM NM-2016-017.
- 2. A bridge plug (CIBP) must be installed 50 to 100 feet above any open perforations or open hole. The CIBP must be capped with either a minimum of 25 sacks of cement if placed with tubing or 35 feet of cement if placed with a bailer. The top of the cement must be verified by tagging.
- 3. The wellbore must be filled with corrosion inhibited fluid and pressure tested to 500 psi. The casing shall be capable of holding this pressure for at least 30 minutes. If the well does not pass the casing integrity test, then the operator shall, within 30 days, submit a procedure to either repair the casing or to plug and abandon the well.
- 4. Contact the appropriate BLM office at least 24 hours prior to the scheduled Casing Integrity Test. For wells in Eddy County, 575-361-2822; Lea County 575-393-3612.
- 5. All downhole production/injection equipment (tubing, rods, etc.) shall be removed from the casing if it is not isolated by a packer.
- 6. A bradenhead test must be conducted. If the test indicates a problem, a remedial plan and time frame for remediation shall be submitted within ninety (90) days of the test.
- 7. Submit a subsequent Sundry Notice (Form 3160-5) with the following information:
 - a. A well bore diagram with all perforations, CIBP's, and tops of cement on CIBP's.
 - b. A description of the temporary abandonment procedure.
 - c. A clear copy or the original of the pressure test chart.