

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

RECEIVED

MAR 10 2020

FORM APPROVED
OMB NO. 1004-0137
Expires: January 31, 2018

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or recomplete an
abandoned well. Use form 3160-3 (APD) for such proposals.5. Lease Serial No.
NMLC028731A

6. If Indian, Allottee or Tribe Name

SUBMIT IN TRIPLICATE - Other instructions on page 2

7. If Unit or CA/Agreement, Name and/or No.
NMNM111789X

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other8. Well Name and No.
DODD FEDERAL UNIT 924H2. Name of Operator
COG OPERATING LLCContact: SARAH E CHAPMAN
E-Mail: SCHAPMAN@SPUREPLLC.COM9. API Well No.
30-015-45110-00-S13a. Address
600 W ILLINOIS AVENUE
MIDLAND, TX 797013b. Phone No. (include area code)
Ph: 832-930-861310. Field and Pool or Exploratory Area
DODD-GLORIETA-UPPER YESO

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Sec 15 T17S R29E SWSE 170FSL 2195FEL
32.827793 N Lat, 104.061203 W Lon11. County or Parish, State
EDDY COUNTY, NM

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	Drilling Operations
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

09/26/18 MIRU, drill 17-1/2" hole to 291'. RIH & set 13-3/8" 54.5# J-55 BTC csg @ 291', pump 20bbl spacer then cmt w/ 400sxs class C w/ additives 14.8ppg 1.36 yield. Full returns throughout job, circ 112sxs cmt to surface. WOC.

9/27/18 NU BOP, test to 250# low 2000# high, good test. Test 13-3/8" csg to 790# for 30 minutes, good test. Drill 12-1/4" hole to 855'. RIH & set 9-5/8" 40# J-55 BTC csg @ 855', pump 20bbl spacer then cmt w/ 660sxs class C w/ additives 14.8ppg 1.33 yield. Full returns throughout job, circ 354sxs cmt to surface. WOC. NU BOP, test to 250# low 2000# high, good test. Test 9-5/8" csg to 1500# for 30 minutes, good test. Drill 8-3/4" hole to 9543'. RIH & set 7" 29# L-80 BTC csg @ 3998' then crossover and set 5-1/2" 20# L-80 BTC csg @ 9518', pump 30bbl spacer then cmt w/ 1000sxs class C w/ additives 14.8ppg 1.33 yield. Full returns throughout job, circ 233sxs cmt to surface. 10/08/18 install nightcap, RD and rig release.

GC 3/13/20
Accepted for record - NMOC

14. I hereby certify that the foregoing is true and correct.

Electronic Submission #501677 verified by the BLM Well Information System
For COG OPERATING LLC, sent to the Carlsbad
Committed to AFMSS for processing by PRISCILLA PEREZ on 01/31/2020 (20PP1065SE)

Name (Printed/Typed) SARAH E CHAPMAN

Title REGULATORY DIRECTOR

Signature (Electronic Submission)

Date 01/31/2020

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By

ACCEPTED

JONATHON SHEPARD
Title PETROLEUM ENGINEER

Date 02/13/2020

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office Carlsbad

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED **

Additional data for EC transaction #501677 that would not fit on the form

32. Additional remarks, continued

Revisions to Operator-Submitted EC Data for Sundry Notice #501677

	Operator Submitted	BLM Revised (AFMSS)
Sundry Type:	DRG SR	DRG SR
Lease:	NMLC028731A	NMLC028731A
Agreement:	NMNM111789X	NMNM111789X (NMNM111789X)
Operator:	SPUR ENERGY PARTNERS LLC 920 MEMORIAL CITY WAY SUITE 1000 HOUSTON, TX 77024 Ph: 832-930-8502	COG OPERATING LLC 600 W ILLINOIS AVENUE MIDLAND, TX 79701 Ph: 432.685.4385
Admin Contact:	SARAH E CHAPMAN REGULATORY DIRECTOR E-Mail: SCHAPMAN@SPUREPLLC.COM Cell: 281-642-5503 Ph: 832-930-8613	SARAH E CHAPMAN REGULATORY DIRECTOR E-Mail: SCHAPMAN@SPUREPLLC.COM Cell: 281-642-5503 Ph: 832-930-8613
Tech Contact:	SARAH E CHAPMAN REGULATORY DIRECTOR E-Mail: SCHAPMAN@SPUREPLLC.COM Cell: 281-642-5503 Ph: 832-930-8613	SARAH E CHAPMAN REGULATORY DIRECTOR E-Mail: SCHAPMAN@SPUREPLLC.COM Cell: 281-642-5503 Ph: 832-930-8613
Location:		
State:	NM	NM
County:	EDDY	EDDY
Field/Pool:	DODD-GLORIETA-UPPER YESO	DODD-GLORIETA-UPPER YESO
Well/Facility:	DODD FEDERAL UNIT 924H Sec 15 T17S R29E Mer NMP SWSE 170FSL 2195FEL 32.827793 N Lat, 104.061203 W Lon	DODD FEDERAL UNIT 924H Sec 15 T17S R29E SWSE 170FSL 2195FEL 32.827793 N Lat, 104.061203 W Lon