Form 3160-5 (June 2015)

# RECEIVED

MAR 1 2 2020

FORM APPROVED OMB NO. 1004-0137 Expires: January 31, 2018

## **UNITED STATES** DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT.

SUNDRY NOTICES AND REPORTS ON WELLS  Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.			Lease Serial No. NMNM36975	5. Lease Serial No. NMNM36975  6. If Indian, Allottee or Tribe Name	
			6. If Indian, Allottee		
SUBMIT IN	7. If Unit or CA/Agre	eement, Name and/or No.			
Type of Well     Oil Well	8. Well Name and No KANSAS 21/28 V	W1KN FED COM 3H			
Name of Operator     MEWBOURNE OIL COMPAN	9. API Well No. 30-015-46620-	9. API Well No. 30-015-46620-00-X1			
3a. Address P O BOX 5270 HOBBS, NM 88241	Pi	o. Phone No. (include area code) h: 575-393-5905 x: 575-393-5905	10. Field and Pool or PURPLE SAGE	10. Field and Pool or Exploratory Area PURPLE SAGE-WOLFCAMP (GAS)	
4. Location of Well (Footage, Sec., T	., R., M., or Survey Description)		11. County or Parish, State		
Sec 21 T24S R28E NESW 2430FSL 2010FWL 32.202610 N Lat, 104.094704 W Lon			EDDY COUNTY, NM		
12. CHECK THE A	PPROPRIATE BOX(ES) TO	INDICATE NATURE OF	F NOTICE, REPORT, OR OT	HER DATA	
TYPE OF SUBMISSION	TYPE OF ACTION				
☐ Notice of Intent	☐ Acidize	□ Deepen	☐ Production (Start/Resume)	■ Water Shut-Off	
_	☐ Alter Casing	☐ Hydraulic Fracturing	□ Reclamation	☐ Well Integrity	
Subsequent Report	☐ Casing Repair	☐ New Construction	☐ Recomplete	<b>⊠</b> Other	
☐ Final Abandonment Notice	☐ Change Plans	☐ Plug and Abandon	□ Temporarily Abandon	Well Spud	
	☐ Convert to Injection	☐ Plug Back	■ Water Disposal		
Attach the Bond under which the wo following completion of the involved testing has been completed. Final Al determined that the site is ready for f 02/17/2020 Spud 17 1/2" hole @ 458'. Ra w/additives. Mixed @ 12.5#/g 02/18/2020. Circ 161 sks of cr 02/19/20, tested csg to 1500# bit.  Charts & Schematic attached. 02/21/2020 TD'ed 12 1/4" hole @ 3570'. F Class C (50:50:10) w/additive	rk will be performed or provide the deperations. If the operation results be andonment Notices must be filed of inal inspection.  In 443' of 13 3/8" 54.5# J55 S w/2.20 yd. Displaced w/63 b mt to the pits. Test BOPE to 5 for 30 mins, held OK. FIT to Ran 3555' of 9 5/8" 40# HCL8 s. Mixed @ 11.5#/g w/2.55 yd.	Bond No. on file with BLM/BIA in a multiple completion or reconly after all requirements, including the control of the control	1:30 A.M. At 8:30 P.M.  It with 12 1/4"  C C Good for record  Vith 650 sks Lite	e filed within 30 days 60-4 must be filed once and the operator has	
	Electronic Submission #505 For MEWBOURNE nmitted to AFMSS for processi	OIL COMPANY, sent to the ing by PRISCILLA PEREZ or	Carlsbad		
Name (Printed/Typed) RUBY CA	BALLERO	Title CLERK			
Signature (Electronic S	Submission)	Date 03/04/20	020		
	THIS SPACE FOR	FEDERAL OR STATE (	OFFICE USE		
Approved By ACCEPT	ED		N SHEPARD UM ENGINEER	Date 03/05/2020	
Conditions of approval, if any, are attache					

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Office Carlsbad

(Instructions on page 2)
\*\*\* BLM REVISED \*\* BLM REVISED \*\* BLM REVISED \*\* BLM REVISED \*\*

which would entitle the applicant to conduct operations thereon.

3/24/2018

### Additional data for EC transaction #505536 that would not fit on the form

#### 32. Additional remarks, continued

Mixed @ 14.8#/g w/1.32 yd. Displaced w/267 bbl of FW. Plug down @ 8:00 P.M. 02/21/20. Circ 234 sks of cmt to the pits. Set Cameron mandrel hanger through BOP w/70k#. At 6:30 A.M. 02/22/20, tested csg to 1500# for 30 mins, held OK. FIT test to EMW of 10.5 PPG. Drilled out with 8 3/4" bit.

Bond on file: NM1693 nationwide & NMB000919

### Revisions to Operator-Submitted EC Data for Sundry Notice #505536

**Operator Submitted** 

**BLM Revised (AFMSS)** 

Sundry Type:

**SPUD** 

NOI

NMNM36975 Lease:

SPUD SR

NMNM36975

Agreement:

Operator:

MEWBOURNE OIL COMPANY

PO BOX 5270 HOBBS, NM 88241 Ph: 575-393-5905

MEWBOURNE OIL COMPANY

P O BOX 5270 HOBBS, NM 88241 Ph: 575.393.5905

Admin Contact:

JACKIE LATHAN AUTHORIZED REPRESENTATIVE E-Mail: jlathan@mewbourne.com

Ph: 575-393-5905

JACKIE LATHAN AUTHORIZED REPRESENTATIVE E-Mail: jlathan@mewbourne.com

Ph: 575-393-5905 Fx: 575-393-5905

Tech Contact:

RUBY CABALLERO REGULATORY

E-Mail: rcaballero@mewbourne.com

Ph: 575-393-5905 Ext: 5032

RUBY CABALLERO CLERK

E-Mail: rojeda@mewbourne.com

Ph: 575-393-5905

Location:

State: County: Field/Pool: NM

EDDY

PURPLE SAGE-WOLFCAMP GAS

NM EDDY

PURPLE SAGE-WOLFCAMP (GAS)

Well/Facility:

KANSAS 21/28 W1KN FED COM 3H Sec 27 T24S R28E Mer NMP SWSW 2430FSL 2010FWL

KANSAS 21/28 W1KN FED COM 3H Sec 21 T24S R28E NESW 2430FSL 2010FWL 32.202610 N Lat, 104.094704 W Lon