

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

RECEIVED

MAR 06 2020

FORM APPROVED
OMB NO. 1004-0137
Expires January 31, 2018**SUNDRIY NOTICES AND REPORTS**
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.Lease Serial No.
NMNM117120**SUBMIT IN TRIPLICATE - Other instructions on page 2**

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.
OXBOW CC 17-8 FEDERAL COM 35H9. API Well No.
30-015-45087-00-X110. Field and Pool or Exploratory Area
PIERCE CROSSING-BONE SPRING11. County or Parish, State
EDDY COUNTY, NM

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Deepen
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Hydraulic Fracturing
	<input type="checkbox"/> Reclamation
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Recomplete
	<input type="checkbox"/> Temporarily Abandon
	<input type="checkbox"/> Water Disposal
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Well Integrity
	<input checked="" type="checkbox"/> Other Drilling Operations

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

11/9/19 RU BOP, test @ 250# low 5000# high, test 13-3/8" casing to 1500# for 30 min, good test. RIH & drill new formation to 460', perform FIT test to EMW=18.2ppg, good test. 11/9/19 drill 9-7/8" hole to 9117', 11/15/19. RIH & set 7-5/8" 26.4# HCL-80 csg @ 9097', pump 40bbl tuned spacer then cmt w/ 538sx (227bbl) PPC w/ additives 12ppg 2.37 yield followed by 545sx (148bbl) PPC w/ additives 13.2ppg 1.6 yield, full returns. Bradenhead squeeze 2nd stage cmt w/ 10bbl mudpush spacer then cmt w/ 436sx (110bbl) PPC w/ additives 12.8ppg 1.98 yield, followed by 436sx (300bbl) PPC w/ additives 12.8ppg 1.98 yield, followed by 65sx (20bbl) PPC w/ additives 12.8ppg 1.76 yield, cmt @ surface, WOC 11/17/19 RD & release rig.

12/4/19 Skid rig back to Oxbow CC 17-8 Federal Com 35H. RU BOP, test @ 250# low 5000# high, test 7-5/8" casing to 3400# for 30 min, good test. RIH & drill new formation to 9135', perform FIT test to EMW=13.2ppg. 12/5/19 Drill 6-3/4" hole to 20344'M 9860'V 12/9/19. RIH & set 5-1/2" 20# P110

14. I hereby certify that the foregoing is true and correct.

Electronic Submission #502069 verified by the BLM Well Information System
For OXY USA INCORPORATED, sent to the Carlsbad
Committed to AFMSS for processing by PRISCILLA PEREZ on 02/06/2020 (20PP1104SE)

Name (Printed/Typed) JANA MENDIOLA

Title REGULATORY SPECIALIST

Signature (Electronic Submission)

Date 02/04/2020

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By ACCEPTED	JONATHON SHEPARD Title PETROLEUM ENGINEER	Date 02/13/2020
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.		
Office Carlsbad		

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED **

RuP4/30/20

Additional data for EC transaction #502069 that would not fit on the form

32. Additional remarks, continued

liner csg @ 20325', TOL @ 9020'. Pump 120bbl mudpush express then cmt w/ 801sx (197bbl) Class H w/ additives @ 13.2ppg 1.38 yield, full returns throughout job, est. TOC @ 8934', WOC. ND BOP, RD Rel
Rig 12/12/19

State of New Mexico
Energy, Minerals and Natural Resources Department

Michelle Lujan Grisham
Governor

Sarah Cottrell Propst
Cabinet Secretary

Todd E. Leahy, JD, PhD
Deputy Secretary

Adrienne Sandoval, Division Director
Oil Conservation Division



Notice of C-104 Denial and Request for Information

OCD denies your C-104 – *Request for Allowable and Authorization to Transport* because it is incomplete or conflicts with other information provided to OCD.

The sale or transport of product without a C-104 approved by OCD violates the Oil and Gas Act and the implementing rules, including 19.15.7.15 and 19.15.16.19 NMAC.

To avoid an enforcement action, you must submit the indicated information no later than 30 days after receipt of this notice.

Test Allowable, New Well and Recompleted Well

- ☐ C-103 (or BLM equivalent) for all casing strings
 - ☐ Spud Notice
 - ☐ Surface Casing
 - ☐ Intermediate Casing (if applicable)
 - ☐ Additional Intermediate Casing (if applicable)
 - ☐ Production Casing or Liner
- ☐ Applicable Order (NSL, NSP, Other _____)
- ☐ Deviation Survey for Vertical Wells
- ☐ Directional Survey
 - ☐ C-102 (As-Drilled Plat for Horizontal Well)

New Well and Recompleted Well Only

- ☐ C-103 Completion Sundry (or BLM equivalent)
- ☐ C-105 Completion Report (or BLM equivalent)
- ☐ All Logs Run on Well

If you have any questions please contact the local OCD District Office

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

RECEIVED

MAR 06 2020

FORM APPROVED
OMB NO. 1004-0137
Expires: January 31, 2018**SUNDRY NOTICES AND REPORTS ON WELLS**
Do not use this form for proposals to drill or re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.5. Lease Serial No.
NMMN117120

6. If Indian, Allottee or Tribe Name

SUBMIT IN TRIPLICATE - Other instructions on page 2

7. If Unit or CA/Agreement, Name and/or No.

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

8. Well Name and No.

OXBOW CC 17-8 FEDERAL COM 34H

2. Name of Operator

OXY USA INCORPORATED

Contact: JANA MENDIOLA

E-Mail: janalyn_mendiola@oxy.com

9. API Well No.

30-015-45086-00-X1

3a. Address

5 GREENWAY PLAZA SUITE 110
HOUSTON, TX 77046-0521

3b. Phone No. (include area code)

Ph: 432-685-5936

10. Field and Pool or Exploratory Area

PURPLE SAGE-WOLFCAMP (GAS)

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Sec 17 T24S R29E SESE 601FSL 1271FEL
32.211937 N Lat, 104.002075 W Lon

11. County or Parish, State

EDDY COUNTY, NM

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	Drilling Operations
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomple horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

11/16/19 RU BOP, test @ 250# low 5000# high, test 13-3/8" casing to 1500# for 30 min, good test. RIH & drill new formation to 462', perform FIT test to EMW=18.2ppg, good test. 11/17/19 drill 9-7/8" hole to 9373', 11/20/19. RIH & set 7-5/8" 26.4# HCL-80 csg @ 9353', pump 40bbl tuned spacer then cmt w/ 585sx (227bbl) PPC w/ additives 12ppg 2.37 yield followed by 600sx (159bbl) PPC w/ additives 13.2ppg 1.6 yield, full returns. Bradenhead squeeze 2nd stage cmt w/ 10bbl mudpush spacer then cmt w/ 436sx (110bbl) PPC w/ additives 12.8ppg 1.98 yield, followed by 958sx (300bbl) PPC w/ additives 12.8ppg 1.76 yield, cmt @ surface, WOC. 11/23/19 Pressure test 7-5/8" casing to 3400# for 30 min, good test. RIH & drill new formation to 9383', perform FIT test to EMW=15ppg, good test.

11/23/19 Drill 6-3/4" hole to 20560'M 10064'V 12/1/19. RIH & set 5-1/2" 20# P110 liner csg @ 20547', TOL @ 9098'. Pump 120bbl mudpush express then cmt w/ 797sx (196bbl) Class H w/ additives @

14. I hereby certify that the foregoing is true and correct.

Electronic Submission #502056 verified by the BLM Well Information System
For OXY USA INCORPORATED, sent to the Carlsbad
Committed to AFMSS for processing by PRISCILLA PEREZ on 02/06/2020 (20PP1102SE)

Name (Printed/Typed) JANA MENDIOLA

Title REGULATORY SPECIALIST

Signature (Electronic Submission)

Date 02/04/2020

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By ACCEPTED	JONATHON SHEPARD Title PETROLEUM ENGINEER	Date 02/13/2020
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.		
Office Carlsbad		

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

**** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ****

RUP 4-30-20

Additional data for EC transaction #502056 that would not fit on the form

32. Additional remarks, continued

13.2ppg 1.38 yield, full returns throughout job, est. TOC @ 9243', WOC. ND BOP, RD Rel Rig
12/4/19.