District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210

District III 1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico

Energy, Minerals & Natural Resources Depertment OIL CONSERVATION DIVISION 1220 South St. Francis Dr.

Santa Fe, NM 87505


189 10111213141516 Form C-102 Revised October 12, 2005 Submitto Appropriate District Office State Lease 4 Copies Æe Lease-3 Copies

AMENDED REPORT

	WELL LOCATION AND AC	REAGE DEDICATION PLAKE 82170796	
API Number	Pool Code	Pool Name	
	75260	COTTONWOOD CREEK; WC, WEST (GAS	5)
Property Code	Prope	rty Name	Well Number
	GILA "B	" 2 FEE	1 <i>H</i>
OGRID No.	Operat	or Name	Elevation
7377	EOG RESOL	JRCES, INC.	3576'

Surface Location UL or lot no. Section Range Lot Idn Feet from the North/South line Feet from the Township East/West line County 24 EAST, N.M.P.M. 2 16 SOUTH 2516 **NORTH** 660 **EDDY EAST** Bottom Hole Location If Different From Surface Lot Idn Feet from the North/South line Feet from the UL or lot no. Section Township East/West line County 12 2 16 SOUTH 24 EAST, N.M.P.M. 2516 **NORTH** 660 WEST **EDDY Dedicated Acres** Joint or Infill Consolidation Code Order No. 320

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



Permit Information:

Well Name: Gila B 2 Fee #1H

Location:

SL BHL 2516° FNL & 660° FEL, Section 2, T-16-S, R-24-E, Eddy Co., N.M.

2516' FNL & 660' FWL, Section 2, T-16-S, R-24-E, Eddy Co., N.M.

Casing Program:

Casing	Setting Depth	Hole Size	Casing Size	Casing Weight	Casing Grade	Desired TOC
Surface	900'	12-1/4"	8-5/8"	32#	J-55	Surface
Production	8,417'	7-7/8"	5 1/2"	17#	N-80	Surface

Cement Program:

Depth	No.	Slurries:
-	Sacks	
900'	150	Lead: Premium Plus + 2% CaCl2 + 3% Econolite + ¼ pps Flocele
	175	Tail: Premium Plus + 2% CaCl ₂ + ¼ pps Flocele
8,417'	400	Lead: Interfill C + ¼ pps Flocele
	300	Tail: Premium Cement + 100% Acid Soluble Additive + 0.6% Halad®-344 + 0.8% Econolite + 0.2% HR-55
		344 + 0.8% Econolite + 0.2% HR-55

Mud Program:

1.144 7 1 0 B. W.I.I.				
Depth	Туре	Weight (ppg)	Viscosity	Water Loss
0 – 900'	Fresh - Gel	8.6-8.8	28-34	N/c
900' – 4,400'	Cut Brine	8.8-9.2	28-34	N/c
4,400' - 5,100'	Cut Brine	8.8-9.2	28-34	10-15
4,168' – 8,417'	Polymer (Lateral)	9.0-9.4	40-45	10-25